

Kitchen Editor Current Guideline Update: Editor / Designer Workspace Version

This update extends the existing Kitchen Editor cleanup guideline for the new editor/designer workspace flow.

The existing cleanup principles still apply:

- Rename the real thing, update every call site, and delete the old name.
- Do not keep aliases, bridge files, compatibility wrappers, old-name exports, fallbacks, or fake migrations.
- Keep the 3D design scene as the source of truth.
- Keep perspective, floor plan, and elevation as derived scene views.
- Keep file names specific to their real responsibility.
- Avoid generic `resolve` / `resolver` naming unless the code truly resolves an ambiguity, path, route, ID, or dependency.

1. New Workspace Model

The app now has two separate concepts:

```
KitchenWorkspaceMode = how the user is allowed to interact
SceneViewMode = how the same design scene is viewed
```

Use:

```
export type KitchenWorkspaceMode = "editor" | "designer";

export type SceneViewMode = "perspective" | "floor-plan" | "elevation";
```

Meaning:

```
editor = manual editing mode
designer = read-only selection + AI design/chat mode

perspective = 3D perspective view
floor-plan = top-down plan view
elevation = wall/elevation view
```

Do not duplicate source-of-truth scene data by workspace mode.

Avoid:

```
editorDesignScene  
designerDesignScene  
editorPlacedAssemblies  
designerPlacedAssemblies
```

Good:

```
designScene  
workspaceMode  
activeSceneViewMode
```

The same `designScene` is shared by editor and designer mode.

2. Scene View Naming

Because the app now has `editor` as a workspace mode, avoid using “editor view” to mean perspective/floor/elevation.

Rename directly:

```
KitchenEditorView -> SceneViewMode  
activeEditorView -> activeSceneViewMode  
setActiveEditorView -> setActiveSceneViewMode  
editorViewTypes.ts -> sceneViewModeTypes.ts
```

Do not keep alias types.

Bad:

```
export type SceneViewMode = KitchenEditorView;
```

Good:

```
export type SceneViewMode = "perspective" | "floor-plan" | "elevation";
```

Then update every import and call site.

3. Camera State Naming

Camera state is shared by editor and designer mode. It belongs to scene view mode, not workspace mode.

Preferred rename:

```
EditorCameraStates -> SceneCameraStates
PerspectiveEditorCameraState -> PerspectiveCameraState
OrthographicEditorCameraState -> OrthographicCameraState
ElevationEditorCameraState -> ElevationCameraState
editorCameraStates -> sceneCameraStates
editorCameraStateActions.ts -> sceneCameraStateActions.ts
```

Do not create separate camera states for editor/designer mode.

Avoid:

```
editorCameraStates
designerCameraStates
```

Good:

```
sceneCameraStates: {
  perspective,
  floorPlan,
  elevationDefault,
  elevationByViewKey,
}
```

Camera state should persist per scene view mode. Switching between editor and designer must not reset camera state.

4. Workspace Mode Store Naming

Add workspace mode to the same Zustand store.

Use:

```
workspaceMode: KitchenWorkspaceMode;
setWorkspaceMode: (workspaceMode: KitchenWorkspaceMode) => void;
```

Action file:

```
engine/scene/actions/workspaceModeActions.ts
```

When switching to designer mode:

```
clear active editing operation  
clear active toolbar tool  
clear active drag  
keep active selection  
keep active scene view mode  
keep scene camera states
```

Selection and camera navigation remain allowed in designer mode.

Manual scene mutation is blocked in designer mode.

5. Workspace Shell Naming

Shared editor/designer layout should use `KitchenWorkspace` naming.

Rename directly:

```
KitchenEditorShell -> KitchenWorkspaceShell  
KitchenEditorTopBar -> KitchenWorkspaceHeader
```

Add:

```
KitchenWorkspaceModeSwitch  
KitchenWorkspaceToolbar  
KitchenWorkspaceSidebar  
SceneViewModeTabs
```

Recommended folder:

```
features/kitchen-editor/workspace/  
  KitchenWorkspaceShell.tsx  
  KitchenWorkspaceHeader.tsx  
  KitchenWorkspaceModeSwitch.tsx  
  KitchenWorkspaceToolbar.tsx  
  KitchenWorkspaceSidebar.tsx
```

```
SceneViewModeTabs.tsx
kitchenWorkspaceModeTypes.ts
```

The app entry can remain:

```
KitchenEditorApp
```

because the product/application is still Kitchen Editor.

6. Shared Viewport Naming

The shared perspective/floor/elevation area should not be named as an editor-only switcher.

Rename directly:

```
EditorViewSwitcher -> DesignSceneViewport
```

Good:

```
features/kitchen-editor/editors/DesignSceneViewport.tsx
```

Meaning:

DesignSceneViewport renders the shared DesignSceneCanvas and view-specific overlays/navigation.

Do not create a wrapper that only renders the old `EditorViewSwitcher`.

Bad:

```
export function DesignSceneViewport() {
  return <EditorViewSwitcher />;
}
```

Good:

```
export function DesignSceneViewport() {
  return (
    <div className="relative h-full min-h-0">
```

```

        <DesignSceneCanvas />
        <WallElevationEdgeNavigator />
    </div>
    );
}

```

Then delete `EditorViewSwitcher.tsx`.

7. Editor Panel and Designer Panel Naming

The old right panel name `KitchenEditorInspectorPanel` is no longer accurate because editor mode includes catalog browsing, object creation, selected assembly editing, selected wall editing, and delete controls.

Rename directly:

```
KitchenEditorInspectorPanel -> KitchenEditorPanel
```

Use:

```
features/kitchen-editor/editor-panel/
  KitchenEditorPanel.tsx
```

Designer mode gets a separate panel:

```
features/kitchen-editor/designer-panel/
  AIDesignerPanel.tsx
  DesignerChatPanel.tsx
  SelectedAssemblySummary.tsx
  SelectedWallSummary.tsx
```

Use `Summary` for designer-mode read-only selected data.

Do not reuse editable property panels by adding a fake `readOnly` prop unless read-only property rendering becomes a real shared responsibility.

Good:

```
AssemblyPropertiesPanel = editable editor-mode panel
SelectedAssemblySummary = read-only designer-mode summary
```

8. Toolbar Naming

Keep toolbar command actions separate from active tools.

Editor mode toolbar:

```
features/kitchen-editor/editor-toolbar/  
  KitchenEditorToolbar.tsx  
  kitchenEditorToolbarConfig.ts  
  kitchenEditorToolbarTypes.ts
```

Designer mode toolbar:

```
features/kitchen-editor/designer-toolbar/  
  KitchenDesignerToolbar.tsx  
  kitchenDesignerToolbarConfig.ts  
  kitchenDesignerToolbarTypes.ts
```

Shared camera commands should not be editor-only if they are used in both modes.

Preferred shared naming:

```
SceneCameraCommandTool  
SceneCameraCommand
```

Examples:

```
export type SceneCameraCommandTool = "zoom-out" | "zoom-in" | "fit-view";
```

Editor active tools remain editor-only:

```
export type KitchenEditorActiveToolbarTool =  
  | "draw-wall-footprint"  
  | "split-wall-footprint";
```

Do not allow impossible active state:

```
activeToolbarTool: "zoom-in";
```

Camera commands are one-shot commands. They are not active tools.

9. Designer Mode Interaction Rules

Designer mode is read-only for manual editing.

Allowed in designer mode:

```
select placed assembly
select placed wall
clear selection
hover
orbit/pan/zoom camera
switch scene view mode
read selected assembly summary
read selected wall summary
use AI designer chat
review AI suggestions/proposals later
```

Blocked in designer mode:

```
place assembly candidate
drag assembly
edit assembly dimensions
edit assembly options
edit assembly position
edit assembly rotation
delete assembly
draw wall footprint
split wall footprint
edit wall height
edit wall viewable edges
delete wall
commit active scene operation
```

This must be enforced in both interaction components and store actions.

Do not only hide buttons.

10. Store Action Guard Rule

Manual mutation actions must return early unless the workspace is editor mode.

Good:


```
if (get().workspaceMode !== "editor") {  
  return;  
}
```

Apply this to:

```
assemblyPlacementActions.ts  
assemblyDragActions.ts  
assemblyEditingActions.ts  
wallFootprintDraftActions.ts  
wallSplitDraftActions.ts  
wallEditingActions.ts  
sceneToolbarActions.ts
```

Do not block:

```
sceneSelectionActions.ts  
sceneViewModeActions.ts  
sceneCameraStateActions.ts  
wallElevationNavigationActions.ts
```

Selection, camera, and view navigation are allowed in both workspace modes.

11. Interaction Component Rules

In editor mode:

```
click assembly = select + allow drag  
click wall = select + allow editor operation when active tool requires it  
Delete / Backspace = delete selected assembly/wall
```

In designer mode:

```
click assembly = select only  
click wall = select only  
Delete / Backspace = no scene mutation
```

Update these components directly:

```
AssemblyPrimitiveMesh.tsx
WallMesh.tsx
KeyboardShortcuts.tsx
PlacementSurface.tsx
AssemblyDragSurface.tsx
WallFootprintDraftSurface.tsx
WallSplitDraftSurface.tsx
```

Avoid creating a generic permission manager unless permission logic becomes larger and repeated enough to justify a real file.

If a helper is needed, use a specific name:

```
canManuallyEditScene(workspaceMode)
```

Avoid vague names:

```
checkPermission()
workspaceResolver()
modeHelper()
```

12. Designer AI Workflow Naming

Do not add unused future AI store placeholders.

For now, chat state can stay local to `DesignerChatPanel` unless it needs persistence.

Future AI design workflow should use explicit proposal language:

```
DesignerProposal
DesignerProposalValidationResult
previewDesignerProposal()
applyDesignerProposal()
rejectDesignerProposal()
```

Designer mode blocks manual editing, but a future accepted AI proposal may mutate the scene through explicit proposal actions.

Do not let chat code call normal manual edit actions directly.

Bad:

```
updateSelectedAssemblyDimension(...)
deleteSelectedAssembly()
```

Good future flow:

```
AI response
-> parse DesignerProposal
-> validate DesignerProposal
-> preview DesignerProposal
-> applyDesignerProposal after user accepts
```

13. Full-Height Sidebar Layout Rule

The right sidebar should belong to the workspace shell grid, not only the viewport/content area.

Recommended shell structure:

```
KitchenWorkspaceShell
├─ KitchenWorkspaceHeader
├─ KitchenWorkspaceToolbar
├─ DesignSceneViewport
└─ KitchenWorkspaceSidebar
```

The sidebar should span all shell rows:

```
header
toolbar
viewport
```

Good layout concept:

```
grid columns: main workspace | full-height sidebar
grid rows: header | toolbar | viewport
sidebar: column 2, row 1 through row 3
```

Do not put the sidebar inside the lower content area if it should stretch full height.

14. Updated Folder Structure

Recommended current structure:

```
src/features/kitchen-editor/  
  KitchenEditorApp.tsx  
  
  workspace/  
    KitchenWorkspaceShell.tsx  
    KitchenWorkspaceHeader.tsx  
    KitchenWorkspaceModeSwitch.tsx  
    KitchenWorkspaceToolbar.tsx  
    KitchenWorkspaceSidebar.tsx  
    SceneViewModeTabs.tsx  
    kitchenWorkspaceModeTypes.ts  
  
  editor-toolbar/  
    KitchenEditorToolbar.tsx  
    kitchenEditorToolbarConfig.ts  
    kitchenEditorToolbarTypes.ts  
  
  designer-toolbar/  
    KitchenDesignerToolbar.tsx  
    kitchenDesignerToolbarConfig.ts  
    kitchenDesignerToolbarTypes.ts  
  
  editor-panel/  
    KitchenEditorPanel.tsx  
  
  designer-panel/  
    AIDesignerPanel.tsx  
    DesignerChatPanel.tsx  
    SelectedAssemblySummary.tsx  
    SelectedWallSummary.tsx  
  
  editors/  
    DesignSceneViewport.tsx  
    perspective/  
    floor-plan/  
    elevation/  
    shared/  
  
  rendering/  
    assemblies/  
    walls/  
  
  interaction/  
    assemblies/  
    walls/  
  
  properties-panel/
```

```
assemblies/  
walls/  
shared/  
  
catalog-panel/  
catalogs/  
shared/
```

Engine additions:

```
src/engine/scene/actions/  
workspaceModeActions.ts  
sceneViewModeActions.ts  
sceneCameraStateActions.ts
```

Only rename `sceneViewActions.ts` and `editorCameraStateActions.ts` if the direct rename is completed everywhere.

15. Updated Red-Flag Search Terms

Search these before returning code:

```
legacy  
fallback  
migration  
migrate  
compat  
compatibility  
deprecated  
resolve  
resolver  
Resolved  
Date.now  
Math.random  
PartObject  
KitchenWorld3D  
BoxAssemblyBody  
place-assembly  
ObjectCatalog  
KitchenEditorRightPanel  
WallOutlineCandidate  
selectedEntity  
activeCandidate  
EditorToolbarTool  
wallFootprintDraftPointer
```

```
outlinePointsInches
EditorViewSwitcher
KitchenEditorInspectorPanel
activeEditorView
KitchenEditorView
editorCameraStates
EditorCameraStates
designerDesignScene
editorDesignScene
designerCameraStates
editorCameraStates
```

Not every match is automatically wrong, but each match must be reviewed.

For this new version, old names like `KitchenEditorView`, `activeEditorView`, and `EditorCameraStates` should either be fully renamed or intentionally kept with a clear reason.

16. Final Standard for This Version

The current product model should read like this:

```
DesignScene is the source of truth.
KitchenWorkspaceMode controls user permissions.
SceneViewMode controls perspective/floor/elevation viewing.
SceneCameraStates remember camera data per scene view mode.
KitchenWorkspaceShell owns the shared layout.
KitchenEditorPanel owns manual editing/catalog/properties UI.
AIDesignerPanel owns read-only selection summaries and AI chat.
Editor mode can manually mutate the scene.
Designer mode can select, inspect, navigate, and use AI, but cannot manually
mutate the scene.
```

Any file, type, action, component, or folder that does not match this model should be renamed, moved, inlined, or deleted directly.