Weather Research and Forecast (WRF) Scaling, Performance Assessment and Optimization

Comparison of Compilers and MPI Libraries on Cheyenne

Akira Kyle[1], Davide Del Vento [2], Brian Vanderwende [2], Negin Sobhani [2], Dixit Patel [3]

August 3, 2018

1 Carnegie Mellon University

2 NCAR NATIONAL CENTER FOR ATMOSPHERIC RESEARCH

3 University of Colorado Boulder



Outline

Background

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

– Real-time NWP

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

– Real-time NWP

– Idealized simulations

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

– Real-time NWP

– Idealized simulations

– Data assimilation

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

– Real-time NWP

– Idealized simulations

– Data assimilation

– Earth system model coupling

The Weather Research and Forecast Model

"WRF is a state-of-the-art atmospheric modeling system designed for both meteorological research and numerical weather prediction. It offers a host of options for atmospheric processes and can run on a variety of computing platforms. WRF excels in a broad range of applications across scales ranging from tens of meters to thousands of kilometers, including the following."

– Meteorological studies

– Real-time NWP

– Idealized simulations

– Data assimilation

– Earth system model coupling

– Model training and educational support

WRF Flowchart



Intro

Test cases

- `conus12km`
- `conus2.5km`
- `new_conus12km`
- `new_conus2.5km`
- `katrina1km`
- `katrina3km`
- `maria1km`
- `maria3km`

Compilers and MPI Libraries

- GNU Compiler Collection (GCC) versions 6.3.0, 8.1.0
  - WRF compiles with -O2 default
    - Tried -O3 and -mfma (enables FMA instruction set)
    - Use -ofast?
- Intel Compiler versions 17.0.1, 18.0.1
- MPT, MVAPICH

Settings

- MVAPICH

`http://mvapich.cse.ohio-state.edu/static/media/mvapich/mvapich2-2.3rc2-userguide.html#x1-19100011.15`

Results

CONUS 12km


Scaling results for CONUS 12km with WRFV3.8.1
Time steps / s
Total grid points / core
10^2
10^1
10^0
10^2
10^3
gnu6.3.0/mpt2.18/T1
gnu6.3.0/mpt2.18/T2
gnu6.3.0/mvapich2.2/T1
gnu6.3.0/mvapich2.2/T2
gnu6.3.0/mvapich2.2gnu7.1.0/T1
gnu6.3.0/mvapich2.2gnu7.1.0/T2
intel18.0.1/mpt2.18/T1
intel18.0.1/mpt2.18/T2

NEW CONUS 12km WRFV3.8.1



Old CONUS 12km vs New CONUS 12km WRFV3.8.1



New CONUS 12km



New CONUS 2.5km



Maria 3km


Scaling results for Maria 3km with WRFV4.0
Time steps / s
10^0
10^3
10^4
Total grid points / core
gnu6.3.0/mvapich2.2
gnu8.1.0/mpt2.18
gnu8.1.0/mvapich2.2
gnu8.1.0-O3-fma/mvapich2.2

Case comparison



Summary

Conclusions?

- Brownian motion begins with a random walk
- $\langle R_N^2 \rangle = NL^2$ can be related to physical quantities through forces
    - Randomness is very helpful: it allows us to average out a terms[1]

[1] The Feynman Lectures on Physics, Vol. I