



Master's thesis

Master's Programme in Computer Science

Public licenses in Software Engineering: A Multivocal Literature Review

Akira Taguchi

April 23, 2025

FACULTY OF SCIENCE
UNIVERSITY OF HELSINKI

Contact information

P. O. Box 68 (Pietari Kalmin katu 5)
00014 University of Helsinki, Finland

Email address: info@cs.helsinki.fi

URL: <http://www.cs.helsinki.fi/>

HELSINGIN YLIOPISTO – HELSINGFORS UNIVERSITET – UNIVERSITY OF HELSINKI

| | | | |
|--|-------------------------------|--|--|
| Tiedekunta — Fakultet — Faculty | | Koulutusohjelma — Utbildningsprogram — Study programme | |
| Faculty of Science | | Master's Programme in Computer Science | |
| Tekijä — Författare — Author | | | |
| Akira Taguchi | | | |
| Työn nimi — Arbetets titel — Title | | | |
| Public licenses in Software Engineering: A Multivocal Literature Review | | | |
| Ohjaajat — Handledare — Supervisors | | | |
| Prof. Tomi Männistö | | | |
| Työn laji — Arbetets art — Level | Aika — Datum — Month and year | Sivumäärä — Sidoantal — Number of pages | |
| Master's thesis | April 23, 2025 | 26 pages, 25 appendix pages | |
| Tiivistelmä — Referat — Abstract | | | |
| <p>Context: Public licenses are central to the distribution of works in software engineering. For example in open source there must be an appropriate PCL attached to the source code in order for open-source software to be freely available for possible modification and redistribution. Understanding PCLs can be difficult. This could stem from the legal nature of the license texts and the large number of already-existing PCLs. As a result some actions made within the boundaries of the PCLs may come as a surprise to the public.</p> <p>Objective: The primary goal of this research is to conduct a multivocal literature review of the current state of PCLs in software engineering, the evaluation of the them and the evidence level of the research. The research aims to provide a novel perspective on relevant licenses and to extract key findings through a rigorous literature review process. This study has two main viewpoints: to provide rigorous research on PCLs to the academic field and to provide insights to the professional field of software engineering on PCLs. The grand goal of this thesis is to raise awareness of the importance of PCLs so that more licensers would make the correct choices based on their situations and needs in a mindful way.</p> <p>Method: The search strategy examined 6666 sources, found through websites that list PCLs and ad-hoc searches. Applying inclusion and exclusion criteria resulted in the selection of 666 sources, which made relevant contributions related to PCLs in software engineering.</p> <p>Results:</p> <p>Conclusions:</p> <p>ACM Computing Classification System (CCS) Social and professional topics → Computing / technology policy → Intellectual property → Licensing</p> | | | |
| Avainsanat — Nyckelord — Keywords | | | |
| open source, free / libre software, copyright, proprietary software, copyleft, license | | | |
| Säilytyspaikka — Förvaringsställe — Where deposited | | | |
| Helsinki University Library | | | |
| Muita tietoja — övriga uppgifter — Additional information | | | |
| Software study track | | | |

Acknowledgements

ScanCode LicenseDB data is licensed under the Creative Commons Attribution License 4.0 (CC-BY-4.0) by nexB Inc. and others.

much love to artemis, sami nurmivaara, prof männistö and prof mäntylä

thanks to def for borrowing gpt4. thanks to rashid and barunes for sending me software licensing related videos and news. thanks to iikka and joonas for giving a hint for using a license database. thanks to suvi for supporting my work with the thesis from the beginning and enduring my mental health issues.

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 1.1 | Research goal, questions and contributions | 2 |
| 1.2 | Thesis structure | 3 |
| 1.3 | Background and terminology of PCLs | 3 |
| 2 | Methods | 8 |
| 2.1 | Research questions | 10 |
| 2.2 | Search stragegy | 12 |
| 2.2.1 | Search method | 13 |
| 2.2.2 | Search scope and terms | 13 |
| 2.3 | Search process | 14 |
| 2.4 | Inclusion and exclusion criteria | 17 |
| 2.5 | Data collection and data analysis | 17 |
| 3 | Results | 19 |
| 3.1 | Placeholder question (RQ1) | 19 |
| 3.2 | Placeholder question (RQ2) | 19 |
| 3.3 | Placeholder question (RQ3) | 19 |
| 3.4 | Placeholder question (RQ4) | 19 |
| 4 | Discussion | 20 |
| 4.1 | Implications for research | 20 |
| 4.2 | Implications for software engineering professionals | 20 |
| 4.3 | Limitations and threats to validity | 20 |
| 4.3.1 | Limitations of literature selection for review | 21 |
| 4.3.2 | Limitations in data extraction | 22 |
| 5 | Conclusions | 24 |
| 5.1 | Future research | 24 |

- A Primary literature identified in the search process, duplicates removed i
- B Primary literature reviewed, read in full and inclusion/exclusion criteria applied
- C Primary literature reviewed, read in full and data extracted

1 Introduction

use the word public license instead of PCL, make fixes per perens' other comments. Free software license != strong copyleft software license

PCLs play a central role to the distribution of works in software engineering. For example in open source there must be an appropriate PCL attached to the source code in order for the piece of software to be freely available for possible modification and redistribution. Because open source is central to software engineering the licenses enabling open source must also be considered important in the same context.

Public license is defined by Wikipedia with the following words (Wikipedians, 2024a):

”A public license is a copyright license where the licensees are not limited. Examples include free content, open content, Creative Commons, free software and open source licences.”

Understanding PCLs can be difficult. This could stem from the legal nature of the license texts and the large number of already-existing PCLs. The license texts usually favors correctness over the readability for the developer. This is because the license text has to act as a valid legal instrument otherwise it cannot be endorsed (Ferguson, 2006). The lack of understanding of PCLs leaves too much room for interpretation. In June 21, 2023 International Business Machines' (IBM) Red Hat seemingly violated a PCL, the GNU General Public License version 2 (GPL-2.0) (Kuhn, 2023) (McGrath, 2023). This was an unpleasant surprise to the public since the project behind GNU General Public License (GPL), GNU Project initially attempted to ensure the users via the GPL have to the following three freedoms (GNU, 1996):

- Freedom 1: The freedom to study how the program works, and change it so it does your computing as you wish. Access to the source code is a precondition for this.
- Freedom2: The freedom to redistribute copies so you can help others
- Freedom 3: The freedom to distribute copies of your modified versions to others. By doing this you can give the whole community a chance to benefit from your changes. Access to the source code is a precondition for this.

Regardless, IBM's Red Hat essentially rendered the previously public Red Hat Enterprise Linux (RHEL) into proprietary software. If the licenses would be more easily understood the proprietarization of RHEL would have been less of a surprise to the users.

On top of PCL details, software engineers in general have a tough time understanding the basic goals of PCLs used in software engineering. In the instance of the RHEL incident it would not have been a big surprise to software engineers if they would have known about other licenses and what they try to achieve or how old is GPLv2 and why it has been succeeded by GNU General Public License version 3 (GPL-3.0).

This thesis' goal is to contribute into the solving these problems in a structured manner. First we state definitions and terminology used in the scope of this thesis. We go over the reasons why there does not exist consistent terminology in this area and why the conversely the definitions are the most stabile ones in this area. Second we take a deep dive into the PCLs through a multivocal literature review. To make more information available, a mapping study connected to the terminology scope defined in the first step is needed. Third includes our own suggestions and basic knowledge for professionals and academics in the industry to enhance the understanding of PCLs in software engineering. This step also includes discussion of the future research and contributes to stablizing the terminology and reinforcing the already-existing definitions in the academic field.

1.1 Research goal, questions and contributions

The primary goal of this research is to conduct a multivocal literature review of the current state of PCLs in software engineering, the evaluation of the them and the evidence level of the research. The research aims to provide a novel perspective on relevant licenses and to extract key findings through a rigorous literature review process. The research questions of the review are:

- RQ1: How many PCLs in software engineering does there exist?
- RQ3: What is the average length of a PCL in software engineering?
- RQ3: What are the most common components seen in PCLs in software engineering?
- RQ4: What are the most common changes made to PCLS in software engineering?

Terms such as open source, source code, software freedom and other vocabulary must be

defined in the scope of this thesis. Section 1.3 will examine this plethora of terminology and definitions and will be used to establish a sound basis for discussing this broad subject.

This study has two main viewpoints. The first one is to provide rigorous multivocal research on PCLs to the academic field. Because this thesis already does the multivocal work on PCLs in software engineering the researches of the future can cite the results of this thesis without having to mark their study a multivocal one. This is the grand goal of this thesis. The second one is to provide insights and general metrics to the professional field of software engineering on PCLs. Hopefully this makes conversation on PCLs in software engineering easier and more rooted to scientific research rather than gut feeling and old, non-scientific articles on the insights and metrics of PCLs in software engineering.

1.2 Thesis structure

This thesis follows the IMRaD structure. Chapter 1 introduces the problem, this thesis' possible contributions and some further background. Chapter 2 goes over the process and the methods of the multivocal literature review. This is where most of the actual research takes place in. Chapter 3 presents results to the research questions. Chapter 4 discusses implications for research. The chapter also discusses software engineering professionals in the thesis' context and the validity of the thesis' research. Chapter 5 concludes this thesis with the help of the research questions and the future of the research.

1.3 Background and terminology of PCLs

The current terminology is used with different definitions which leads to inconsistencies in the field of software engineering. For example The Open Source Initiative (OSI) classifies GPL-3.0 under the term "open source" whereas the Free Software Foundation (FSF) classifies GPL-3.0 under the term "free software" (OSI, 2008)(Stallman, 2009). This is because their definitions on open source and free software differ from each other. Some parts of the two definitions are even mutually exclusive. This is rarely mentioned when people talk about Free and Open Source Software (FOSS) or Free / Libre and Open Source Software (FLOSS) which leads to misunderstanding that the two approaches are the same. This is why our focus will be PCLs in software engineering, which distinguishes our investigation from the broader topic of PCLs or the copyright law. This includes also PCLs that are not approved by the FSF nor OSI hence not falling under the group of FLOSS licenses. The

term "copyleft" is defined by Mustonen, 2003 in the following way:

"Copyleft is a novel licensing scheme. It facilitates open and decentralized software development. Its key feature is that once a program is licensed by the inventor, the subsequent programs based on the original must also be licensed similarly."

This is why the term is often used in the context of free software.

In this section we aim to increase the accessibility of our discussion by providing a concise overview of the background of the field of PCLs and the terms we employ.

To explain our emphasis on PCLs in software engineering, it is essential to examine the other possible areas of interest in PCLs. Our study classifies such efforts into eight domains as mentioned by the GNU Project (GNU, 2023).

These domains include:

- PCLs in software engineering
- PCLs in documentation for example architecture documentation of a project that may or may not be software or even publicly licensed
- PCLs in artistic works for example digital art, music or videos
- PCLs in educational works
- PCLs in fonts
- PCLs in viewpoints
- PCLs in physical objects
- PCLs in other works

The primary aim of this study is to investigate PCLs in software engineering process. However, it is important to acknowledge that PCLs in software engineering are only aspect of PCLs. These additional dimensions are crucial in adoption and implementation of PCLs in software engineering, but they are not the focus of this thesis.

For example, including artistic works such as music would require us to understand the basics of music theory and what sets apart distinct pieces of music from one another,

something that could be outside the skillset of the author. While developing a comprehensive theory, framework, and tooling for PCLs as a whole is a gargantuan task beyond the scope of a single thesis, narrowing our focus to software engineering enables us to examine a more concise and complete aspect of the main topic of this thesis.

As significant point of clarification, it is essential to acknowledge that PCLs are generally meant to be used as valid legal instruments. The question whether or not a PCL can act as a legal instrument is critical to the main function of these licenses. However, this thesis will not focus on the legal doctrine aspects either. The enforceability of PCLs has seen discussion in the academic field of law since the dawn of PCLs and since there's already an academic base for research it is likely the discussion seems to continue on with a healthy amount of activity (Duisburg, 2011).

Since the most recognized PCLs in software engineering in public are either open-source licenses or free-software licenses and since both paradigms are driven by different organizations with very different goals and values, it is understandable how non-standardized the terminology in the scope of PCL in SE is. The example given in the first section of this sub-chapter illustrates the challenges involved in maintaining consistency in the use of terminology in this emerging field and further warrants a closer inspection of the terminology to emphasize our own standing in the field.

To provide an understanding of the terminology used in this thesis, a Venn diagram is presented in Figure 1.1, which contextualizes the non-standardized terminology within the PCL scope as a whole. This perspective provides an increased understanding of where different subdomains fall in the larger picture of PCLs. Furthermore it is essential to note that PCLs in software engineering encompasses different aspects that require a closer examination.

Let us explore further the differences and similarities between open source and free software at the software engineering level of PCLs. This is a crucial step since we can see from the approximation in Figure 1.1 that the majority of PLCs are either free software, open source or both. We glanced over the free software definition in the first section of Chapter 1. Open Source Initiative defines open-source licenses in the Open Source Definition briefly in the following way (OSI, 2024):

”Open source licenses are licenses that comply with the Open Source Definition
- in brief, they allow software to be freely used, modified, and shared.”

Like the FSF with free software, OSI has the final word on what passes as open source




Figure 1.1: PCLs in software engineering

and what does not. For example a new software PCL will not classify as free software nor open source until the corresponding organization has acknowledged the software PCL as either free software, open source or neither. If a PCL is accepted by both FSF and OSI it will fall under the term FLOSS. If a PCL gets accepted by neither of the organization or it gets rejected by both organizations it will fall under other software PCLs in the Figure 1.1. In general free software license requirements are considered more strict than the open source license requirements. For the sake of perspective we could simplify the differences like so: free software requires the redistributions of the licensed software to be open as well but open source does not require this. The terms free software and open source are in general often misunderstood or just thought of as FLOSS collectively because the terms have a hard time conveying their paradigms in the natural language. One would not think free software does not mean software free of charge nor would one think that open source allows closed source redistributions of the licensed software. We will glance over the impacts on the industry of these two terms in Chapter 4.

With the context laid out in this chapter let us define PCLs in software engineering for the purpose of this study: Public software licenses are copyright licenses where the licensees are not limited and the copyright license in question is meant be used in licensing software source code. This helps us create the search strings and find the relevant literature for

this thesis. This also helps us exclude PCLs regarding documentation, media and all other non-software targeted PCLs.

The quest to categorize every software PCL under some paradigm objectively is a complex one and cannot be comprehensively answered in a single paragraph. Therefore it is essential to continue taking the correct steps towards increasing the scientific understanding and providing the industry with examples, standards and processes to follow. However, as the following chapters reveal, a significant amount of effort is still being spent on solving the same problem multiple times, rather than building on existing knowledge and finding the next problem to solve. This thesis aims to contribute to mitigating this challenge by providing a rigorous analysis of the current state of the field. As the knowledge, conventions, and terminology take shape, we can look forward to reaching a state where less effort is spent on defining concepts and more on practical problem-solving.

2 Methods

This chapter aims to establish a precisely defined and rigorous research approach to enhance transparency and repeatability. We will take the steps required to ensure that every phase and decision is thoroughly documented, enabling the reader to retrace the research process. In a thesis made by a single researcher the lack of cross-examination of results with multiple researchers and the validation of evaluation criteria for opinion bias pose threats to validity, as will be clarified further in Chapter 4. Therefore, special attention will be paid to address these concerns. By following this approach, this research endeavors to contribute to the existing body of knowledge in the field of computer science in a robust and reliable manner.

at the end of this section i will have to document the timestamp at which point i accessed the docs of scancode-licensedb since. actually i might be a good idea to create a wayback machine attempt to capturing the state of the licensedb rn. nvm great wayback machine is not viable solution for that. just stating here that i downloaded the licensedb on 2025 mar 25 15:30

it's good to note that when bumping into the missing license of attpubliclicense which was from gnu, it turned out that the license listing site doesnt state the license content whatsoever. i had to just put the comment of the license into manual licenses.

manual/missing licenses: check which shortcodes of missing licenses does stage2-3.py output. check from sheets where does the shrotcode originate from. ctrl + f that listing site. copy the full license to manual-licenses/shortcode.txt and re-run the stage2-3.py until no longer missing licenses appear in console.

remember to count here how many missing licenses / manual licenses had to be done manually

could be also a good idea to note here how many missing licenses came from which site. gnu and fsf seem to be the winners here.

cvw was not found with the python script. i checked from the excel that its from the osi but osi didnt have it anymore by the time i got there. at some point between fetching the data and the re-fetching the license content from the original site MITRE had voluntarily retired the cvw license. it was found from the scancode licensedb with the name cvwl instead.

dejavu and dbg-3.0 were also two other licenses that contained a space. this might indicate that the space is an accident that its simply just not found from a license listing site x. its also good to note that the python script was decided to be an valid approach since many of the licenses were actually found with the shortcode from the licensedb scandcode. fetching 700 licenses by hand would have had time and validity issues. wayback machine could have been used to do the actual searching as well. this is unfortunately a validity issue but at least the source is available in wayback machine.

let it be said, that when looking for manual licenses, if there existed two sites which listed the same license, the leftmost was chosen, as per the order of the wikipedia mit article

it seems like i have manually added licenses and invented shortcodes for them AT LEAST in DFSG license listing. FAL is a good example.

For example licenses like CorkForkPL from FSF are just empty licenses. CorkForkPL is used however in MighTyD project but the license would have to be seen from a downloaded project or something like that. A new scope: only licenses that are one (1) click away from the initial license landing page can be cypasted to the manual licenses. just like the JahiaCSL has a URL on FSF for the license new location although the FSF page is empty.

licenses like MPL exist on FSF and GNU. it was not easily found from FSF (empty with links to programs using this) so it was gotten from GNU which was labeled as MPL1.1, which the FSF DOES have so i just boldly went with that. threat to validity.

it could be a good idea to mention how many missing licenses came out of which sites. or it could be out of scope. i can just make a validity threat and say with face value that most of them were from FSF, GNU in that order. Python license seems just straight up an accident on FSF's side. scope is not to fix the documentation problems of the 5 organizations though so I'll leave it just like that and mention the possibility of it being just an accident.

so. now i figured ill take another validity threat L and decide to remove duplicates by human eyesight and choose the one left over from two seeming duplicates by pure human eyesight. i will document the ones that were chosen over the other duplicate and call it a day. for now. i gotta write number + shortcode to find duplicates and document them.

The systematic literature review method (SLR) is a well-established approach for conducting a comprehensive and rigorous analysis of the existing research on specific research question or subject (Kitchenham and Charters, 2007). This paper presents a multivo-

cal literature review (MLR). MLR is a SLR that includes both academic (AL) and grey literature (GL). This method was selected for this study to facilitate a thorough and scientifically interdisciplinary examination of PCLs in software engineering. The existing literature consists of PCLs and as such are considered gray literature, making the thesis a multivocal literature review.

This study follows the guidelines outlined by Kitchenham and Charters, 2007, to ensure its quality. The multivocal review method consists of three distinct phases: planning, conducting and reporting the review. This study strictly adhered to this structure. The phases can be further broken down into a research protocol, as illustrated in Figure 2.1. Adhering to the protocol is the first step in ensuring a well-documented and rigorous process, which increases the validity and auditability of the study.

The multivocal literature review process began with the formulation of research questions and the establishment of a comprehensive search strategy and scope. The search process was conducted by employing a quasi-gold standard (QGS) approach based on the implementation by Zhang and Ali Babar, 2010. After the completion of the search process, the inclusion and exclusion criteria were defined. To ensure a structured evaluation of the literature, a data extraction form was created. Finally, a strategy for analyzing the extracted data from the literature was designed.

To ensure the reliability and validity of the research protocol, it was validated against similar systematic literature reviews in computer science, the aforementioned guidelines by Kitchenham and Charters, 2007, and was further refined through an iterative process. Specifically, a subset of the data was tested on (The QGS) and any identified issues or problems were recorded and addressed. The details of this process are explained and thoroughly documented in the following sections. Similarly, the same approach was followed for the data extraction process, whereby a subset of literature was tested to refine the data extraction form. The revision of the form was undertaken as necessary to guarantee the completeness and accuracy of the extracted data.

2.1 Research questions

The research questions in this study served two primary purposes. Firstly, they aimed to provide an analysis of the existing multivocal literature on PCLs in software engineering for the researchers interested about the field. Secondly, the questions were designed to cater a secondary audience of professional software engineering practitioners. As discussed




Figure 2.1: Three phases of a systematic literature review

in the Chapter 1, the following research questions were addressed in this thesis:

- RQ1: How many PCLs in software engineering does there exist?
- RQ2: What is the average length of a PCL in software engineering?
- RQ3: What are the most common components seen in PCLs in software engineering?
- RQ4: What are the most common changes made to PCLS in software engineering?

The multivocal literature review in this thesis begins with addressing RQ1, which aims to provide the amount of PCLs that exist in software engineering. The review takes into account attributes like versions, supersedences to a different license family, formal or otherwise and recognizability. These attributes give us different amounts to existing PCLs in software engineering. This information could be most valuable for the practitioners out of all the research questions in the thesis since it could give some sense of the scale when picking a PCL that would serve the practitioners' needs the best.

Next RQ2 seeks to find the average length of the text of a PCL in software engineering. This research question has attributes like the number of characters, sentences, distinct sections and the size of the license on a computer screen. This information could be valuable for the practitioners mentioned in the previous parapgrah for the same reasons of getting a better overview of the PCLs in software engineering. The research questions could also be beneficial for the practitioners working directly within the meta plane of PCLs in software engineering. Let us refer to the latter as researchers.

Finally RQ3 and RQ4 attempt to distinguish the top level paragraphs and other components of the PCLS in software engineering and what are the common reasons for the changes made to them throughout the years. The research questions go over the content of the changes and the implied and expressed reasons for making the changes. The answers to these last two research questions could again be useful for the researchers. The results can be used to introduce some notable background of the current PCLs in software engineering and enabling focus to more specific areas inside this PCLs in software engineering.

2.2 Search stragey

The search process was conducted on various PCL listing websites. The selection criteria for the literature were defined after the search process and the selection process was based

on inclusion and exclusion criteria. The inclusion and exclusion criteria and each step of exclusion on the literature found was documented and is available as Appendix A. The used criteria are presented later in this chapter.

The data extraction process was performed in a standardized and systematic manner, with the aim of obtaining all relevant information from the selected literature. The data extraction form used included information such as license name, release year, text length and inferred purpose and is available Table 2.2. The extracted data was then used to answer the research questions and perform the data analysis. The results of the data analysis were then reported in a rigorous manner.

2.2.1 Search method

The search was conducted on various PCL listing websites, as mentioned earlier, to obtain a broad set of multivocal literature. This approach yielded a large number of literature that were processed to a subset of high-relevance literature using exclusion and quality criteria presented later in this chapter. Manual searching of databases with thousands of PCLs is not feasible, and it is prone to researcher bias and may overlook relevant venues from other scientific disciplines. However, a preliminary manual search was performed to reduce the number of iterations required and establish the quasi-gold standard (QGS) mentioned earlier.

2.2.2 Search scope and terms

Originally the search terms would have been present just like in a normal MLR or SLR. Keywords however produced highly varying and non-reproducable results in Google Scholar and Google Search. Some PCL listing websites such as FSF's list of pages categorized as licenses could not be found from Google Search even with the `site` operator: `site:https://directory.fsf.org/wiki/Category:License`. Although the page has been up since 2013 for some reason Google has not crawled the page in 10 years (FSF, 2024). Hence why this thesis does not include search terms per se.

Instead, for establishing a QGS we started defining our search scope from the Wikipedia page of one of the most used open source license according to Balter, 2015, the MIT license (Wikipedians, 2024b). The infobox contained fields in the order shown in Table 2.1.

As we defined PCLs in software engineering as copyright licenses where the licensees are

| Field | Value |
|--|--------------------------------------|
| Publisher | Massachusetts Insitute of Technology |
| SPDX identifier | MIT |
| Debian FSG compatible | Yes |
| FSF approved | Yes |
| OSI approved | Yes |
| GPL compatible | Yes |
| Copyleft | No |
| Linking from code with a different license | Yes |

Table 2.1: MIT License Wikipedia page infobox

not limited and the copyright license in question is meant be used in licensing software source code in Chapter 2 and our research questions focus on finding measurements and reasonings to the PCLs' various attributes, we decided to gather PCLs from the related web pages of the aforementioned categorizers: SPDX, FSF, OSI and GNU. The publisher, GPL compatibility, copyleft and the linking exception did not result in any meaningful PCL listing websites. This leaves us with the SPDX, Debian FSG compatibility, FSF and OSI from which all resulted in some sort of PCL listing websites.


With the search for the initial PCL listing websites completed we moved onto the search process itself.

2.3 Search process

The literature selection process was divided into multiple stages, as outlined in Figure 2.2. The initial step involved the formation of the first PCL listing websites through which the first literature would be acquired from.

does this figure 2.2 have to use these terms since im really just applying K & C 2007 slr guidelines to a mlr. no it doesnt. change it when finishign up 2. methods.

In the first stage, the search was conducted using the "SPDX License List" (Linux Foundation, 2024), "The DFSG and Software Licenses" (Debian, 2024), FSF's "Category:License" Wiki page (FSF, 2024), GNU's "Various Licenses and Comments about Them" (GNU, 2023) and "OSI Approved licenses" (OSI, 2024). The PCLs appear in the same order as

**Figure 2.2:** Search process divided into stages

described above: SPDX, DFSG, FSF, OSI and GNU. The appendix was also crafted in a spreadsheet software so that only the initial hit source was documented in the order described above. For example even if MIT license would be found on SPDX and DFSG Appendix A would only display MIT license with the "First hit from" value being SPDX. The initial list of 789 PCLs excluding duplicates is provided in Appendix A.

Some things must be mentioned about the process of the first stage. First, the FSF outputted a "license" named "other". This "license" included at the time of observation 5282 known programs to FSF whose PCLs were not documented yet by the FSF. Although some of the programs had straightforward PCLs such as GPL-2.0-only we decided to leave these PCLs out of the scope of this thesis due to the large amount of the programs. The second note is about GNU's PCLs. Since we had the most trouble scraping the identifiers automatically from this website we decided to limit the PCLs only to "Software Licenses" as defined by the table of contents on the website.

approx duplicates were the result of going to the two listing websites that had the approximately same looking licenses. then i just checked if they were actually some sort of duplicates of one another or if they already exist somewhere else. examples here. this is also a validity threat. problem with focusing software specific licenses is for example wtfpl. it is mostly used in software licensing but it doesn't quite clearly state that it is software specific license. maybe ill have to include the word "public license" and just include stuff that's not actually software specific or maybe ill make some exclusion criteria in order to get less non-software licenses

In the second stage, the inclusion and exclusion criteria were applied to further filter the literature and reduce the number of licenses to be reviewed. This involved a manual review of the full licenses. The exclusion reason as a shortcode (e.g. I1 = failed to meet inclusion criteria 1 or E2 = met exclusion criteria 2) is provided in Appendix B.

The third stage was the most time-consuming and involved a manual review of the full licenses. After reading and evaluating each license, a final round of exclusions was completed and documented. The remaining licenses were used for data collection and analysis in the final part of the study. The final list of licenses is available in Appendix C.

2.4 Inclusion and exclusion criteria

To be eligible for the data collection and analysis, a license had to meet all of the following inclusion criteria:

- I1: The license focuses on the copyright of software source code or their binaries
- I2: [inclusion criteria 2](#)

Additionally, licenses were excluded if they met any of the following criteria:

- E1: The piece of literature is a license exception
- E2: The piece of literature is a Creative Commons license
- E3: [exclusion criteria here](#)
- E4: [exclusion criteria here](#)

The relevance of each piece of literature was evaluated based on inclusion and exclusion criteria stated above. In cases where there was doubt about the suitability of a license, a more in-depth manual examination of its content was performed. The reason for exclusion was documented for each license that failed to meet the criteria, and when it was unclear, the license was included by default.

Another relevant criteria related to the ones of inclusion and exclusion are the quality and evidence criteria. These criteria used by Dybå et al., 2007 were not put into practice in this thesis since individual PCLs per se might not be meaningful in a results, evidence nor quality perspective. This puts more emphasis on the inclusion and exclusion criteria so that is something we must be mindful about.

2.5 Data collection and data analysis

To answer the research questions of this thesis, a thorough examination of the selected primary literature was conducted and the necessary data was collected using data extraction form presented in Table 2.2. A record of extracted data was kept for analysis and is available as Appendix B.

The subsequent chapter presents the outcomes of the steps taken in the study, as discussed above.

| # | Field | Concern/Research question |
|----|------------------|---------------------------|
| F1 | Name | Documentation |
| F2 | Length | RQ3 |
| F3 | FSF approval | Documentation |
| F4 | OSI approval | Documentation |
| F5 | Inferred purpose | RQ1, RQ2, RQ4 |

Table 2.2: Data extraction form

3 Results

This chapter employs the data extracted from the set of primary literature, available as Appendix A, utilizing the methods outlined in Chapter 2 to address the research questions. Firstly, a summary of the general statistics collected and aggregated from the studies is presented. Following that, an analysis of the data is performed to provide answers to each of the research questions.

mention design science, the artifact and its contributions

how many licenses and why

statistical overview with figures (mapping study)

how many licenses during each stage (figure)

basic statistic on final licenses (figure)

essential statistics (figure)

3.1 Placeholder question (RQ1)

figures and literature identifier tables

3.2 Placeholder question (RQ2)

figures and literature identifier tables

3.3 Placeholder question (RQ3)

figures and literature identifier tables

3.4 Placeholder question (RQ4)

figures and literature identifier tables

4 Discussion

indications

follow-up observation

observation 1

observation 2

sum-up from those two

4.1 Implications for research

how to improve scientific scene 1

how to improve scientific scene 2

how to improve scientific scene 3

4.2 Implications for software engineering professionals

how to improve professional scene 1

how to improve professional scene 2

how to improve professional scene 3

overall

4.3 Limitations and threats to validity

The major limitation of this study is that the subjective results could not be validated by multiple researchers. In a systematic review, it is standard practice and highly recommended to have at least two, if not more, individuals independently conduct the review processes and then cross validating the findings. This would result in the possibility of

comparing individual exclusion decisions and other decisions, thereby increasing the credibility of the study. However, in this study, the methodology was thoroughly documented, which allows us to assert with confidence that the study has an appropriate level of validity.

As a work of single researcher, there is also a chance of inaccuracy and bias in the literature selection and filtering process. As much of the literature had to be reviewed manually and then included/excluded on a qualitative basis, this is a known limitation and a threat to validity. Multiple rounds of documented filtering and a clear paper trail of all decisions made keeps this threat in the acceptable levels.

4.3.1 Limitations of literature selection for review

Efforts were made to ensure the inclusion of comprehensive set of literature in the search process. This was achieved by setting the starting point of PCL lists to the Wikipedia article of the MIT license.

However, as with all systematic literature reviews, a comprehensive manual review of all literature would have been a formidable task. Therefore, additional filtering was conducted. This filtering was carried out in two phases, starting with the application of inclusion/exclusion criteria, followed by a second phase focused on evaluating the nature of the PCLs and conducting a manual review. As a result of this second phase, a set of literature were excluded following a critical appraisal, with documentation and reasoning provided for each section.

The first phase of filtering has some notable limitations starting with the two PCL listing websites: SPDX and DFSG. Since the material was gathered to a spreadsheet program the duplicates were removed using the short identifier the listing page was using. Let's look at this validity threat using an example. Suppose our spreadsheet program has acquired the PCL with an identifier "MIT". The results of phase 1 will not include any other PCL marked with the identifier "MIT". In the worst case the identifier "MIT" could have actually been "MIT-DFSG-edition" but with the identifier of "MIT". Since there were so many PCLs in phase 1 it would not have been possible to check the uniqueness of all removed duplicates. One of the reasons why this would not have been feasible is that the listing sites would fetch the PCL contents from another webpage or at the second worst case, from another website. The worst case is that the URL is dead and we get HTTP 404. The amount of PCLs, duplicates and the lack of already existing tools makes this problem

multilayered. However this is the integrity level we decided to live with.

FSF's PCL listing introduced us to pick another limitation for the scope of this thesis. The license shortcoded as "other" was not a PCL but instead a hyperlink to another listing webpage that listed programs that the FSF has not yet managed to document the license which the program uses. Although the one of the programs called "babl" was licensed as with "gplv3" the amount of undocumented programs was over 5200 at the time of observation. For this reason we are excluding the PCLs found indirectly from the category "other".

tell about the validity threats of osi literature selection for review

Lastly, GNU project's listing site allowed us to use a shortcut of sorts which we will document here for the purposes of acknowledging the limitations of it. The table of contents at the listing site marked certain consecutive PCLs as software PCLs. On top of this the PCLs were not organized into easily processable tables but rather in stacked on one another in rich text format. Although we decided to use regex on the HTML file the included PCLs were only the ones that were simply under the header "Software licenses". In the worst case scenario GNU project could have misinterpreted some PCLs as non-software licenses thus making this thesis exclude them with a wrong reason. While from a quick glance and the existence of the other four PCL listing sites, we think it is still worth documenting when it comes to validity and the integrity of this thesis.

On top of too heavy filters we would also like to document the too light filters in the literature selection for review. We can see from Appendix A that for example PCLs with the literature identifiers L777 and L780 are almost the same regarding the shortcoded identifiers: "ZPL - 2.1" and "ZPL-2.1". The duplicate removal would have been seemingly simple to execute on phase 1. However with the presence of over 700 pieces of literature we decided not to give special treatment to any potential set of duplicates. While it is most possible that OSI's "ZPL - 2.1" is equivalent exactly to SPDX's "ZPL-2.1" we could not be sure without looking at their contents. This could have resulted duplicate PCLs in the literature selection for review but these type of duplicates are removed in phases 2 and 3 due to the PCLs being read in full.

As such we can note that the literature selection was done in a sufficient manner.

4.3.2 Limitations in data extraction

importance of data extraction

lack of measurements and tooling

5 Conclusions

primary objective of this study

conclusions from each rq

5.1 Future research

adopting a clear baseline

why agplv3re is the best license

Docker CLA, SSPL

make cla easier maybe with gpg / joplin easy cla sign

LICENSE highlighting.js

what kind of efforts and why

what this thesis has provided

Bibliography

- Balter, B. (2015). *Open source license usage on GitHub.com - The GitHub Blog*. <https://web.archive.org/web/20240409120258/https://github.blog/2015-03-09-open-source-license-usage-on-github-com/>. Accessed: 2024 April 9.
- Debian (2024). *The DFSG and Software Licenses*. <https://web.archive.org/web/20240415104532/https://wiki.debian.org/DFSGLicenses>. Accessed: 2024 April 15.
- Duisburg, H. von (2011). “The Enforceability of the General Public License in the US”. In: *Zeitschrift der Deutsch-Amerikanischen Juristen-Vereinigung e.V.* 36 (2011) 2, pp. 69–70. URL: <https://heinonline.org/HOL/Page?handle=hein.journals/dajvnws2011&id=75>.
- Dybå, T., Dingsøyr, T., and Hanssen, G. (Oct. 2007). “Applying Systematic Reviews to Diverse Study Types: An Experience Report”. In: pp. 225–234. ISBN: 978-0-7695-2886-1. DOI: [10.1109/ESEM.2007.59](https://doi.org/10.1109/ESEM.2007.59).
- Ferguson, D. (2006). “Syntar Errors: Why Version 3 of the GNU General Public License Needs Debugging”. In: *North Carolina Journal of Law & Technology* 7.2, pp. 397–420. URL: <https://heinonline.org/HOL/Page?handle=hein.journals/ncjl7&id=403>.
- FSF (2024). *Category:License - Free Software Directory*. <https://web.archive.org/web/20240409111815/https://directory.fsf.org/wiki/Category:License>. Accessed: 2024 April 9.
- GNU (1996). *What is Free Software?* <https://web.archive.org/web/19980126185518/https://www.gnu.org/philosophy/free-sw.html>. Accessed: 2024 Feb 8.
- (2023). *Various Licenses and Comments about Them*. <https://web.archive.org/web/20240226115940/https://www.gnu.org/licenses/license-list.html>. Accessed: 2024 Feb 26.
- Kitchenham, B. and Charters, S. (Jan. 2007). “Guidelines for performing Systematic Literature Reviews in Software Engineering”. In: 2.
- Kuhn, B. M. (2023). *A Comprehensive Analysis of the GPL Issues With the Red Hat Enterprise Linux RHEL Business Model*. <https://web.archive.org/web/20240205080551/https://sfconservancy.org/blog/2023/jun/23/rhel-gpl-analysis/>. Accessed: 2024 Feb 5.
- Linux Foundation (2024). *SPDX License List*. <https://web.archive.org/web/20240412103557/https://spdx.org/licenses/>. Accessed: 2024 April 12.

- McGrath, M. (2023). *Furthering the evolution of CentOS Stream*. <https://web.archive.org/save/https://www.redhat.com/en/blog/furthering-evolution-centos-stream>. Accessed: 2024 Feb 5.
- Mustonen, M. (2003). “Copyleft—the economics of Linux and other open source software”. In: *Information Economics and Policy* 15.1, pp. 99–121. ISSN: 0167-6245. DOI: [https://doi.org/10.1016/S0167-6245\(02\)00090-2](https://doi.org/10.1016/S0167-6245(02)00090-2). URL: <https://www.sciencedirect.com/science/article/pii/S0167624502000902>.
- OSI (2008). *GNU General Public License version 3*. <https://web.archive.org/web/20240226075409/https://opensource.org/license/gpl-3-0>. Accessed: 2024 Feb 26.
- (2024). *Licenses - Open Source Initiative*. <https://web.archive.org/web/20240307121412/https://opensource.org/licenses>. Accessed: 2024 March 7.
- Stallman, R. (2009). “Viewpoint Why "open source" misses the point of free software”. In: *Commun. ACM* 52.6, pp. 31–33. ISSN: 0001-0782. DOI: [10.1145/1516046.1516058](https://doi.org/10.1145/1516046.1516058). URL: <https://doi.org/10.1145/1516046.1516058>.
- Wikipedians (2024a). *Category:PCLs — Wikipedia, The Free Encyclopedia*. https://web.archive.org/web/20240131085240/https://en.wikipedia.org/wiki/Category:Public_copyright_licenses. Accessed: 2024 Jan 31.
- (2024b). *MIT License - Wikipedia*. https://web.archive.org/web/20240411081352/https://en.wikipedia.org/wiki/MIT_License. Accessed: 2024 April 11.
- Zhang, H. and Ali Babar, M. (2010). “On searching relevant studies in software engineering”. In: *Proceedings of the 14th International Conference on Evaluation and Assessment in Software Engineering*. EASE’10. UK: BCS Learning & Development Ltd., pp. 111–120.

Appendix A Primary literature identified in the search process, duplicates removed

Table A.1: A list of literature and the basic filtering step

| Literature identifier | Identifier | SPDX | DFSG | FSF | OSI | GNU |
|-----------------------|--------------------------|------|------|-----|-----|-----|
| L1 | 0BSD | SPDX | | | OSI | |
| L2 | 996 | | | FSF | | |
| L3 | AAL | SPDX | | | OSI | |
| L4 | Abstyles | SPDX | | | | |
| L5 | AcademicFreeLicense | | | | | GNU |
| L6 | ACDL-1.0 | | | FSF | | |
| L7 | ACEL | | | FSF | | |
| L8 | AdaCore-doc | SPDX | | | | |
| L9 | Adobe-2006 | SPDX | | | | |
| L10 | Adobe-Display-PostScript | SPDX | | | | |
| L11 | Adobe-Glyph | SPDX | | | | |
| L12 | Adobe-Utopia | SPDX | | | | |
| L13 | ADSL | SPDX | | | | |
| L14 | AFL-1.1 | SPDX | | | | |
| L15 | AFL-1.2 | SPDX | | | | |
| L16 | AFL-2.0 | SPDX | | | | |
| L17 | AFL-2.1 | SPDX | | | | |
| L18 | AFL-3.0 | SPDX | | FSF | OSI | |
| L19 | Afmparse | SPDX | | | | |
| L20 | AGPL | | | | | GNU |
| L21 | AGPL-1.0-only | SPDX | | FSF | | |
| L22 | AGPL-1.0-or-later | SPDX | | FSF | | |
| L23 | AGPL-3.0-only | SPDX | DFSG | FSF | OSI | |
| L24 | AGPL-3.0-or-later | SPDX | | FSF | | |
| L25 | Aladdin | SPDX | | FSF | | GNU |
| L26 | Aladdin-9 | | | FSF | | |
| L27 | AMDPLPA | SPDX | | | | |

| | | | | | | |
|-----|-------------------------|------|------|-----|-----|-----|
| L28 | AML | SPDX | | | | |
| L29 | AML-glslang | SPDX | | | | |
| L30 | AMPAS | SPDX | | | | |
| L31 | ANTI-1.3 | | | FSF | | |
| L32 | ANTI-1.4 | | | FSF | | |
| L33 | anticapitalist | | | | | GNU |
| L34 | ANTLR-PD | SPDX | | | | |
| L35 | ANTLR-PD-fallback | SPDX | | | | |
| L36 | Apache-1.0 | SPDX | | FSF | | |
| L37 | Apache-1.1 | SPDX | | FSF | OSI | |
| L38 | Apache-2.0 | SPDX | DFSG | FSF | OSI | |
| L39 | apache1 | | | | | GNU |
| L40 | apache2 | | | | | GNU |
| L41 | APAFML | SPDX | | | | |
| L42 | APL-1.0 | SPDX | | | OSI | |
| L43 | App-s2p | SPDX | | | | |
| L44 | APSL-1.0 | SPDX | | FSF | | |
| L45 | APSL-1.1 | SPDX | | FSF | | |
| L46 | APSL-1.2 | SPDX | | FSF | | |
| L47 | APSL-2.0 | SPDX | DFSG | FSF | OSI | |
| L48 | apsl1 | | | | | GNU |
| L49 | apsl2 | | | | | GNU |
| L50 | APSLv1.x | | | FSF | | |
| L51 | Arphic-1999 | SPDX | | | | |
| L52 | Arphic-PL | | | FSF | | |
| L53 | Artistic-1.0 | SPDX | | FSF | OSI | |
| L54 | Artistic-1.0-cl8 | SPDX | | | | |
| L55 | Artistic-1.0-Perl | SPDX | | FSF | OSI | |
| L56 | Artistic-2.0 | SPDX | DFSG | FSF | OSI | |
| L57 | ArtisticLicense | | | | | GNU |
| L58 | ArtisticLicense2 | | | | | GNU |
| L59 | ASWF-Digital-Assets-1.0 | SPDX | | | | |
| L60 | ASWF-Digital-Assets-1.1 | SPDX | | | | |
| L61 | ATTPublicLicense | | | | | GNU |
| L62 | Baekmuk | SPDX | | | | |

| | | | | | | |
|-----|----------------------------------|------|------|-----|-----|-----|
| L63 | Bahyph | SPDX | | | | |
| L64 | Barr | SPDX | | | | |
| L65 | bcrypt-Solar-Designer | SPDX | | | | |
| L66 | Beerware | SPDX | | | | |
| L67 | BerkeleyDB | | | | | GNU |
| L68 | Bitstream Font License | | | FSF | | |
| L69 | Bitstream-Charter | SPDX | | | | |
| L70 | Bitstream-Vera | SPDX | | | | |
| L71 | bittorrent | | | | | GNU |
| L72 | BitTorrent-1.0 | SPDX | | | | |
| L73 | BitTorrent-1.1 | SPDX | | FSF | | |
| L74 | blessing | SPDX | | | | |
| L75 | BlueOak-1.0.0 | SPDX | | | OSI | |
| L76 | Boehm-GC | SPDX | | | | |
| L77 | boost | | | | | GNU |
| L78 | Borceux | SPDX | | | | |
| L79 | Brian-Gladman-2-Clause | SPDX | | | | |
| L80 | Brian-Gladman-3-Clause | SPDX | | | | |
| L81 | BSD-1-Clause | SPDX | | FSF | OSI | |
| L82 | BSD-2-Clause | SPDX | | FSF | | |
| L83 | BSD-2-Clause-Darwin | SPDX | | | | |
| L84 | BSD-2-Clause-FreeBSD | | | FSF | | |
| L85 | BSD-2-Clause-Patent | SPDX | | | OSI | |
| L86 | BSD-2-Clause-Views | SPDX | | | | |
| L87 | BSD-3-Clause | SPDX | DFSG | FSF | OSI | |
| L88 | BSD-3-Clause-acpica | SPDX | | | | |
| L89 | BSD-3-Clause-Attribution | SPDX | | | | |
| L90 | BSD-3-Clause-Clear | SPDX | | FSF | | |
| L91 | BSD-3-Clause-flex | SPDX | | | | |
| L92 | BSD-3-Clause-HP | SPDX | | | | |
| L93 | BSD-3-Clause-LBNL | SPDX | | | OSI | |
| L94 | BSD-3-Clause-Modification | SPDX | | | | |
| L95 | BSD-3-Clause-No-Military-License | SPDX | | | | |
| L96 | BSD-3-Clause-No-Nuclear-License | SPDX | | | | |

| | | | | | |
|------|--------------------------------------|------|------|-----|-----|
| L97 | BSD-3-Clause-No-Nuclear-License-2014 | SPDX | | | |
| L98 | BSD-3-Clause-No-Nuclear-Warranty | SPDX | | | |
| L99 | BSD-3-Clause-Open-MPI | SPDX | | | |
| L100 | BSD-3-Clause-Sun | SPDX | | | |
| L101 | BSD-4-Clause | SPDX | | FSF | |
| L102 | BSD-4-Clause-Shortened | SPDX | | | |
| L103 | BSD-4-Clause-UC | SPDX | | | |
| L104 | BSD-4.3RENO | SPDX | | | |
| L105 | BSD-4.3TAHOE | SPDX | | | |
| L106 | BSD-Advertising-Acknowledgement | SPDX | | | |
| L107 | BSD-Attribution-HPND-disclaimer | SPDX | | | |
| L108 | BSD-Inferno-Nettverk | SPDX | | | |
| L109 | BSD-Protection | SPDX | | | |
| L110 | BSD-Source-beginning-file | SPDX | | | |
| L111 | BSD-Source-Code | SPDX | | | |
| L112 | BSD-Systemics | SPDX | | | |
| L113 | BSD-Systemics-W3Works | SPDX | | | |
| L114 | BSL-1.0 | SPDX | | FSF | OSI |
| L115 | BUSL-1.1 | SPDX | | | |
| L116 | bzip2-1.0.6 | SPDX | | | |
| L117 | C-UDA-1.0 | SPDX | | | |
| L118 | CAL-1.0 | SPDX | | | OSI |
| L119 | CAL-1.0-Combined-Work-Exception | SPDX | | | |
| L120 | Caldera | SPDX | | | |
| L121 | Caldera-no-preamble | SPDX | | | |
| L122 | CATOSL-1.1 | SPDX | | | |
| L123 | CC-BY-1.0 | SPDX | DFSG | | |
| L124 | CC-BY-2.0 | SPDX | | FSF | |
| L125 | CC-BY-2.5 | SPDX | | | |
| L126 | CC-BY-2.5-AU | SPDX | | | |
| L127 | CC-BY-3.0 | SPDX | DFSG | FSF | |
| L128 | CC-BY-3.0-AT | SPDX | | | |
| L129 | CC-BY-3.0-AU | SPDX | | | |
| L130 | CC-BY-3.0-DE | SPDX | | | |

| | | | | |
|------|---------------------|------|------|-----|
| L131 | CC-BY-3.0-IGO | SPDX | DFSG | FSF |
| L132 | CC-BY-3.0-NL | SPDX | | |
| L133 | CC-BY-3.0-US | SPDX | | |
| L134 | CC-BY-4.0 | SPDX | | |
| L135 | CC-BY-NC-1.0 | SPDX | | |
| L136 | CC-BY-NC-2.0 | SPDX | | |
| L137 | CC-BY-NC-2.5 | SPDX | | |
| L138 | CC-BY-NC-3.0 | SPDX | | |
| L139 | CC-BY-NC-3.0-DE | SPDX | | |
| L140 | CC-BY-NC-4.0 | SPDX | | |
| L141 | CC-BY-NC-ND-1.0 | SPDX | | |
| L142 | CC-BY-NC-ND-2.0 | SPDX | | |
| L143 | CC-BY-NC-ND-2.5 | SPDX | | |
| L144 | CC-BY-NC-ND-3.0 | SPDX | | |
| L145 | CC-BY-NC-ND-3.0-DE | SPDX | | |
| L146 | CC-BY-NC-ND-3.0-IGO | SPDX | DFSG | FSF |
| L147 | CC-BY-NC-ND-4.0 | SPDX | | |
| L148 | CC-BY-NC-SA-1.0 | SPDX | | |
| L149 | CC-BY-NC-SA-2.0 | SPDX | | |
| L150 | CC-BY-NC-SA-2.0-DE | SPDX | | |
| L151 | CC-BY-NC-SA-2.0-FR | SPDX | | |
| L152 | CC-BY-NC-SA-2.0-UK | SPDX | | |
| L153 | CC-BY-NC-SA-2.5 | SPDX | | |
| L154 | CC-BY-NC-SA-3.0 | SPDX | | |
| L155 | CC-BY-NC-SA-3.0-DE | SPDX | | |
| L156 | CC-BY-NC-SA-3.0-IGO | SPDX | | |
| L157 | CC-BY-NC-SA-4.0 | SPDX | | |
| L158 | CC-BY-ND-1.0 | SPDX | | |
| L159 | CC-BY-ND-2.0 | SPDX | | |
| L160 | CC-BY-ND-2.5 | SPDX | | |
| L161 | CC-BY-ND-3.0 | SPDX | DFSG | FSF |
| L162 | CC-BY-ND-3.0-DE | SPDX | | |
| L163 | CC-BY-ND-4.0 | SPDX | | |
| L164 | CC-BY-SA-1.0 | SPDX | | |
| L165 | CC-BY-SA-2.0 | SPDX | | |

| | | | | | | |
|------|---------------------|------|------|-----|-----|-----|
| L166 | CC-BY-SA-2.0-UK | SPDX | | | | |
| L167 | CC-BY-SA-2.1-JP | SPDX | | | | |
| L168 | CC-BY-SA-2.5 | SPDX | | FSF | | |
| L169 | CC-BY-SA-3.0 | SPDX | DFSG | FSF | | |
| L170 | CC-BY-SA-3.0-AT | SPDX | | | | |
| L171 | CC-BY-SA-3.0-DE | SPDX | | | | |
| L172 | CC-BY-SA-3.0-IGO | SPDX | | | | |
| L173 | CC-BY-SA-4.0 | SPDX | DFSG | FSF | | |
| L174 | CC-PDDC | SPDX | | | | |
| L175 | CC-SAMPLING+1.0 | | DFSG | | | |
| L176 | CC0 | | | FSF | | |
| L177 | CC0-1.0 | SPDX | | | | |
| L178 | CDDL | | | | | GNU |
| L179 | CDDL-1.0 | SPDX | | FSF | | |
| L180 | CDDL-1.1 | SPDX | | | | |
| L181 | CDL-1.0 | SPDX | | | | |
| L182 | CDLA-Permissive-1.0 | SPDX | | | | |
| L183 | CDLA-Permissive-2.0 | SPDX | | | | |
| L184 | CDLA-Sharing-1.0 | SPDX | | | | |
| L185 | CeCILL | | | | | GNU |
| L186 | CECILL-1.0 | SPDX | | | | |
| L187 | CECILL-1.1 | SPDX | | | | |
| L188 | CECILL-2.0 | SPDX | | FSF | | |
| L189 | CECILL-2.1 | SPDX | | | OSI | |
| L190 | CECILL-B | SPDX | | | | |
| L191 | Cecill-B-v1 | | | FSF | | |
| L192 | CECILL-C | SPDX | | | | |
| L193 | Cecill-C-v1 | | | FSF | | |
| L194 | CERN-OHL-1.1 | SPDX | | | | |
| L195 | CERN-OHL-1.2 | SPDX | | | | |
| L196 | CERN-OHL-P-2.0 | SPDX | | | OSI | |
| L197 | CERN-OHL-S-2.0 | SPDX | | | OSI | |
| L198 | CERN-OHL-W-2.0 | SPDX | | | OSI | |
| L199 | CFITSIO | SPDX | | | | |
| L200 | check-cvs | SPDX | | | | |

| | | | | | | |
|------|----------------------------|------|------|-----|-----|-----|
| L201 | checkmk | SPDX | | | | |
| L202 | ClarifiedArtistic | | | | | GNU |
| L203 | ClArtistic | SPDX | | FSF | | |
| L204 | clearbsd | | | | | GNU |
| L205 | Clips | SPDX | | | | |
| L206 | CMU-Mach | SPDX | | | | |
| L207 | CMU-Mach-nodoc | SPDX | | | | |
| L208 | CNRI | | | FSF | | |
| L209 | CNRI-Jython | SPDX | | | | |
| L210 | CNRI-Python | SPDX | | | OSI | |
| L211 | CNRI-Python-GPL-Compatible | SPDX | | | | |
| L212 | COIL-1.0 | SPDX | | | | |
| L213 | comclause | | | | | GNU |
| L214 | CommonPublicLicense10 | | | | | GNU |
| L215 | Commons-Clause | | | FSF | | |
| L216 | Community-Spec-1.0 | SPDX | | | | |
| L217 | Condor | | | | | GNU |
| L218 | Condor-1.1 | SPDX | | FSF | | |
| L219 | copyleft-next-0.3.0 | SPDX | | | | |
| L220 | copyleft-next-0.3.1 | SPDX | | | | |
| L221 | CorkforkPL | | | FSF | | |
| L222 | Cornell-Lossless-JPEG | SPDX | | | | |
| L223 | CPAL | | | | | GNU |
| L224 | CPAL-1.0 | SPDX | DFSG | FSF | OSI | |
| L225 | CPL-1.0 | SPDX | DFSG | FSF | OSI | |
| L226 | cpol | | | | | GNU |
| L227 | CPOL-1.02 | SPDX | | FSF | | |
| L228 | Cronyx | SPDX | | | | |
| L229 | Crossword | SPDX | | | | |
| L230 | CryptixGeneralLicense | | | | | GNU |
| L231 | CryptixGL | | | FSF | | |
| L232 | CrystalStacker | SPDX | | | | |
| L233 | CUA-OPL-1.0 | SPDX | | | | |
| L234 | Cube | SPDX | | | | |
| L235 | curl | SPDX | | FSF | | |

| | | | | | | |
|------|------------------|------|------|-----|-----|-----|
| L236 | cvw | | | | OSI | |
| L237 | D-FSL-1.0 | SPDX | | | | |
| L238 | DBG-3.0 | | | FSF | | |
| L239 | DEC-3-Clause | SPDX | | | | |
| L240 | DejaVu | | | FSF | | |
| L241 | Design-Science-L | | | FSF | | |
| L242 | diffmark | SPDX | | | | |
| L243 | DL-DE-BY-2.0 | SPDX | | | | |
| L244 | DL-DE-ZERO-2.0 | SPDX | | | | |
| L245 | DOC | SPDX | | | | |
| L246 | DOR | | | | | GNU |
| L247 | Dotseqn | SPDX | | | | |
| L248 | DRL-1.0 | SPDX | | | | |
| L249 | DRL-1.1 | SPDX | | | | |
| L250 | DSDP | SPDX | | | | |
| L251 | dtoa | SPDX | | | | |
| L252 | dvipdfm | SPDX | | | | |
| L253 | ECL-1.0 | SPDX | | | | |
| L254 | ECL-2.0 | SPDX | | FSF | OSI | |
| L255 | ECos-2.0 | | | FSF | OSI | |
| L256 | eCos11 | | | | | GNU |
| L257 | EFL-1.0 | SPDX | | | OSI | |
| L258 | EFL-2.0 | SPDX | | FSF | OSI | |
| L259 | eGenix | SPDX | | | | |
| L260 | Eiffel | | | | | GNU |
| L261 | Elastic-2.0 | SPDX | | | | |
| L262 | Entessa | SPDX | | | | |
| L263 | EPICS | SPDX | | FSF | | |
| L264 | EPL | | | | | GNU |
| L265 | EPL-1.0 | SPDX | DFSG | FSF | OSI | |
| L266 | EPL-2.0 | SPDX | | FSF | OSI | |
| L267 | EPL2 | | | | | GNU |
| L268 | ErlPL-1.1 | SPDX | | FSF | | |
| L269 | etalab-2.0 | SPDX | | | | |
| L270 | EUDatagrid | SPDX | | FSF | OSI | GNU |

| | | | | | | |
|------|---------------------------------|------|------|-----|-----|-----|
| L271 | EUPL-1.0 | SPDX | | | | |
| L272 | EUPL-1.1 | SPDX | | FSF | OSI | |
| L273 | EUPL-1.2 | SPDX | | | OSI | |
| L274 | Eurosym | SPDX | | | | |
| L275 | Expat | | | FSF | | GNU |
| L276 | EZ-Publish-Professional | | | FSF | | |
| L277 | Fair | SPDX | | | | |
| L278 | FAL | | DFSG | | | |
| L279 | FBM | SPDX | | | | |
| L280 | fdk | | | | | GNU |
| L281 | FDK-AAC | SPDX | | | | |
| L282 | Ferguson-Twofish | SPDX | | | | |
| L283 | Frameworkx-1.0 | SPDX | | | | |
| L284 | FreeBSD | | | | | GNU |
| L285 | FreeBSD-DL | | | FSF | | |
| L286 | FreeBSD-DOC | SPDX | | | | |
| L287 | FreeImage | SPDX | | | | |
| L288 | Freely-Redistributable | | | FSF | | |
| L289 | freetype | | | | | GNU |
| L290 | FSFAP | SPDX | | FSF | | |
| L291 | FSFAP-no-warranty-disclaimer | SPDX | | | | |
| L292 | FSFUL | SPDX | | | | |
| L293 | FSFULLR | SPDX | | | | |
| L294 | FSFULLRWD | SPDX | | | | |
| L295 | FTL | SPDX | | FSF | | |
| L296 | Furuseth | SPDX | | | | |
| L297 | fwlw | SPDX | | | | |
| L298 | GCR-docs | SPDX | | | | |
| L299 | GD | SPDX | | | | |
| L300 | GFDL-1.1-invariants-only | SPDX | | | | |
| L301 | GFDL-1.1-invariants-or-later | SPDX | | | | |
| L302 | GFDL-1.1-no-invariants-only | SPDX | | | | |
| L303 | GFDL-1.1-no-invariants-or-later | SPDX | | | | |
| L304 | GFDL-1.1-only | SPDX | | FSF | | |
| L305 | GFDL-1.1-or-later | SPDX | | FSF | | |

| | | | | | | |
|------|---------------------------------|------|------|-----|-----|-----|
| L306 | GFDL-1.2-invariants-only | SPDX | | | | |
| L307 | GFDL-1.2-invariants-or-later | SPDX | | | | |
| L308 | GFDL-1.2-no-invariants-only | SPDX | | | | |
| L309 | GFDL-1.2-no-invariants-or-later | SPDX | | | | |
| L310 | GFDL-1.2-only | SPDX | | FSF | | |
| L311 | GFDL-1.2-or-later | SPDX | | FSF | | |
| L312 | GFDL-1.3 | | DFSG | | | |
| L313 | GFDL-1.3-invariants-only | SPDX | | | | |
| L314 | GFDL-1.3-invariants-or-later | SPDX | | | | |
| L315 | GFDL-1.3-no-invariants-only | SPDX | | | | |
| L316 | GFDL-1.3-no-invariants-or-later | SPDX | | | | |
| L317 | GFDL-1.3-only | SPDX | | FSF | | |
| L318 | GFDL-1.3-or-later | SPDX | | FSF | | |
| L319 | Giftware | SPDX | | | | |
| L320 | GL2PS | SPDX | | FSF | | |
| L321 | Glide | SPDX | | | | |
| L322 | Glulxe | SPDX | | | | |
| L323 | GLWTPL | SPDX | | | | |
| L324 | GNU-Verbatim-C-L | | | FSF | | |
| L325 | GNUAllPermissive | | | | | GNU |
| L326 | GNUGPL | | | | | GNU |
| L327 | GNUGPLv3 | | | | | GNU |
| L328 | gnuplot | SPDX | | FSF | | GNU |
| L329 | GPL-1.0-only | SPDX | | FSF | | |
| L330 | GPL-1.0-or-later | SPDX | | FSF | | |
| L331 | GPL-2.0-only | SPDX | | FSF | | |
| L332 | GPL-2.0-or-later | SPDX | | FSF | | |
| L333 | GPL-3.0-only | SPDX | DFSG | FSF | OSI | |
| L334 | GPL-3.0-or-later | SPDX | | FSF | | |
| L335 | GPL-PA | | | FSF | | |
| L336 | GPLv2 | | | | | GNU |
| L337 | Graphics-Gems | SPDX | | | | |
| L338 | gSOAP-1.3b | SPDX | | | | |
| L339 | gtkbook | SPDX | | | | |
| L340 | HaskellReport | SPDX | | | | |

| | | | | | |
|------|----------------------------------|------|-----|-----|-----|
| L341 | hdparm | SPDX | | | |
| L342 | HESSLA | | FSF | | GNU |
| L343 | Hipergate | | FSF | | |
| L344 | hippocratic | | | | GNU |
| L345 | Hippocratic-2.1 | SPDX | | | |
| L346 | HP-1986 | SPDX | | | |
| L347 | HP-1989 | SPDX | | | |
| L348 | HPND | SPDX | FSF | | GNU |
| L349 | HPND-DEC | SPDX | | | |
| L350 | HPND-doc | SPDX | | | |
| L351 | HPND-doc-sell | SPDX | | | |
| L352 | HPND-export-US | SPDX | | | |
| L353 | HPND-export-US-modify | SPDX | | | |
| L354 | HPND-Fenneberg-Livingston | SPDX | | | |
| L355 | HPND-INRIA-IMAG | SPDX | | | |
| L356 | HPND-Kevlin-Henney | SPDX | | | |
| L357 | HPND-Markus-Kuhn | SPDX | | | |
| L358 | HPND-MIT-disclaimer | SPDX | | | |
| L359 | HPND-Pbmplus | SPDX | | | |
| L360 | HPND-sell-MIT-disclaimer-xserver | SPDX | | | |
| L361 | HPND-sell-regexpr | SPDX | | | |
| L362 | HPND-sell-variant | SPDX | | | |
| L363 | HPND-sell-variant-MIT-disclaimer | SPDX | | | |
| L364 | HPND-UC | SPDX | | | |
| L365 | HTMLTIDY | SPDX | | | |
| L366 | IBM | | FSF | | |
| L367 | IBM-pibs | SPDX | | | |
| L368 | IBMPL | | | | GNU |
| L369 | ICU | SPDX | | OSI | |
| L370 | IEC-Code-Components-EULA | SPDX | | | |
| L371 | IJG | SPDX | FSF | | GNU |
| L372 | IJG-short | SPDX | | | |
| L373 | ImageMagick | SPDX | | | |
| L374 | iMatix | SPDX | FSF | | GNU |
| L375 | imlib | | | | GNU |

| | | | | | | |
|------|---------------------------|------|------|-----|-----|-----|
| L376 | Imlib2 | SPDX | | FSF | | |
| L377 | Info-ZIP | SPDX | | FSF | | |
| L378 | informal | | | | | GNU |
| L379 | Inner-Net-2.0 | SPDX | | | | |
| L380 | Intel | SPDX | | FSF | | GNU |
| L381 | Intel-ACPI | SPDX | | FSF | | |
| L382 | Interbase-1.0 | SPDX | | | | |
| L383 | IPA | SPDX | | FSF | OSI | |
| L384 | IPL-1.0 | SPDX | DFSG | FSF | | |
| L385 | ISC | SPDX | DFSG | FSF | OSI | GNU |
| L386 | ISC-Veillard | SPDX | | | | |
| L387 | Jahia | | | | | GNU |
| L388 | JahiaCSL | | | FSF | | |
| L389 | Jam | SPDX | | | OSI | |
| L390 | JasPer-2.0 | SPDX | | | | |
| L391 | josl | | | | | GNU |
| L392 | JOSL-1.0 | | | FSF | | |
| L393 | JPL-image | SPDX | | | | |
| L394 | JPNIC | SPDX | | | | |
| L395 | JSON | SPDX | DFSG | FSF | | GNU |
| L396 | Kastrup | SPDX | | | | |
| L397 | Kazlib | SPDX | | | | |
| L398 | Knuth-CTAN | SPDX | | | | |
| L399 | ksh93 | | | | | GNU |
| L400 | LAL-1.2 | SPDX | | | | |
| L401 | LAL-1.3 | SPDX | | FSF | | |
| L402 | LaTeX ecfonts | | | FSF | | |
| L403 | Latex2e | SPDX | | | | |
| L404 | Latex2e-translated-notice | SPDX | | | | |
| L405 | Leptonica | SPDX | | | | |
| L406 | LGPL | | | | | GNU |
| L407 | LGPL-2.0-only | SPDX | | FSF | OSI | |
| L408 | LGPL-2.0-or-later | SPDX | | FSF | | |
| L409 | LGPL-2.1-only | SPDX | | FSF | | |
| L410 | LGPL-2.1-or-later | SPDX | | FSF | | |

| | | | | | | |
|------|---------------------------------|------|------|-----|-----|-----|
| L411 | LGPL-3.0-only | SPDX | DFSG | FSF | OSI | |
| L412 | LGPL-3.0-or-later | SPDX | | FSF | | |
| L413 | LGPLLR | SPDX | | FSF | | |
| L414 | LGPLv3 | | | | | GNU |
| L415 | Lha | | | FSF | | GNU |
| L416 | Libpng | SPDX | | | | |
| L417 | libpng-2.0 | SPDX | | | | |
| L418 | libselinux-1.0 | SPDX | | | | |
| L419 | libtiff | SPDX | | | | |
| L420 | libutil-David-Nugent | SPDX | | | | |
| L421 | LiLiQ-P-1.1 | SPDX | | | OSI | |
| L422 | LiLiQ-R-1.1 | SPDX | | | OSI | |
| L423 | LiLiQ-Rplus-1.1 | SPDX | | | OSI | |
| L424 | LinkGrammarLicense | | | FSF | | |
| L425 | Linux-man-pages-1-para | SPDX | | | | |
| L426 | Linux-man-pages-copyleft | SPDX | | | | |
| L427 | Linux-man-pages-copyleft-2-para | SPDX | | | | |
| L428 | Linux-man-pages-copyleft-var | SPDX | | | | |
| L429 | Linux-OpenIB | SPDX | | | | |
| L430 | LLGPL | | | FSF | | |
| L431 | LOOP | SPDX | | | | |
| L432 | LPD-document | SPDX | | | | |
| L433 | LPL-1.0 | SPDX | | | | |
| L434 | LPL-1.02 | SPDX | | FSF | | |
| L435 | LPPL-1.0 | SPDX | | | | |
| L436 | LPPL-1.1 | SPDX | | | | |
| L437 | LPPL-1.2 | SPDX | | FSF | | |
| L438 | LPPL-1.3a | SPDX | | FSF | | |
| L439 | LPPL-1.3c | SPDX | | FSF | OSI | |
| L440 | lsof | SPDX | | | | |
| L441 | Lua license | | | FSF | | |
| L442 | lucent102 | | | | | GNU |
| L443 | Lucida-Bitmap-Fonts | SPDX | | | | |
| L444 | LZMA-SDK-9.11-to-9.20 | SPDX | | | | |
| L445 | LZMA-SDK-9.22 | SPDX | | | | |

| | | | | | | |
|------|-----------------------------------|------|------|-----|-----|-----|
| L446 | Mackerras-3-Clause | SPDX | | | | |
| L447 | Mackerras-3-Clause-acknowledgment | SPDX | | | | |
| L448 | magaz | SPDX | | | | |
| L449 | mailprio | SPDX | | | | |
| L450 | MakeIndex | SPDX | | | | |
| L451 | Martin-Birgmeier | SPDX | | | | |
| L452 | McPhee-slideshow | SPDX | | | | |
| L453 | metamail | SPDX | | | | |
| L454 | Minpack | SPDX | | | | |
| L455 | MirOS | SPDX | DFSG | FSF | OSI | |
| L456 | MIT | SPDX | DFSG | | OSI | |
| L457 | MIT-0 | SPDX | | | OSI | |
| L458 | MIT-advertising | SPDX | | | | |
| L459 | MIT-CMU | SPDX | | | | |
| L460 | MIT-enna | SPDX | | | | |
| L461 | MIT-feh | SPDX | | | | |
| L462 | MIT-Festival | SPDX | | | | |
| L463 | MIT-Modern-Variant | SPDX | | | | |
| L464 | MIT-open-group | SPDX | | | | |
| L465 | MIT-testregex | SPDX | | | | |
| L466 | MIT-Wu | SPDX | | | | |
| L467 | MITNFA | SPDX | | | | |
| L468 | MMIXware | SPDX | | | | |
| L469 | Modified X11 | | | FSF | | |
| L470 | ModifiedBSD | | | | | GNU |
| L471 | Motosoto | SPDX | | | OSI | |
| L472 | MPEG-SSG | SPDX | | | | |
| L473 | mpi-permissive | SPDX | | | | |
| L474 | mpich2 | SPDX | | | | |
| L475 | MPL | | | FSF | | GNU |
| L476 | MPL-1.0 | SPDX | | | OSI | |
| L477 | MPL-1.1 | SPDX | | FSF | OSI | |
| L478 | MPL-2.0 | SPDX | DFSG | FSF | OSI | |
| L479 | MPL-2.0-no-copyleft-exception | SPDX | | | | |
| L480 | mplus | SPDX | | | | |

| | | | | | |
|------|-------------------------------|------|-----|-----|-----|
| L481 | MS-LPL | SPDX | | | |
| L482 | MS-PL | SPDX | FSF | OSI | |
| L483 | MS-RL | SPDX | FSF | OSI | |
| L484 | Ms-SS | | FSF | | |
| L485 | MTLL | SPDX | | | |
| L486 | MulanPSL-1.0 | SPDX | | | |
| L487 | MulanPSL-2.0 | SPDX | | OSI | |
| L488 | Multics | SPDX | | OSI | |
| L489 | Mup | SPDX | | | |
| L490 | NAIST-2003 | SPDX | | | |
| L491 | NASA | | | | GNU |
| L492 | NASA-1.3 | SPDX | FSF | | |
| L493 | Naumen | SPDX | | | |
| L494 | NBPL-1.0 | SPDX | | | |
| L495 | NCGL-UK-2.0 | SPDX | | | |
| L496 | NCSA | SPDX | FSF | OSI | GNU |
| L497 | Net-SNMP | SPDX | | | |
| L498 | NetCDF | SPDX | | | |
| L499 | NetscapeJavaScript | | | | GNU |
| L500 | newOpenLDAP | | | | GNU |
| L501 | Newsletr | SPDX | | | |
| L502 | NGPL | SPDX | FSF | OSI | |
| L503 | NICTA-1.0 | SPDX | | | |
| L504 | NikoSoft Group Public License | | FSF | | |
| L505 | NIST-PD | SPDX | | | |
| L506 | NIST-PD-fallback | SPDX | | | |
| L507 | NIST-Software | SPDX | | | |
| L508 | NLOD-1.0 | SPDX | | | |
| L509 | NLOD-2.0 | SPDX | | | |
| L510 | NLPL | SPDX | | | |
| L511 | Nokia | SPDX | FSF | OSI | GNU |
| L512 | NoLicense | | | | GNU |
| L513 | NOSL | SPDX | FSF | | GNU |
| L514 | Noweb | SPDX | | | |
| L515 | NPL | | | | GNU |

| | | | | | | |
|------|----------------------------|------|------|-----|-----|-----|
| L516 | NPL-1.0 | SPDX | | | | |
| L517 | NPL-1.1 | SPDX | | FSF | | |
| L518 | NPOSL-3.0 | SPDX | | | OSI | |
| L519 | NRL | SPDX | | | | |
| L520 | NTP | SPDX | | | OSI | |
| L521 | NTP-0 | SPDX | | | | |
| L522 | O-UDA-1.0 | SPDX | | | | |
| L523 | OCCT-PL | SPDX | | | | |
| L524 | OCL-1.0 | | | FSF | | |
| L525 | OCLC-2.0 | SPDX | | | | |
| L526 | oclc2-php | | | | OSI | |
| L527 | Oculus VR Rift SDK License | | | FSF | | |
| L528 | OculusRiftSDK | | | | | GNU |
| L529 | ODbL-1.0 | SPDX | | FSF | | |
| L530 | ODC-By-1.0 | SPDX | | | | |
| L531 | OFFIS | SPDX | | | | |
| L532 | OFL-1.0 | SPDX | | | | |
| L533 | OFL-1.0-no-RFN | SPDX | | | | |
| L534 | OFL-1.0-RFN | SPDX | | | | |
| L535 | OFL-1.1 | SPDX | DFSG | FSF | OSI | |
| L536 | OFL-1.1-no-RFN | SPDX | | | | |
| L537 | OFL-1.1-RFN | SPDX | | | | |
| L538 | OGC-1.0 | SPDX | | | | |
| L539 | OGDL-Taiwan-1.0 | SPDX | | | | |
| L540 | OGL-Canada-2.0 | SPDX | | | | |
| L541 | OGL-UK-1.0 | SPDX | | | | |
| L542 | OGL-UK-2.0 | SPDX | | | | |
| L543 | OGL-UK-3.0 | SPDX | | | | |
| L544 | OGTSL | SPDX | | | OSI | |
| L545 | Old ksh93 | | | FSF | | |
| L546 | Old-plan9 | | | FSF | | |
| L547 | OLDAP-1.1 | SPDX | | | | |
| L548 | OLDAP-1.2 | SPDX | | | | |
| L549 | OLDAP-1.3 | SPDX | | | | |
| L550 | OLDAP-1.4 | SPDX | | | | |

| | | | | | | |
|------|-------------------------------|------|------|-----|-----|-----|
| L551 | OLDAP-2.0 | SPDX | | | | |
| L552 | OLDAP-2.0.1 | SPDX | | | | |
| L553 | OLDAP-2.1 | SPDX | | | | |
| L554 | OLDAP-2.2 | SPDX | | | | |
| L555 | OLDAP-2.2.1 | SPDX | | | | |
| L556 | OLDAP-2.2.2 | SPDX | | | | |
| L557 | OLDAP-2.3 | SPDX | | FSF | | |
| L558 | OLDAP-2.4 | SPDX | | | | |
| L559 | OLDAP-2.5 | SPDX | | | | |
| L560 | OLDAP-2.6 | SPDX | | | | |
| L561 | OLDAP-2.7 | SPDX | | FSF | | |
| L562 | OLDAP-2.8 | SPDX | | FSF | OSI | |
| L563 | oldOpenLDAP | | | | | GNU |
| L564 | OLFL-1.3 | SPDX | | | OSI | |
| L565 | OML | SPDX | | | | |
| L566 | Open Publication License v1.0 | | | FSF | | |
| L567 | OpenPBS-2.3 | SPDX | DFSG | | | |
| L568 | OpenPublicL | | | | | GNU |
| L569 | OpenSSL | SPDX | | FSF | | GNU |
| L570 | OpenSSL-standalone | SPDX | | | | |
| L571 | OpenVision | SPDX | | | | |
| L572 | OPL-1.0 | SPDX | DFSG | FSF | | |
| L573 | OPL-UK-3.0 | SPDX | | | | |
| L574 | OPUBL-1.0 | SPDX | | | | |
| L575 | OriginalBSD | | | | | GNU |
| L576 | OSET-PL-2.1 | SPDX | | | OSI | |
| L577 | OSL | | | | | GNU |
| L578 | OSL-1.0 | SPDX | | | OSI | |
| L579 | OSL-1.1 | SPDX | DFSG | | | |
| L580 | OSL-2.0 | SPDX | | | | |
| L581 | OSL-2.1 | SPDX | | | OSI | |
| L582 | OSL-3.0 | SPDX | | FSF | OSI | |
| L583 | PADL | SPDX | | | | |
| L584 | Parity-6.0.0 | SPDX | | | | |
| L585 | Parity-7.0.0 | SPDX | | | | |

| | | | | | |
|------|-------------------------------|------|-----|-----|-----|
| L586 | PCRE | | FSF | | |
| L587 | PDDL-1.0 | SPDX | | | |
| L588 | Perl | | FSF | | |
| L589 | PerlLicense | | | | GNU |
| L590 | Phorum | | | | GNU |
| L591 | Phorum-2.0 | | FSF | | |
| L592 | PHP | | FSF | | |
| L593 | PHP-2.02 | | FSF | | |
| L594 | PHP-3.0 | SPDX | FSF | OSI | |
| L595 | PHP-3.01 | SPDX | FSF | OSI | |
| L596 | PINE | | FSF | | GNU |
| L597 | Pixar | SPDX | | | |
| L598 | Plan9 | | | | GNU |
| L599 | Plexus | SPDX | | | |
| L600 | pnmstitch | SPDX | | | |
| L601 | PolyForm-Noncommercial-1.0.0 | SPDX | | | |
| L602 | PolyForm-Small-Business-1.0.0 | SPDX | | | |
| L603 | PostgreSQL | SPDX | | OSI | |
| L604 | PPL | | FSF | | GNU |
| L605 | PPL3a | | | | GNU |
| L606 | PSF-2.0 | SPDX | | OSI | |
| L607 | psfrag | SPDX | | | |
| L608 | psutils | SPDX | | | |
| L609 | PublicDomain | | FSF | | GNU |
| L610 | Python | | FSF | | GNU |
| L611 | Python-1.6a2 | | FSF | | |
| L612 | Python-1.6b1 | | FSF | | |
| L613 | Python-2.0 | SPDX | | | |
| L614 | Python-2.0.1 | SPDX | FSF | | |
| L615 | Python-2.1.1 | | FSF | | |
| L616 | Python-2.3 | | FSF | | |
| L617 | Python-2.5 | | FSF | | |
| L618 | python-ldap | SPDX | | | |
| L619 | PythonOld | | | | GNU |
| L620 | Qhull | SPDX | | | |

| | | | | | | |
|------|-----------------------|------|------|-----|-----|-----|
| L621 | QPL | | | | | GNU |
| L622 | QPL-1.0 | SPDX | DFSG | FSF | OSI | |
| L623 | QPL-1.0-INRIA-2004 | SPDX | | | | |
| L624 | radvd | SPDX | | | | |
| L625 | Rdisc | SPDX | | | | |
| L626 | Review:EJBCA-REV-ID-2 | | | FSF | | |
| L627 | RHeCos-1.1 | SPDX | | FSF | | |
| L628 | RPL | | | | | GNU |
| L629 | RPL-1.1 | SPDX | | | OSI | |
| L630 | RPL-1.3 | | | FSF | | |
| L631 | RPL-1.5 | SPDX | | | OSI | |
| L632 | RPSL | | | | | GNU |
| L633 | RPSL-1.0 | SPDX | DFSG | FSF | OSI | |
| L634 | RSA-MD | SPDX | | | | |
| L635 | RSCPL | SPDX | | | OSI | |
| L636 | Ruby | SPDX | | FSF | | GNU |
| L637 | SAX-PD | SPDX | | | | |
| L638 | SAX-PD-2.0 | SPDX | | | | |
| L639 | Saxpath | SPDX | | | | |
| L640 | SCEA | SPDX | | | | |
| L641 | SchemeReport | SPDX | | | | |
| L642 | Scilab | | | | | GNU |
| L643 | Scilab-old | | | FSF | | |
| L644 | SCOSL-3.0 | | | FSF | | |
| L645 | Scratch | | | FSF | | GNU |
| L646 | SCSL-2.8 | | | FSF | | |
| L647 | Sendmail | SPDX | | FSF | | |
| L648 | Sendmail-8.23 | SPDX | | | | |
| L649 | SGI-B-1.0 | SPDX | | | | |
| L650 | SGI-B-1.1 | SPDX | | | | |
| L651 | SGI-B-2.0 | SPDX | | FSF | | |
| L652 | SGI-OpenGL | SPDX | | | | |
| L653 | SGIFreeB | | | | | GNU |
| L654 | SGP4 | SPDX | | | | |
| L655 | SHL-0.5 | SPDX | | | | |

| | | | | | | |
|------|--|------|------|-----|-----|-----|
| L656 | SHL-0.51 | SPDX | | | | |
| L657 | SimPL-2.0 | SPDX | | | OSI | |
| L658 | Simple Permissive With Rules Modified Versions | | | FSF | | |
| L659 | SimpleM | | | FSF | | |
| L660 | SimplePermissive | | | FSF | | |
| L661 | SimplePermissiveNoNonWarranty | | | FSF | | |
| L662 | SimplePermissiveNonWarranty | | | FSF | | |
| L663 | SIP | | | FSF | | |
| L664 | SISSL | SPDX | | FSF | OSI | GNU |
| L665 | SISSL-1.2 | SPDX | | FSF | | |
| L666 | SL | SPDX | | | | |
| L667 | Sleepycat | SPDX | | FSF | OSI | |
| L668 | SML | | | | | GNU |
| L669 | SMLNJ | SPDX | | FSF | | |
| L670 | SMPPL | SPDX | | | | |
| L671 | SNIA | SPDX | | | | |
| L672 | snprintf | SPDX | | | | |
| L673 | softSurfer | SPDX | | | | |
| L674 | Soundex | SPDX | | | | |
| L675 | Spencer-86 | SPDX | | FSF | | |
| L676 | Spencer-94 | SPDX | | | | |
| L677 | Spencer-99 | SPDX | | | | |
| L678 | spin | | DFSG | | | |
| L679 | SPL | | | | | GNU |
| L680 | SPL-1.0 | SPDX | | FSF | OSI | |
| L681 | Squeak | | | | | GNU |
| L682 | Squeak-old | | | FSF | | |
| L683 | ssh-keyscan | SPDX | | | | |
| L684 | SSH-OpenSSH | SPDX | | | | |
| L685 | SSH-short | SPDX | | | | |
| L686 | SSLeay-standalone | SPDX | | | | |
| L687 | SSPL-1.0 | SPDX | | | | |
| L688 | SSSCFR-1.1 | | | FSF | | |
| L689 | StandardMLofNJ | | | | | GNU |

| | | | | | | |
|------|---------------------------|------|------|-----|-----|-----|
| L690 | SugarCRM-1.1.3 | SPDX | | | | |
| L691 | Sun-PPP | SPDX | | | | |
| L692 | SunCommunitySourceLicense | | | | | GNU |
| L693 | SunPro | SPDX | | | | |
| L694 | SunSolarisSourceCode | | | | | GNU |
| L695 | swissepsh | | DFSG | | | |
| L696 | SWL | SPDX | | | | |
| L697 | swrule | SPDX | | | | |
| L698 | Symlinks | SPDX | | | | |
| L699 | TAPR-OHL-1.0 | SPDX | | | | |
| L700 | TCL | SPDX | | FSF | | |
| L701 | TCP-wrappers | SPDX | | | | |
| L702 | TermReadKey | SPDX | | | | |
| L703 | TGPPL-1.0 | SPDX | | FSF | | |
| L704 | THL-1.1 | | | FSF | | |
| L705 | TMate | SPDX | | | | |
| L706 | TORQUE-1.1 | SPDX | | | | |
| L707 | TOSL | SPDX | | | | |
| L708 | TPDL | SPDX | | | | |
| L709 | TPL-1.0 | SPDX | | | | |
| L710 | TrueCrypt | | | FSF | | |
| L711 | TTWL | SPDX | | | | |
| L712 | TTYPO | SPDX | | | | |
| L713 | TU-Berlin-1.0 | SPDX | | | | |
| L714 | TU-Berlin-2.0 | SPDX | | | | |
| L715 | UCAR | SPDX | | | | |
| L716 | UCL-1.0 | SPDX | | | OSI | |
| L717 | ulem | SPDX | | | | |
| L718 | UMich-Merit | SPDX | | | | |
| L719 | Unicode | | | | | GNU |
| L720 | Unicode-3.0 | SPDX | | | | |
| L721 | Unicode-DFS-2012 | | | FSF | | |
| L722 | Unicode-DFS-2015 | SPDX | | | OSI | |
| L723 | Unicode-DFS-2016 | SPDX | | | | |
| L724 | Unicode-TOU | SPDX | | | | |

| | | | | | |
|------|--------------------------------------|------|------|-----|-----|
| L725 | UnixCrypt | SPDX | | | |
| L726 | Unlicense | SPDX | | OSI | GNU |
| L727 | UPL | | | | GNU |
| L728 | UPL-1.0 | SPDX | | OSI | |
| L729 | URT-RLE | SPDX | | | |
| L730 | UtahPublicLicense | | | | GNU |
| L731 | Vim | SPDX | | | GNU |
| L732 | VOSTROM | SPDX | | | |
| L733 | VSL-0.1 | | | OSI | |
| L734 | VSL-1.0 | SPDX | | | |
| L735 | W3C | SPDX | | | GNU |
| L736 | W3C-19980720 | SPDX | | | |
| L737 | W3C-20150513 | SPDX | | OSI | |
| L738 | w3m | SPDX | | | |
| L739 | Watcom | | | | GNU |
| L740 | Watcom-1.0 | SPDX | | | |
| L741 | WebM | | | | GNU |
| L742 | Widget-Workshop | SPDX | | | |
| L743 | Wsuipa | SPDX | | | |
| L744 | WTFPL | SPDX | DFSG | | GNU |
| L745 | Wx | | | | GNU |
| L746 | Wxwind | | | | GNU |
| L747 | wxWindows | | | OSI | |
| L748 | x-oz | | DFSG | | |
| L749 | X11 | SPDX | | | |
| L750 | X11-distribute-modifications-variant | SPDX | | | |
| L751 | X11License | | | | GNU |
| L752 | Xdebug-1.03 | SPDX | | | |
| L753 | Xerox | SPDX | | | |
| L754 | Xfig | SPDX | | | |
| L755 | XFree86-1.1 | SPDX | | | |
| L756 | xinetd | SPDX | | | GNU |
| L757 | xkeyboard-config-Zinoviev | SPDX | | | |
| L758 | xlock | SPDX | | | |
| L759 | Xnet | SPDX | | OSI | |

| | | | | | | |
|------|----------------------|------|------|--|-----|-----|
| L760 | xpp | SPDX | | | | |
| L761 | XSkat | SPDX | | | | |
| L762 | Yahoo | | | | | GNU |
| L763 | YaST | | | | | GNU |
| L764 | YPL-1.0 | SPDX | | | | |
| L765 | YPL-1.1 | SPDX | | | | |
| L766 | Zed | SPDX | | | | |
| L767 | Zeeff | SPDX | | | | |
| L768 | Zend | | | | | GNU |
| L769 | Zend-2.0 | SPDX | | | | |
| L770 | Zimbra | | | | | GNU |
| L771 | Zimbra-1.3 | SPDX | | | | |
| L772 | Zimbra-1.4 | SPDX | | | | |
| L773 | Zlib | SPDX | DFSG | | OSI | GNU |
| L774 | zlib-acknowledgement | SPDX | | | | |
| L775 | Zope | | | | | GNU |
| L776 | ZPL - 2.0 | | | | OSI | |
| L777 | ZPL - 2.1 | | | | OSI | |
| L778 | ZPL-1.1 | SPDX | | | | |
| L779 | ZPL-2.0 | SPDX | | | | |
| L780 | ZPL-2.1 | SPDX | | | | |

Appendix B Primary literature reviewed, read in full and inclusion/exclusion criteria applied

Table B.1: List of literature with the inclusion/exclusion criteria applied.

| Literature identifier | Identifier | SPDX | DFSG | FSF | OSI | GNU |
|-----------------------|--------------------------|------|------|-----|-----|-----|
| L1 | 0BSD | SPDX | | | OSI | |
| L2 | 996 | | | FSF | | |
| L3 | AAL | SPDX | | | OSI | |
| L4 | Abstyles | SPDX | | | | |
| L5 | AcademicFreeLicense | | | | | GNU |
| L6 | ACDL-1.0 | | | FSF | | |
| L7 | ACEL | | | FSF | | |
| L8 | AdaCore-doc | SPDX | | | | |
| L9 | Adobe-2006 | SPDX | | | | |
| L10 | Adobe-Display-PostScript | SPDX | | | | |
| L11 | Adobe-Glyph | SPDX | | | | |

Appendix C Primary literature reviewed, read in full and data extracted

Table C.1: Final list of literature and their data extraction

| Literature identifier | Identifier | SPDX | DFSG | FSF | OSI | GNU |
|-----------------------|--------------------------|------|------|-----|-----|-----|
| L1 | 0BSD | SPDX | | | OSI | |
| L2 | 996 | | | FSF | | |
| L3 | AAL | SPDX | | | OSI | |
| L4 | Abstyles | SPDX | | | | |
| L5 | AcademicFreeLicense | | | | | GNU |
| L6 | ACDL-1.0 | | | FSF | | |
| L7 | ACEL | | | FSF | | |
| L8 | AdaCore-doc | SPDX | | | | |
| L9 | Adobe-2006 | SPDX | | | | |
| L10 | Adobe-Display-PostScript | SPDX | | | | |
| L11 | Adobe-Glyph | SPDX | | | | |