



AUTOMATE OR DIE 2026 · INDUSTRY · ROOM 206

58-minute power loss. 24 km of customer commitment. One governed recovery.

Six constraints. Three recovery branches. One accountable human decision.

17:42 → 18:40

8 × 3 km

LOCAL OUTAGE WINDOW

SYNTHETIC ORDER · 8 DRUMS

Oussama Akir · SUPCOM
akir.oussama@gmail.com

Vue décision

10:00:00

TEMPS USINE SIMULÉ


ACCÉES

RETARD CUMULÉ

0 h

RÉAFFECTATIONS

0



The grid returns. Decision uncertainty does not.

17:42

LOCAL OUTAGE START

58 min

OPERATOR-ENTERED WINDOW

T7 HOLD

T8 NOT STARTED · REPLANNED

Restart too fast and Quality loses evidence. Wait blindly and the customer schedule loses time.


Factory, order and constraints are synthetic. CableTwin does not predict the outage.



T7 IN CCV · T1-T6 OUTSIDE INCIDENT · T8 REPLANNED

ML retrieves. The twin tests. Humans authorize.

One decision layer across energy, process, quality, people, material and delivery.



Revenue follows measured evidence—not a demo.

USER

Production · Quality · Reliability

BUYER

Plant or operations
director

BEACHHEAD

Tunisian cable plants · one line first

01

Paid diagnostic

Map data, rules, roles and
evidence gaps

02

Read-only shadow pilot

Replay incidents + synthetic
stress cases

03

Per-line or site license

Configuration, calibration
and support

04

Scale after proof


Only after measured pilot
evidence

Pricing and ROI are pilot questions. No customer, revenue, savings or saved-distance claim today.

Start read-only on one cable line; earn every integration.

4–6 WEEKS

One read-only shadow pilot



Pilot gates to agree

evaluation time · violations caught before action · stability · usability · traceability


Pilot targets to agree—not achieved claims

MES executes. QMS releases. CableTwin compares recovery options.

Manual / spreadsheet	Flexible and immediate	Knowledge stays fragmented; comparison and audit depend on people
SCADA · MES · APS · QMS	Systems of control, record and planning	Essential foundations; incident what-if remains site-specific
CableTwin	Read-only decision layer	Incident state + alternatives + hard constraints + provenance + human gate

Differentiation = cross-domain recovery comparison before action, with explicit human authority


One accountable builder shipped the loop—and kept its limits visible.



Oussama Akir

SUPCOM · solo participant

Product · industrial scenario ·
constraints · ML retrieval · twin · QA ·
deployment · evidence



The next team extension is not a fictional org chart.

It is one real cable plant, its production planner and its Quality authority.

Commercial truth first: zero pilots, zero revenue, zero ROI claims.

0

SIGNED PILOTS

0

REVENUE

0

ROI CLAIMS

Commercial honesty is part of the product.

Synthetic evidence is not customer evidence.

PROVED NOW

Public working product

9/9 planner + 5/5 ML checks

Exact verifier · 17,856 → 10,440

Local · offline · read-only

EARNs REVENUE NEXT

One cable-plant design partner

One paid shadow-pilot hypothesis

Price and scale after measured value

Commercial discipline: prove value first; price second; scale third.

Built now. Validate next. Scale only after proof.

NOW

Working public prototype

Decision twin · local ML · hard rules · bounded verifier · human approval

NEXT

One 4–6-week shadow pilot

Read-only data · real incident replays · planner-validated constraints

THEN

Integrate only if KPIs pass

Configuration · site deployment · per-line or site license



Select CableTwin—and connect one Tunisian cable-plant design partner.