ChatGPT

Dating App Aesthetic Intelligence Meta Reference

Research frame and benchmark logic

PROJECT SNAPSHOT

Mission restatement: Design an aesthetic system (brand mood → UI visual language → micro-interactions → safety & monetization surfaces) that makes a dating app feel *seductive* (warm, intimate, hopeful, premium, calm-confidence), while avoiding sleaze, objectification, manipulation, visual chaos, burnout, and App Store risk. (HEURISTIC) [1]

Operational definition of "seductive" (non-sleazy):
"Seductive" here means high *emotional magnetism* driven by (a) trust calibration, (b) perceived dignity and safety, (c) aesthetic pleasure and clarity, and (d) controlled romantic energy (small peaks) within an overall calm baseline. It explicitly excludes pornographic, exploitative, or "hookup-first" cues likely to trigger safety, user harm, or App Store risk. (HEURISTIC) [2]

Why the aesthetic problem is "first 5 seconds + long-term fatigue":
Users form strong, lasting aesthetic judgments extremely quickly, and these first impressions can influence later perceptions of usability and trustworthiness. (FACT) [3]
At the same time, dating apps are exposed to documented user fatigue, harassment/scams concerns, and overload dynamics—so aesthetic *stimulation* must be carefully paced. (FACT) [4]

Default product context assumptions (explicit): - **Platform:** iOS-first mobile, modern iOS design conventions (FACT) [5]
- **Business posture:** premium-calming (not casino-like), serious-intent capable, trust-forward (HEURISTIC) [6]
- **Compliance posture:** strict App Store / UGC moderation alignment; avoid patterns Apple flags (FACT) [7]
- **Optional market layer:** Hebrew-first / Israel/Jewish-aware *only* as an additive layer; included as a dedicated appendix because Israel is plausibly in-scope for your context, and safety/discretion dynamics differ in small social graphs. (HEURISTIC) [8]

DEFAULT BENCHMARK MARKET (explicit, not guessed silently): - **Primary storefront for benchmark: US iOS App Store** (HEURISTIC)
- Rationale: US tends to be a leading market for product patterns, monetization surfaces, and design conventions for global consumer apps; it's also a major revenue market for dating apps (HEURISTIC). [9]
- **Secondary storefront for "Israel track" appendix: Israel iOS market signals** (limited evidence, high uncertainty) (HEURISTIC/UNKNOWN). [10]

BENCHMARK LOGIC

Step 0: Define "successful" before choosing apps. (FACT/HEURISTIC boundary) - **Business success (primary):** sustained ability to monetize on iOS (subscription + a la carte). (HEURISTIC)
- **Market success (secondary):** meaningful adoption scale (proxy: rating volume on iOS App Store pages + broad mention in credible surveys). (HEURISTIC)
- **Product success (tertiary):** credible trust & safety posture (verification cues, reporting/blocking, non-objectifying mechanics, deletion controls). (HEURISTIC) [11]

Metric hierarchy (transparent): 1. **Primary metric:** "Monetization leadership" proxy (publicly observable via broad corroboration across credible market intel + consistent App Store "In-App Purchases" posture + category leadership signals). (HEURISTIC) [12]
2. **Fallback metric: iOS App Store rating volume** (proxy for adoption and long-term footprint). (HEURISTIC) [13]
3. **Tie-breakers:** category presence (Lifestyle vs Social Networking), maturity of safety claims (verification, user controls), and breadth of languages/regions (global footprint). (FACT/HEURISTIC mix) [14]

Why a mixed score is most defensible (answering the user's question B-2):
Pure downloads can overweight low-retention, low-trust, or ad-driven apps; pure chart rank is volatile; pure paying users is often proprietary. A mixed hierarchy reduces single-metric bias, and is consistent with the reality that "seductive, premium, trustworthy" is closer to *retention and monetization* than raw installs. (HEURISTIC) [15]

Alternate benchmark sets (explicit): - **Revenue-first set:** top iOS grossing dating apps in the US (would likely overweight subscription-heavy brands). (UNKNOWN with partial evidence) [16]
- **Aesthetic-first set:** design-forward niche apps (Raya/Feeld/The League/HER + newer entrants). (HEURISTIC) [17]
- **Israel-first set:** Israel iOS top performers locally (likely different mix; evidence quality is limited in available public sources). (UNKNOWN) [18]

Evidence base and constraints

SOURCE APPROVAL GATE

Scoring rubric required by you (Authority 25, Rigor 25, Recency 15, Relevance 15, Transferability 10, Corroboration 10; 85+ = core factual use).
Below, "core sources" are those used to justify *FACT* claims. Sources below 85 are used only as HEURISTIC / context.

High-authority sources used as core (85+): - Apple [19] **App Review Guidelines** (Authority very high; directly governs App Store risk). [20]
- Apple Developer **account deletion** support documentation. [21]
- Apple Developer **Human Interface Guidelines** entry + accessibility guidance (including cognitive and motion guidance). [22]
- W3C [23] **WCAG 2.2** (target size minimum). [24]
- Pew Research Center [25] online dating surveys (scams/harassment, trust perceptions). [26]
- Peer-reviewed HCI / psych research: - Reinecke et al. (CHI) on first impressions + visual complexity/ colorfulness and downstream trust/usability perceptions. [3]
- Choice overload / partner availability experiments (Computers in Human Behavior). [27]
- Excessive swiping adverse psychological effects (Telematics and Informatics). [28]
- Decision-making effects of profile abundance (Taylor & Francis, 2025). [29]

Tools/platform docs (85+ for implementation claims): - Lovable [30] official prompting + design system docs. [31]
- Replit [32] official Next.js quickstart (deployment/publishing). [33]
- Figma [34] Help Center on variables/tokens/modes. [35]
- Canva [36] Brand Kit overview. [37]

FACTS

App Store / safety / compliance facts that constrain aesthetics and interaction: - Apps with UGC must include: filtering of objectionable material, reporting mechanism + timely responses, ability to block abusive users, published contact info. (FACT) [38]
- Apps used primarily for pornographic content, "random or anonymous chat," or objectification mechanics like "hot-or-not voting" may be removed. This is a direct risk vector for "sleazy" aesthetics and mechanics. (FACT) [20]
- Apple explicitly defines "overtly sexual or pornographic material" and includes "hookup apps" within this risk area—meaning visual language and positioning can create review risk if it appears to facilitate explicit hookup/pornography. (FACT) [38]
- If an app supports account creation, Apple requires users be able to initiate account deletion within the app; the deletion flow must be easy to find and not obstructive. (FACT) [39]

Accessibility facts with direct UI implications: - iOS touch controls should typically be at least **44×44 pt** for comfortable touch; Apple emphasizes sizing and spacing between controls to reduce errors. (FACT) [40]
- Apple suggests spacing guidance: roughly **~12 pt padding** around elements with a bezel; **~24 pt** around bezel-less elements' visible edges (as a general rule of thumb). (FACT) [41]
- WCAG 2.2 introduces a Level AA minimum target size guideline of **24×24 CSS px** (with spacing/exception logic). For mobile apps, this is a floor; iOS norms are typically higher for comfort. (FACT) [42]
- Apple accessibility guidance cautions against fast-moving/blinking animations; recommends honoring Reduce Motion by reducing repetitive/automatic depth motion, parallax, and blur transitions; suggests replacing large movements with fades/dissolves when needed. (FACT) [43]
- Apple's sufficient contrast guidance references a common minimum of **4.5:1** for most text elements. (FACT) [44]

Market/user reality facts that should shape "trust-forward" design: - A substantial share of online dating users report unwanted sexual messages/images, continued unwanted contact, scams, and other harassment; roughly half report at least one of several unwanted behaviors in Pew's 2023 work. (FACT) [45]
- Online dating users are often uncertain about how well platforms remove bots/fakes, keep data safe, and remove harassers—uncertainty itself is a trust problem your UI should address transparently. (FACT) [46]
- Peer-reviewed evidence indicates that excessive partner availability / too many profiles can increase perceived overload and fear of being single, and can reduce self-esteem in experimental conditions. (FACT) [47]

HEURISTICS

Evidence-backed inferences (useful, but not "laws of psychology"): - The aesthetic sweet spot for a premium-calming dating app is "low baseline stimulation + short, meaningful peaks" (match moment, compliment received, date planned), because overload and fatigue risks are real in dating contexts. (HEURISTIC) [48]
- Trust is improved by visible *procedural* cues more than "trusty colors": verification affordances, report/

block paths, safety center visibility, and straightforward account deletion controls matter because users worry about scams and harassment. (HEURISTIC) [49]
- "Seduction without sleaze" visually tends to look like: softer contrast hierarchy (not neon), editorial typography, high-quality face/portrait photography with consent-forward framing, and restrained motion; plus explicit consent and boundaries in interaction patterns. (HEURISTIC) [50]

UNKNOWNs

Important gaps (do not pretend certainty): - "Current 10 most successful dating apps on the iOS App Store" in **March 2026** by a single verified revenue dataset is not fully public; any top-10 list built without paid market dashboards necessarily involves proxies (ratings, widely corroborated mentions, and partial market intel). (UNKNOWN) [51]
- Live in-app motion timing and haptic cadence for each benchmark app cannot be verified purely from App Store pages; motion/haptic scoring is therefore inferential unless instrumented with direct capture. (UNKNOWN) [52]

Benchmark set and matrix

OUTPUT 2: BENCHMARK SET AND JUSTIFICATION

Benchmark set (10 apps) chosen under the metric hierarchy above (US iOS storefront pages for adoption proxy): 1. Tinder [53] — extreme adoption proxy (very high ratings volume) + archetypal swipe model baseline. [54]
2. Bumble [55] — large adoption proxy + explicit safety/verification posture in listing; strong brand distinctiveness. [56]
3. Hinge [57] — explicitly "designed to be deleted," prompt-led composition; strong "serious intent" posture. [58]
4. Grindr [59] — major category leader for LGBTQ dating; important to evaluate trust/safety aesthetics in high-risk harassment contexts. [60]
5. Badoo [61] — globally prominent dating brand; useful for evaluating "mass-market" aesthetic language. [62]
6. Plenty of Fish [63] — very high ratings volume; illustrates legacy + broad mass approach; includes selfie verification claims. [64]
7. OkCupid [65] — question/values-driven matching; inclusive positioning; relevant for "serious intent" cues. [66]
8. Match [67] — "adult dating" / serious relationships message; useful to benchmark "trust-first but possibly unsexy" risk. [68]
9. Feeld [69] — "curiosity" / alternative relationship space; critical for learning how to be intimate without tipping into App Store risk. [70]
10. Raya [71] — premium/exclusive aura; valuable for "premium feel" cues and privacy-forward messaging. [72]

Why this set is "fair" (and not silently chosen): - It contains the persistent category anchors repeatedly referenced in credible survey work and/or showing outsized iOS adoption signals (ratings volume). (HEURISTIC) [73]
- It includes both mass-market and premium/niche leaders to avoid optimizing aesthetics for only one "dating culture" (hookup vs serious vs LGBTQ vs non-monogamy), which is crucial if the goal is *seduction with trust* across segments. (HEURISTIC) [74]

OUTPUT 3: AESTHETIC TEARDOWN MATRIX

How to read the matrix: Each cell is `score/10 — rationale (FACT or HEURISTIC)`.
Scores reflect: App Store listing language + publicly communicated features (verification/safety) + widely known UI posture of each category archetype. Live product capture not performed, therefore most cells are HEURISTIC. (HEURISTIC/UNKNOWN) [75]

BENCHMARK MATRIX

Dimension	Tinder	Bumble	Hinge	Grindr	Badoo	POF
First-impression trust	6 — scale + safety claims, but swipe culture baggage (H) [76]	7 — "safety first" + verification posture in listing (H) [56]	8 — "designed to be deleted" + verification mention (H) [77]	6 — strong brand, but historically "grid" intimacy risk (H) [78]	6 — mass-market trust posture (H) [79]	6 — m marke verific claim (H) [64]
First-impression desirability	8 — culturally iconic "spark" vibe (H) [54]	7 — friendly/ playful but less "luxury" (H) [56]	7 — serious-intent romance (H) [77]	7 — high immediacy/ availability (H) [78]	6 — broad appeal, less premium (H) [79]	6 — b less re (H) [64]
First-impression premium feel	6 — mainstream; premium via upsell, not calm (H) [76]	6 — mainstream, friendly (H) [56]	7 — editorial, grown-up (H) [77]	6 — functional-first (H) [78]	6 — mass-market (H) [79]	5 — le feel ri [64]
Emotional warmth	6 — excitement > warmth (H) [54]	7 — "meaningful relationships" tone (H) [56]	8 — "get off apps" / date-driven tone (H) [77]	6 — community utility (H) [78]	6 — upbeat/ mass (H) [79]	6 — d to-ear tone ([64]
Emotional seriousness	5 — can be serious, but swipe legacy (H) [76]	6 — relationship-forward but still swipe-ish (H) [56]	9 — explicitly serious-intent (H) [58]	6 — varies by use (H) [78]	5 — mixed intent (H) [79]	5 — m intent [64]
Visual clarity	7 — clear primary action (H) [3]	7 — clear structure (H) [3]	8 — prompt-led readability (H) [77]	6 — grid can be dense (H) [27]	6 — feature density risk (H) [27]	6 — fe densit (H) [27]
Visual clutter	6 — upsell surfaces can add noise (H) [27]	6 — similar risk (H) [27]	7 — generally restrained (H) [77]	6 — grid density (H) [27]	5 — mass-market density risk (H) [27]	5 — le densit (H) [27]

Dimension	Tinder	Bumble	Hinge	Grindr	Badoo	POF
Typography quality	7 — mainstream iOS norms (H) [83]	7 — mainstream (H) [83]	8 — editorial tone tends to read premium (H) [77]	6 — utilitarian (H) [78]	6 — utilitarian (H) [79]	6 — utilitar (H) [64]
Photography treatment	8 — image-dominant (H) [84]	8 — image-dominant (H) [56]	7 — balances photos with prompts (H) [77]	7 — proximity + face-first (H) [78]	7 — photo-first (H) [79]	7 — ph first (H
Color sophistication	7 — recognizable brand palette (H) [3]	7 — strong brand color (H) [56]	8 — softer/modern palette perception (H) [77]	6 — less brand-forward (H) [78]	6 — mass-market palette risk (H) [79]	6 — m marke palett (H) [64]
Accent restraint	5 — tends to feel “high stimulus” (H) [27]	6 — moderate (H) [27]	7 — more restrained (H) [77]	6 — moderate (H) [78]	5 — promotional density risk (H) [27]	5 — promo densit (H) [27]
CTA hierarchy	8 — very clear “like/nope” (H) [84]	7 — clear, but more modes/features (H) [56]	7 — like/comment on specific prompt (H) [77]	7 — browse/message flow (H) [78]	6 — feature spread (H) [27]	6 — fe spread [27]
Button ergonomics	7 — primary actions big (H) [85]	7 — standard (H) [85]	7 — standard (H) [85]	6 — dense grid risk (H) [27]	6 — density risk (H) [27]	6 — de risk (H
Discoverability of controls	7 — obvious core actions (H) [84]	7 — straightforward (H) [56]	7 — prompt interactions clear (H) [77]	6 — dense UI can hide controls (H) [27]	6 — feature spread (H) [27]	6 — le surfac (H) [27]
Grid/swipe clarity	9 — archetypal swipe clarity (H) [84]	8 — similar (H) [56]	7 — interaction is “like/comment” not pure swipe (H) [77]	7 — grid browse (H) [78]	7 — mixed (H) [79]	7 — m (H) [64]
Profile readability	6 — photo-heavy, less text (H) [84]	6 — similar (H) [56]	9 — prompts + voice/video reveal personality (H) [77]	6 — varying profile depth (H) [78]	6 — mixed (H) [79]	6 — m (H) [64]

Dimension	Tinder	Bumble	Hinge	Grindr	Badoo	POF
Intent visibility	6 — improving, but mixed norms (H) [76]	7 — filters for “what looking for” (H) [56]	8 — intentions + relationship type mentioned (H) [77]	6 — varies widely (H) [78]	6 — mixed (H) [79]	6 — m (H) [64]
Trust cue visibility	6 — has safety features but not always front-loaded (H) [76]	7 — safety message prominent (H) [56]	7 — verification named (H) [77]	6 — variable (H) [78]	6 — tech claims (H) [79]	6 — se verific claim [64]
Verification prominence	6 — “multiple ways to verify” (H) [76]	7 — ID Verification in listing (FACT) [56]	7 — Selfie Verification in listing (FACT) [77]	5 — not emphasized in snippet (H) [78]	5 — not emphasized in snippet (H) [79]	6 — se verific menti (FACT)
Safety affordance visibility	6 — has tools (H) [76]	7 — “safety first” plus share meetups (H) [56]	7 — date follow-up & verification (H) [77]	6 — high need; visibility varies (H) [86]	6 — claims anti-fake tech (H) [79]	6 — verific helps [64]
Premium upsell elegance	5 — high upsell intensity risk (H) [76]	6 — subscriptions + boosts (H) [56]	7 — tiers framed as “enhanced recommendations” (H) [87]	6 — common subscription posture (H) [78]	6 — common (H) [79]	6 — comm [64]
Perceived honesty	6 — mixed sentiment risk (H) [46]	6 — mixed, but safety-forward (H) [88]	7 — mission is “get off app” (H) [58]	6 — mixed (H) [46]	6 — mixed (H) [46]	6 — m (H) [46]
Perceived manipulation	7 — swipe + boost dynamics feel “slot-like” (H) [89]	6 — time limits & boosts can feel pressured (H) [90]	5 — more intent-driven, less endless (H) [91]	6 — availability dynamics (H) [27]	6 — mass-market mechanics (H) [28]	6 — m marke [28]
Visual novelty	6 — now “standard dating UI” (H) [84]	6 — recognizable standard (H) [56]	7 — prompts + voice/video (H) [77]	6 — grid archetype (H) [78]	5 — mass-market (H) [79]	5 — le (H) [64]
Brand memorability	9 — iconic (H) [93]	8 — iconic (H) [93]	7 — strong mission phrase (H) [58]	8 — iconic in LGBTQ domain (H) [78]	7 — global brand (H) [93]	7 — br brand [64]

Dimension	Tinder	Bumble	Hinge	Grindr	Badoo	POF
Local/cultural specificity	5 — global generic (H) [93]	5 — global generic (H) [93]	6 — slightly more values-based (H) [77]	6 — community-specific (H) [94]	6 — global (H) [93]	5 — gl gener [64]
Modernity	7 — updated, but archetype old (H) [54]	7 — modern UI (H) [56]	8 — modern, editorial (H) [77]	6 — mixed (H) [78]	7 — modern enough (H) [79]	6 — le vibe ri [64]
Emotional excitement	9 — high arousal model (H) [28]	7 — moderate excitement (H) [56]	6 — calmer (H) [95]	8 — high immediacy (H) [78]	6 — moderate (H) [79]	6 — moder (H) [64]
Emotional calm	4 — stimulation heavy (H) [89]	5 — time pressure elements (H) [90]	7 — “intentional dating” tone (H) [91]	5 — intensity risk (H) [86]	5 — mixed (H) [27]	5 — m (H) [27]
Hopefulness	6 — possibility-rich, but burnout risk (H) [97]	6 — moderate (H) [88]	8 — “date every 3 seconds” optimism (H) [77]	6 — depends on user outcomes (H) [46]	6 — broad (H) [46]	6 — br (H) [46]
Seductive pull	8 — flirt energy (H) [84]	7 — friendly romance (H) [56]	7 — deeper intimacy via prompts (H) [77]	7 — high immediacy (H) [78]	6 — broad attraction (H) [79]	6 — br attract (H) [64]
Sleaze risk	6 — swipe/hookup association (H) [98]	5 — safer brand perception (H) [99]	4 — more relationship-coded (H) [77]	7 — high-risk domain for harassment (H) [94]	6 — mixed intent (H) [79]	6 — m intent [64]
Objectification risk	7 — photo + binary swipe (H) [101]	6 — fewer crude cues, still swipe-based (H) [102]	4 — prompt-first reduces “hot-or-not” vibe (H) [103]	7 — proximity grid can amplify objectification (H) [104]	6 — photo-first risk (H) [105]	6 — pl first ri [106]
Choice overload risk	8 — endless profiles archetype (H) [108]	7 — still high (H) [27]	5 — curated-ish (H) [95]	7 — large pool + proximity (H) [27]	7 — large pool (H) [27]	7 — la pool (H

Dimension	Tinder	Bumble	Hinge	Grindr	Badoo	POF
Chat warmth	6 — depends on match quality (H) [46]	6 — can be pressured by timers (H) [99]	7 — convo starters & prompt replies support warmth (H) [77]	6 — mixed (H) [46]	6 — mixed (H) [46]	6 — m (H) [46]
Chat intimidation level	6 — can feel “high stakes / shallow” (H) [112]	6 — women-first can intimidate some (H) [113]	5 — prompt anchoring lowers pressure (H) [77]	7 — harassment risk increases intimidation (H) [94]	6 — mixed (H) [46]	6 — m (H) [46]
Motion discipline	6 — unknown without capture (H) [115]	6 — unknown (H) [115]	6 — unknown (H) [115]	6 — unknown (H) [115]	6 — unknown (H) [115]	6 — unkno (H) [11]
Dark mode sophistication	6 — unknown without capture; must adapt (H) [117]	6 — unknown (H) [117]	6 — unknown (H) [117]	6 — unknown (H) [117]	6 — unknown (H) [117]	6 — unkno (H) [11]
Accessibility robustness	6 — unknown; must meet contrast & motion guidance (H) [120]	6 — unknown; same constraints (H) [120]	6 — unknown; same constraints (H) [120]	6 — unknown; high-need domain (H) [121]	6 — unknown (H) [44]	6 — unkno (H) [44]
App Store risk posture	6 — must avoid “hookup app” interpretation (H) [122]	7 — safety-forward reduces risk (H) [123]	8 — serious intent posture reduces 1.1.4 risk (H) [124]	6 — risk depends on moderation/ UGC (H) [104]	6 — risk depends on UGC moderation (H) [105]	6 — ri depen UGC moder (H) [10]

*Notes: App Store user reviews are not treated as factual truth; they are used only as qualitative signals and therefore remain HEURISTIC. (HEURISTIC) [127]

OUTPUT 1: EXECUTIVE VERDICT

Verdict (implementation-ready):
The aesthetic system most likely to outperform current leaders in attraction *and* trust is a **calm-premium, editorial “intimacy UI”** that: - **Reduces choice overload by design** (curation, limited daily picks, and structured “quality gates”) to counter overload and fatigue dynamics. (FACT → the overload risk; HEURISTIC → product solution) [47]

- **Shifts from "hot-or-not swipe" to "interaction-with-a-specific-detail"** (prompt/photo moment comments, values badges, gentle intent signaling), directly reducing objectification risk under Apple's safety posture. (HEURISTIC) [128]
- **Makes safety cues visible but tasteful**: verification, report/block, and a real Safety Center as first-class UI (not buried), directly addressing documented user concerns about scams/harassment and Apple's UGC expectations. (FACT → concerns + requirements; HEURISTIC → UI execution) [129]
- **Uses restrained color + controlled motion**: low baseline stimulation; short "romantic punctuation" moments; strict compliance with Reduce Motion guidance and sufficient contrast. (FACT/HEURISTIC) [130]

Pattern atlas and meta aesthetic reference

LOVE / HATE PATTERN ATLAS

OUTPUT 4: LOVE / HATE PATTERN ATLAS

What people are repeatedly drawn to

Visual style - **High legibility + "editorial confidence"** (clean hierarchy, readable profile structure, personality-forward content) because first impressions are fast and strongly shape follow-on beliefs about usability/trust. (HEURISTIC grounded in first-impression research) [131]
- **Personality revelation beyond photos** (prompts, voice/video snippets, values) to reduce purely visual commodity logic. (HEURISTIC) [132]

Motion - **Micro-delight that confirms progress, not randomness**: subtle transitions that communicate state changes without "slot machine" arousal. (HEURISTIC; avoid overclaiming) [133]

Color - **Single dominant brand accent with restraint** (tint ≠ confetti): supports hierarchy and reduces fatigue/overstimulation. (HEURISTIC) [134]

Control design - **Big, forgiving touch targets** and spacing that prevents mis-taps—reduces friction and subtly communicates quality and care. (FACT for sizing guidance; HEURISTIC for emotional interpretation) [135]

Profile presentation - **"Moment-based attraction"**: liking/commenting on a specific detail (prompt/photo) is both less objectifying and more conversation-startable. (HEURISTIC; supported by Hinge's described flow) [77]

Chat experience - **Conversation starters and structured nudges** reduce repetitive small talk—one of the drivers of fatigue and disappointment. (HEURISTIC; fatigue itself is factual) [136]

Safety cues - **Visible verification and "control surfaces"** (block/report) address the real prevalence of scams and unwanted messages. (FACT for prevalence; HEURISTIC for UI effect) [129]

Premium/paywall cues - **Premium framed as "calm control and clarity," not "power and dominance."** Users are more likely to perceive premium as legitimate when it reduces overload and improves outcomes, rather than merely increasing stimulation. (HEURISTIC) [137]

What repeatedly turns people off

Visual style - **"Casino UI"**: too many bright accents, too many badges, too many simultaneous decision points—amplifies overload/fatigue risk. (FACT on overload risk; HEURISTIC on aesthetic mapping) [108]

Motion - **Constant motion / flashy loops**: conflicts with cognitive accessibility guidance and can contribute to discomfort and distraction. (FACT) [43]

Color - **Over-indexing on "color psychology" tropes** (e.g., "red makes you horny") is not evidence-grade strategy; rely instead on clarity, contrast, and hierarchy. (FACT/HEURISTIC boundary) [138]

Control design - **Tiny controls / dense tap clusters** cause errors and frustration; this is both accessibility and premium-feel failure. (FACT for sizing/spacing) [139]

Profile presentation - **Hot-or-not dynamics** risk App Store removal under 1.2 ("objectification of real people") and risk cultural revulsion. (FACT for policy) [38]

Chat experience - **Unbounded inbox chaos** (too many simultaneous conversations) contributes to feeling overwhelmed; overload research suggests abundance reduces acceptance rates and increases overload. (FACT/HEURISTIC) [140]

Safety cues - **Hidden safety tools**: when users already worry about scammers/harassment, burying controls increases perceived risk. (HEURISTIC grounded in Pew findings) [141]

Premium cues - **Dark patterns around deletion/cancellation** risk review problems; Apple requires transparent in-app account deletion when accounts exist. (FACT) [39]

META AESTHETIC REFERENCE

OUTPUT 5: THE META AESTHETIC REFERENCE

System name: "Velvet Clarity" (HEURISTIC)

North star adjectives: warm, intimate, calm-confident, luminous, editorial, human, dignified, precise, safe. (HEURISTIC)

Anti-adjectives ("never become" list): horny, sleazy, frantic, neon-gamified, shouty, cluttered, predatory, shame-triggering, manipulative, "hot-or-not." (FACT for "hot-or-not" risk; HEURISTIC for others) [38]

Emotional arc (app-wide): - **Onboarding:** reassurance + hope ("this is safe, real, and worth your time"). (HEURISTIC) [46]
- **Discovery:** calm curiosity (low stimulation, high meaning). (HEURISTIC) [27]
- **Match moment:** short romantic peak (micro-delight), then immediate grounding into conversation. (HEURISTIC) [142]
- **Chat:** warm clarity + control (anti-chaos). (HEURISTIC) [112]
- **Date planning:** confident momentum (tools that reduce anxiety). (HEURISTIC) [46]

Design principles 1. **Dignity first:** every UI choice must treat people as humans, not inventory. ("No hot-or-not.") (FACT/HEURISTIC) [98]

2. **Calm baseline, meaningful peaks:** reduce fatigue and overload by constraining choice and visual noise. (FACT/HEURISTIC) [108]
3. **Safety is a first-class aesthetic:** safety cues should be visually integrated, not hidden. (FACT/HEURISTIC) [143]
4. **Legibility is seduction:** clarity improves trust and prevents anxiety; fast first impressions matter. (FACT) [144]

Visual doctrine - **Palette philosophy:** one primary accent + one secondary romantic micro-accent used *only* for "connection moments." Everything else is semantic neutrals. (HEURISTIC) [145]
- **Typography philosophy:** system-first readability, editorial hierarchy, and generous line spacing for profile prompts and chat. Default iOS text size is 17 pt; minimum can be 11 pt in platform tables, but for dating profiles (emotion-heavy) you should bias larger. (FACT for size table; HEURISTIC for application) [85]
- **Density philosophy:** "one primary decision per screen." Avoid more than 2–3 primary CTAs visible at once; use progressive disclosure. (HEURISTIC) [146]
- **Materials/blur:** avoid heavy blur overlays that harm readability; if you use glassy surfaces, ensure contrast and Reduce Motion behavior. (FACT/HEURISTIC) [147]

Interaction doctrine - **Discovery interaction:** "tap-to-like-a-detail" is primary; swipe is optional secondary. This discourages impulsive mass rejection and supports conversation. (HEURISTIC) [148]
- **Choice constraint:** default to **Daily Picks** (small set) with an "Explore more" escape hatch; this aligns with overload evidence and can feel premium. (FACT/HEURISTIC) [137]
- **Micro-interactions:** use subtle motion that communicates state, respecting Reduce Motion guidance (replace large motion with fades/dissolves in reduced mode). (FACT) [149]
- **Haptics:** reserve haptics for "meaningful confirmations" (like sent, match, safety confirmation), leveraging system patterns or Core Haptics cautiously. (FACT for capability; HEURISTIC for mapping) [150]

Safety doctrine - **UGC compliance baseline**: filters, report, block, published contact info—non-negotiable. (FACT) [38]
- **Anti-objectification**: no rank-ordering people, no hotness voting, no random anonymous chat. (FACT) [20]
- **Account control dignity:** deletion is easy to find and complete within the app. (FACT) [39]

Monetization doctrine - Monetize by **reducing friction and overload** (better filters, better daily picks, better intent-matching), not by increasing stimulation or urgency. (HEURISTIC) [137]
- Paywalls must be transparent and never obstruct account deletion or safety actions. (FACT/HEURISTIC) [151]

Explanation doctrine - When you use algorithms, explain *what the user gets* (better matches, fewer time-wasters) without claiming mind-reading. This avoids pseudo-science and reduces distrust. (HEURISTIC) [152]

Micro-detail specification defaults (with ranges + testing guidance)
If evidence supports a single number, give it; otherwise range + tradeoffs + test.

- **Primary button height: 48–56 pt** (default 52). Tradeoff: 44 pt meets iOS default sizing; larger feels more premium and reduces mis-taps but can increase scrolling. Test: task completion + mis-tap rate. (FACT for 44×44 default; HEURISTIC for 52) [40]
- **Secondary button height: 44–52 pt** (default 48). (FACT/HEURISTIC) [40]

- **Icon touch target: ≥44×44 pt** (non-negotiable; enlarge hit area, not icon). (FACT) [40]
- **Chip height (filters/intent pills): 32–40 pt**; default 36. Tradeoff: smaller chips pack more, but increase mis-taps and cognitive load. (HEURISTIC) [153]
- **Card corner radius (profile cards): 16–24 pt**; default 20. Tradeoff: too-round can feel juvenile; too-square feels cold/enterprise. (HEURISTIC) [3]
- **Radius hierarchy:** 12 (inputs), 16 (cards), 20 (hero surfaces), 28 (modal sheets). (HEURISTIC) [3]
- **Borders:** 1 pt for dividers; 1–2 pt for outlined buttons. (HEURISTIC) [44]
- **Spacing scale (8-pt rhythm, with accessibility anchors):** 4, 8, 12, 16, 24, 32, 48. Use 12/24 spacing rules around controls. (FACT for 12/24 guidance; HEURISTIC for full scale) [41]
- **Max controls per row:** 3 primary actions max (e.g., dislike/like/superlike), avoid 5+ clusters. Test mis-tap and decision fatigue. (HEURISTIC) [153]
- **Typography hierarchy (defaults):**
- Body: 17 pt (platform default). (FACT) [85]
- Secondary: 15 pt.
- Caption/meta: 12–13 pt (avoid below 11 pt for readability). (FACT for minimum 11 pt in platform table; HEURISTIC for use) [154]
- **Safe line length (profiles):** aim 35–55 characters/line on typical iPhone widths; avoid long paragraphs. Test comprehension. (HEURISTIC) [142]
- **Profile card image ratio:** 4:5 portrait preferred; keep face visible at top third; avoid hypersexual crops. (HEURISTIC; policy risk anchor) [98]
- **CTA color strategy:** only one true CTA color (brand accent). Secondary actions use neutral outlines/tones, not new colors. (HEURISTIC) [145]
- **Success/warning/danger colors:** adopt semantic tokens; ensure contrast and don't rely on color alone. (FACT) [155]
- **Shadow philosophy:** minimal, consistent, "lift only when interactive." Avoid dramatic drop shadows; prefer subtle elevation for focus. (HEURISTIC) [3]
- **Blur/material usage:** sparing; never reduce text contrast; avoid animating blur under Reduce Motion. (FACT) [156]
- **Animation durations:**
- micro feedback: 120–180ms
- screen transitions: 240–320ms
- modal sheet: 280–360ms
  Provide Reduce Motion alternates (fade 150–200ms). (HEURISTIC; accessibility constraints are FACT) [149]
- **Haptic map (Core Haptics / system patterns):**
- "like sent": light transient
- "match": stronger transient + optional audio-haptic moment
- "safety confirm / block": firm confirm
  Keep haptics meaningful and not constant. (FACT for Core Haptics capability; HEURISTIC for mapping) [150]
- **Paywall layout style:** one-column, value bullets, outcome framing ("fewer time-wasters"), no shame/urgency countdowns. (HEURISTIC) [157]
- **Safety badge style:** subtle shield/check icon + text label; consistent placement near name; don't use gamified "levels." (HEURISTIC; policy anchor) [143]
- **Filter drawer:** a bottom sheet with progressive disclosure (top 5 filters, "More filters" expands). (HEURISTIC; overload anchor) [158]
- **Swipe vs tap balance:** default tap (intentional), allow swipe as expert shortcut. (HEURISTIC; overload anchor) [159]
- **Empty states:** empathetic, non-shaming, action-oriented ("Adjust filters", "Verify profile for more matches"). (HEURISTIC; avoid exploitation of loneliness) [160]

- **Loading/skeleton:** skeletons for profile cards and chat lists; avoid spinner walls. (HEURISTIC) [3]

Visual directions and screen specs

THREE VISUAL DIRECTIONS

OUTPUT 6: THREE VISUAL DIRECTIONS

Safest trust-maximizing direction

Name: "Clinic-Grade Romance" (HEURISTIC)
- **Mood:** calm, safe, grown-up, "my data and boundaries are respected." (HEURISTIC) [161]
- **Palette:** neutral base (warm gray), one cool trust accent (blue/teal) used sparingly; semantic reds only for safety/danger. (HEURISTIC; contrast constraints are FACT) [162]
- **Type:** system-first; crisp hierarchy; generous whitespace; high readability. (FACT/HEURISTIC) [154]
- **Shape language:** moderate radius (16–20), strong alignment grid. (HEURISTIC) [3]
- **Motion:** minimal; confirmations over celebrations; Reduce Motion-perfect. (FACT/HEURISTIC) [149]
- **Button style:** solid neutral primary with subtle accent outline; no neon gradients. (HEURISTIC) [27]
- **Card style:** content-first with "Verified / Intent / Values" line directly under name. (HEURISTIC; safety & intent needs grounded in Pew + Apple policy) [163]
- **Photo treatment:** natural, respectful crops; no cleavage-first framing; no "rating." (HEURISTIC; policy anchor) [98]
- **Trust badge:** small shield-check with text label and tap-to-explain. (HEURISTIC) [160]
- **Premium style:** "control & protection" (advanced filters, read receipts optional, safety tools), no urgency. (HEURISTIC) [164]
- **Risk analysis:** lowest App Store risk; might underperform on "spark" unless you add romance punctuation moments. (HEURISTIC) [165]
- **Best fit audience:** serious-intent, safety-sensitive users, older users, women, and marginalized groups who experience more harassment. (FACT for harassment differences; HEURISTIC for fit) [45]

Strongest romance + desirability direction

Name: "Velvet Night Editorial" (HEURISTIC)
- **Mood:** intimate, luminous, cinematic; "private invitation." (HEURISTIC) [3]
- **Palette:** deep neutral dark mode as primary brand environment; one warm accent (rose/amber) for romantic highlights; strict contrast checks. (FACT/HEURISTIC) [162]
- **Type:** editorial contrast (still system-based sizes); more expressive weight usage. (HEURISTIC) [85]
- **Shape language:** slightly larger radius + soft cards; tactile but not toy-like. (HEURISTIC) [3]
- **Motion:** slow, soft fades; gentle parallax only when Reduce Motion is off; otherwise fades. (FACT/HEURISTIC) [149]
- **Button style:** pillish primary buttons with subtle glow (not neon) and strong touch targets. (FACT/HEURISTIC) [40]
- **Card style:** "Moment cards" (one photo + one prompt) rather than full resume. (HEURISTIC; reduces overload) [95]
- **Photo treatment:** "respectful glamour": natural light, candid, fashion editorial rules, no explicitness. (HEURISTIC; policy anchor) [38]
- **Trust badge:** ultra-minimal; expands on tap to a full verification sheet. (HEURISTIC) [46]
- **Premium style:** "curation & intimacy tools" (private albums, deeper filters). Must be careful not to imply explicit sexual service. (HEURISTIC; policy anchor) [100]
- **Risk analysis:** higher App Store interpretation risk if imagery/copy is too sexual; requires strict content

guidelines. (FACT/HEURISTIC) [38]
- **Best fit audience:** design-sensitive users, premium seekers, “Raya-ish” expectations, urban markets. (HEURISTIC) [82]

Best balanced commercial winner

Name: “Velvet Clarity Standard” (HEURISTIC)
- **Mood:** warm, hopeful, modern; “serious, but not heavy.” (HEURISTIC) [46]
- **Palette:** warm neutrals + one brand accent (not overly saturated) + one “connection highlight” accent used only in match moments. (HEURISTIC; first impression & overload anchor) [145]
- **Type:** system sizes + editorial rhythm; profile prompts treated like magazine pull-quotes. (HEURISTIC) [166]
- **Shape language:** 16–20 radius; crisp grid; content-first. (HEURISTIC) [3]
- **Motion:** disciplined; “romantic punctuation” only at match, like, date planned; Reduce Motion alternative always available. (FACT/HEURISTIC) [167]
- **Button style:** 52-pt primary, 48-pt secondary; large tap targets. (FACT/HEURISTIC) [40]
- **Card style:** discovery uses a “3-tile profile” view: photo, prompt, intent/values. (HEURISTIC) [95]
- **Trust badge:** visible but tasteful, always tappable “what this means.” (HEURISTIC) [160]
- **Premium style:** “time back” (reduces overload, improves relevance). (HEURISTIC) [137]
- **Risk analysis:** moderate risk; controllable with policy-driven content and UGC design surfaces. (FACT/HEURISTIC) [38]
- **Best fit audience:** broad serious-intent, including younger users who want expressiveness without chaos. (HEURISTIC; first impressions + fatigue) [168]

SCREEN SPECS

OUTPUT 7: SCREEN-BY-SCREEN AESTHETIC SPEC

For each screen: target feeling → dominant principle → must-show cues → must-avoid cues → detail recommendations.

Landing - Feeling: calm hope + trust (not hype). (HEURISTIC) [46]
- Principle: hierarchy + honesty. (HEURISTIC; first-impression effect is FACT) [3]
- Must-show cues: privacy, safety, seriousness signal, “delete account anytime” clarity. (FACT/HEURISTIC) [169]
- Must-avoid cues: sexualized hero imagery; urgency timers; “hotness” framing. (FACT/HEURISTIC) [38]
- Detail: 1 hero statement, 3 value badges (Verified, Intent-first, Control), one primary CTA. (HEURISTIC) [27]

Onboarding - Feeling: reassurance + agency. (HEURISTIC) [46]
- Principle: progressive disclosure; avoid time-boxed auto-dismiss UI. (FACT) [115]
- Must-show cues: why you ask each data point; safety controls; consent around photos. (HEURISTIC; privacy posture anchored by Apple rules) [170]
- Must-avoid cues: forcing permissions unrelated to core features. (FACT) [171]
- Detail: 6–8 steps max; each step single decision; allow “skip for now” where lawful. (FACT/HEURISTIC) [172]

Profile builder - Feeling: proud self-expression without performance anxiety. (HEURISTIC) [28]
- Principle: “coach, don’t judge.” (HEURISTIC)
- Must-show cues: photo guidelines (non-sexualized, face visible), prompt suggestions, safety/verification prompts. (HEURISTIC; safety need is FACT) [173]

- Must-avoid cues: “rate yourself,” “hotness meter.” (FACT) [38]
- Detail: prompt templates + example answers, with gentle tone; large previews; minimal red errors. (HEURISTIC) [174]

Daily picks - Feeling: curated delight, less fatigue. (FACT/HEURISTIC) [137]
- Principle: choice constraint. (FACT/HEURISTIC) [108]
- Must-show cues: “why this person” explanation (non-creepy), intent alignment, verification. (HEURISTIC; explanation reduces uncertainty) [175]
- Must-avoid cues: infinite feed defaults. (HEURISTIC; overload anchor) [27]
- Detail: 5–9 picks/day; 1 “Explore more” button. Test acceptance rate & user-reported exhaustion. (FACT/HEURISTIC) [159]

Explore - Feeling: controlled curiosity. (HEURISTIC) [27]
- Principle: filters as “values lens,” not “shopping filters.” (HEURISTIC)
- Must-show cues: top filters (intent, distance, age, dealbreakers), safety labels. (HEURISTIC; safety need anchored) [160]
- Must-avoid cues: filter sprawl. (HEURISTIC) [27]
- Detail: progressive drawer; explain sensitive fields. (HEURISTIC) [176]

Profile detail - Feeling: intimate reading, not catalog browsing. (HEURISTIC) [177]
- Principle: narrative hierarchy (photo → prompt → values → specifics). (HEURISTIC)
- Must-show cues: verification state, intent, safety quick actions. (HEURISTIC; safety/UGC anchored) [124]
- Must-avoid cues: objectifying labels; hotness cues. (FACT) [38]
- Detail: 2–3 “likeable moments” per profile; one primary CTA: “Comment on this.” (HEURISTIC) [77]

Match moment - Feeling: brief romantic peak + immediate next step. (HEURISTIC) [178]
- Principle: celebrate without stimulation addiction. (HEURISTIC) [28]
- Must-show cues: “start with this prompt,” safety reminder (“meet safely”). (HEURISTIC; safety anchored) [88]
- Must-avoid cues: fireworks, gambling-like reels. (HEURISTIC) [43]
- Detail: 300ms soft bloom + haptic; then 3 suggested openers. Reduce Motion: fade only. (FACT/HEURISTIC) [179]

Inbox - Feeling: calm control (no dread). (HEURISTIC) [112]
- Principle: cap active conversations visuals; surface unanswered threads gently. (HEURISTIC; overload anchors) [159]
- Must-show cues: verification + intent summary per match. (HEURISTIC) [180]
- Must-avoid cues: 30-thread chaos; unread badge spam. (HEURISTIC) [27]
- Detail: “Active” vs “Paused” threads; “Close loop” UI to end politely. (HEURISTIC) [46]

Chat - Feeling: warm, safe intimacy. (HEURISTIC) [141]
- Principle: safety and consent affordances are one tap away. (FACT/HEURISTIC) [38]
- Must-show cues: report/block, “share meetup details,” verified badge, anti-harassment reminders. (FACT/HEURISTIC) [181]
- Must-avoid cues: easy-to-send explicit content prompts; anything that reads “random chat.” (FACT) [20]
- Detail: compose bar 52pt; one “icebreaker” chip row; one “suggest a date” button once mutual interest emerges. (HEURISTIC) [95]

Safety center - Feeling: “this app is serious about safety.” (HEURISTIC) [160]
- Principle: transparency + actionability. (FACT/HEURISTIC) [38]

- Must-show cues: how to report, what happens next, block controls, scam education, verification explanation, contact info. (FACT) [38]
- Must-avoid cues: burying contact info, vague language. (FACT/HEURISTIC) [38]
- Detail: 6 tiles: Report, Block, Scam signs, Meeting safely, Privacy controls, Community guidelines. (HEURISTIC) [46]

Premium - Feeling: calm empowerment ("get your time back"). (HEURISTIC) [27]
- Principle: premium reduces overload and increases relevance; no shame. (HEURISTIC) [159]
- Must-show cues: explicit value; transparent subscription terms. (FACT/HEURISTIC) [87]
- Must-avoid cues: countdown timers; dark patterns. (FACT/HEURISTIC) [21]
- Detail: 1 hero benefit, 3 feature blocks, 1 testimonial quote, clear cancel/subscription info. (HEURISTIC) [182]

Settings - Feeling: control, dignity, no friction. (HEURISTIC) [169]
- Principle: deletion and privacy controls easy to find. (FACT) [21]
- Must-show cues: delete account, data controls, notification preferences, safety preferences. (FACT/HEURISTIC) [151]
- Must-avoid cues: hiding delete or requiring support contact. (FACT) [21]

Build translation packs

FIGMA PACK

OUTPUT 8: FIGMA SYSTEM PACK

Ground truth: Use variables + modes as the token system backbone; styles for composites/gradients where variables aren't sufficient. (FACT) [183]

Variables collections - **Primitives** (hidden from publishing): base neutrals (N0–N100), brand accent ramp (A10–A90), semantic ramps (success/warn/danger). (HEURISTIC; consistent with Figma token guidance) [184]
- **Semantics**: `surface/*`, `text/*`, `border/*`, `icon/*`, `action/*`, `status/*`. (HEURISTIC) [185]
- **Components** (optional; only if needed): `button.primary.bg.default`, `chip.bg.selected`, etc. (FACT/HEURISTIC) [184]

Modes - `Light`, `Dark` (primary) (FACT: modes exist for theme contexts) [186]
- Optional: `HighContrast` (if you implement an in-app contrast boost) (HEURISTIC; aligns with contrast requirements) [44]
- Optional language mode: `Hebrew` to preview RTL copy flow (HEURISTIC; use modes for different languages) [186]

Semantic color tokens (example set) - `surface/base`, `surface/raised`, `surface/sunken`
- `text/primary`, `text/secondary`, `text/tertiary`
- `action/primary`, `action/primaryText`, `action/secondary`
- `status/success`, `status/warning`, `status/danger`
(HEURISTIC structure; grounded in Figma token advice) [184]

Text styles - Title L (28–34), Title M (22–26), Body (17), Body Emphasis (17 semibold), Meta (15), Caption (12–13). (FACT/HEURISTIC based on iOS defaults and minimums) [154]

Spacing scale - 4/8/12/16/24/32/48 with explicit “touch spacing” rules (12/24). (FACT/HEURISTIC) [41]

Radius scale - 12/16/20/28 (HEURISTIC)

Elevation/effects - Define 3 levels: `elev0` (none), `elev1` (cards), `elev2` (modal). Keep shadows subtle; document blur constraints under Reduce Motion. (FACT/HEURISTIC) [149]

Icon rules - Stroke weight consistent; visible size can be 20–24 pt, but hit area must be ≥44×44 pt. (FACT) [40]

Component inventory (minimum viable library) - Buttons (primary/secondary/tertiary/destructive)
- Chips (filter, intent, value badge)
- Profile Card (Moment card)
- Profile Detail sections
- Verification badge + explainer sheet
- Safety “Quick actions” (block/report)
- Bottom sheet (filter drawer)
- Chat components (message, system notice, safety banner)
- Paywall layout blocks

(HEURISTIC; driven by App Store safety + product needs) [187]

Auto-layout rules - 8-pt grid; never place more than 3 tap targets adjacent without separators; maintain minimum target sizes. (FACT/HEURISTIC) [188]

RTL notes - Use Figma modes to test language and layout; maintain mirrored iconography where culturally appropriate; keep numbers/ages formatting stable. (HEURISTIC) [186]

Prototype motion rules - Provide default transitions and Reduce Motion variants (fade). (FACT) [149]

Accessibility guardrails - Minimum contrast ratio guidance; “differentiate without color alone.” (FACT) [155]

LOVABLE PACK

OUTPUT 9: LOVABLE BUILD PACK

Product summary:
A calm-premium dating app optimized for serious intent and trust, built around “Daily Picks,” moment-based liking/commenting, and first-class safety controls. (HEURISTIC) [189]

Desired tone: warm, respectful, private, hopeful; “coach not judge.” (HEURISTIC) [112]

Component list (Lovable generation units):
Prompt by component (not whole pages). This is explicitly recommended in Lovable docs. (FACT) [190]

- `LandingHero`, `TrustBadgesRow`, `OnboardingStep`, `ProfileBuilderPromptPicker`, `DailyPickCard`, `ExploreFilterSheet`, `ProfileDetailSection`, `MatchMomentModal`, `InboxList`, `ChatThread`, `SafetyCenterTileGrid`, `PremiumPaywall`, `SettingsAccountDeletion`. (HEURISTIC) [191]

Visual tokens to provide to Lovable (paste-ready) - Colors: `--surface-base`, `--surface-raised`, `--text-primary`, `--text-secondary`, `--action-primary`, `--action-secondary`, `--status-danger`, `--status-warning`, `--status-success`
- Radius: `--r-12`, `--r-16`, `--r-20`, `--r-28`
- Spacing: `--s-4`, `--s-8`, `--s-12`, `--s-16`, `--s-24`, `--s-32`, `--s-48`
- Motion: `--dur-fast`, `--dur-med`, `--dur-slow` (HEURISTIC; ensure Reduce Motion behaviors) [192]

Constraints (non-negotiable) - Touch targets ≥44×44 pt, spacing per Apple guidance. (FACT) [40]
- Reduce Motion support (fade alternatives). (FACT) [193]
- Safety surfaces present: report/block/contact info; avoid random chat/objectification. (FACT) [20]
- Account deletion initiated in-app. (FACT) [21]

Anti-patterns (tell Lovable to avoid) - Countdowns, urgency banners, excessive badges, "hotness" scoring, "anonymous chat," porn/hookup framing. (FACT/HEURISTIC) [194]

Motion instructions - "No looping animations. Use motion only for state transitions and match moment. Provide Reduce Motion alternative." (FACT/HEURISTIC) [149]

Safety surfaces - Safety Center + quick actions in chat and profile detail. (FACT/HEURISTIC) [195]

Monetization rules - Premium sells "reducing overload" (better daily picks, deeper filters), not "more dopamine." (HEURISTIC) [137]

Sample Lovable prompt blocks (copy/paste into Lovable) (FACT that component prompting is recommended; content is HEURISTIC implementation) 1) **DailyPickCard**

> Create a `DailyPickCard` React component for iOS-first dating app UI. Calm-premium, editorial, warm. Layout: photo (4:5), below: name + age, verified badge (tappable), 1 prompt answer styled like a pull-quote, and 2 actions: "Comment" (primary) and "Like" (secondary). Use large touch targets (>=44px), spacing scale 4/8/12/16/24, radius 20, subtle shadow. Provide light/dark theme tokens via CSS variables. Provide Reduce Motion friendly transitions (fade only).

2) **SafetyQuickActions**

> Create a compact `SafetyQuickActions` strip used on Profile Detail and Chat header: buttons for Report, Block, Share meetup details. Buttons must be clear, non-alarming, and accessible (contrast). Include microcopy "You're in control." No dramatic colors unless destructive.

(HEURISTIC prompts) [196]

REPLIT PACK

OUTPUT 10: REPLIT BUILD PACK

Recommended app structure: Next.js fullstack on Replit, published via Replit autoscaling. (FACT) [33]

Stack - Next.js (App Router) + TypeScript
- TailwindCSS for tokenized styling (or CSS variables + utility classes)
- Server actions / API routes for safety reporting and moderation queue
(HEURISTIC; Replit supports Next.js flow) [197]

Route structure (example) - `/` landing
- `/onboarding/*` steps
- `/discover` daily picks
- `/explore`
- `/profile/[id]`
- `/matches`
- `/chat/[matchId]`
- `/safety`
- `/premium`
- `/settings` (includes `/settings/account/delete`)
(HEURISTIC; ensures account deletion visibility) [198]

Component architecture - `ui/` (design system primitives): Button, Chip, Card, Sheet, Badge, Text styles
- `features/discovery/`, `features/chat/`, `features/safety/`
- `tokens/` (JSON + CSS var map)
(HEURISTIC) [197]

Token format (JSON schema, DTCG-inspired)

```
{
  "$schema": "https://design-tokens.github.io/community-group/format/",
  "color": {
    "surface": {
      "base": { "$type": "color", "$value": "#F7F5F2" },
      "raised": { "$type": "color", "$value": "#FFFFFF" }
    },
    "text": {
      "primary": { "$type": "color", "$value": "#141312" },
      "secondary": { "$type": "color", "$value": "#5A5652" }
    },
    "action": {
      "primary": { "$type": "color", "$value": "#2B2A28" },
      "primaryText": { "$type": "color", "$value": "#FFFFFF" }
    },
    "status": {
      "danger": { "$type": "color", "$value": "#D92D20" }
    }
  },
  "radius": {
    "r12": { "$type": "dimension", "$value": 12 },
    "r20": { "$type": "dimension", "$value": 20 }
  },
  "space": {
    "s12": { "$type": "dimension", "$value": 12 },
```

```
    "s24": { "$type": "dimension", "$value": 24 }
  },
  "duration": {
    "fast": { "$type": "duration", "$value": { "value": 0.16, "unit":
"s" } },
    "med": { "$type": "duration", "$value": { "value": 0.28, "unit": "s" } }
  }
}
```

Token import constraints and supported token types/modes are documented in Figma's variables/tokens guidance. (FACT) [199]

CSS variable map (example)

```
:root {
  --surface-base: #F7F5F2;
  --surface-raised: #FFFFFF;
  --text-primary: #141312;
  --text-secondary: #5A5652;
  --action-primary: #2B2A28;
  --action-primary-text: #FFFFFF;

  --r-12: 12px;
  --r-16: 16px;
  --r-20: 20px;
  --r-28: 28px;

  --s-4: 4px;
  --s-8: 8px;
  --s-12: 12px;
  --s-16: 16px;
  --s-24: 24px;
  --s-32: 32px;

  --dur-fast: 160ms;
  --dur-med: 280ms;
}
@media (prefers-reduced-motion: reduce) {
  :root {
    --dur-fast: 1ms;
    --dur-med: 1ms;
  }
}
```

Reduce Motion support is required for accessibility posture. (FACT) [149]

Accessibility requirements (engineer checklist) - Minimum tap target ≥44×44 (hit area). (FACT) [40]
- Contrast: aim ≥4.5:1 for text. (FACT) [44]

- Avoid reliance on color alone. (FACT) [200]
- Reduce Motion alternatives (fade). (FACT) [193]

Analytics event plan (minimal) - `onboarding_step_completed(step)`
- `profile_completed(fields_count)`
- `daily_picks_viewed(count)`
- `profile_liked(mode:like|comment)`
- `match_created`
- `chat_message_sent`
- `safety_report_submitted(type)`
- `block_user`
- `premium_viewed`, `premium_started`, `premium_canceled`
- `account_deletion_initiated`, `account_deletion_confirmed`

(HEURISTIC; supports testing plan) [201]

Hard-coded product rules vs configurable later - Hard-code: UGC policy baseline (report/block/contact), and "no anonymous random chat." (FACT) [20]
- Configurable later: number of daily picks, filter defaults, motion intensity (within accessibility rules). (HEURISTIC) [202]

CANVA PACK

OUTPUT 11: CANVA CREATIVE SYSTEM

Canva is for brand extension (not UI source of truth). Use Brand Kit for consistent assets: fonts, logos, colors, imagery, and brand templates. (FACT) [37]

Moodboards - 3 moodboards matching the three directions: - Clinic-Grade Romance
- Velvet Night Editorial
- Velvet Clarity Standard

Include: typography references, photography direction, color palette tiles, UI snippet inspirations (no competitor copying), and safety iconography. (HEURISTIC) [203]

Ad creative directions - "Hope without desperation": real faces, natural light, honest copy. (HEURISTIC; aligns with avoiding exploitation) [160]

App Store preview style - Emphasize: safety tools, daily picks (anti-overload), prompt-based liking, account deletion clarity. (FACT/HEURISTIC) [187]

Onboarding illustration direction - Minimal, not childish; use line illustrations as "calm explainers" (privacy, verification). (HEURISTIC) [204]

Social templates - Story template: "Prompt of the day"
- Carousel: "How verification works"
- Short reels: "Daily picks → comment → date"

(HEURISTIC) [205]

Experiment plan and evidence appendix

EXPERIMENT PLAN

OUTPUT 12: EXPERIMENT PLAN

All experiments include: hypothesis → what to show → success metric → failure signal → what to change.

Five-second first-impression tests - Hypothesis: Velvet Clarity improves perceived trust and premium feel in 5 seconds vs swipe-heavy baseline. (HEURISTIC; first-impression speed is FACT) [3]
- Show: 5-second exposure to landing + first discovery screen mock.
- Metrics: trust rating, desirability rating, “would you try?” likelihood.
- Failure: high “sleazy” or “confusing” adjective selection.
- Change: reduce accent intensity, simplify hierarchy, add visible safety cue. (HEURISTIC) [143]

Trust tests - Hypothesis: Visible verification + Safety Center entry reduces perceived scam risk. (HEURISTIC grounded in Pew concern prevalence) [141]
- Show: profile detail + chat header variants (badge visible vs hidden).
- Metrics: “I feel safe,” “I can control who contacts me,” comprehension of reporting.
- Failure: confusion about reporting/blocking.
- Change: add labelled icons + microcopy + one-tap path. (FACT/HEURISTIC) [38]

Desirability tests - Hypothesis: “moment-comment” like CTA feels more intimate/less objectifying than binary swipe. (HEURISTIC; objectification policy anchor) [206]
- Show: discovery screen A (swipe) vs B (comment-first).
- Metrics: “felt respectful,” “felt exciting,” “would message.”
- Failure: reduced excitement too far.
- Change: add romantic punctuation at match moment, not in browsing. (HEURISTIC) [145]

Clarity tests - Hypothesis: Progressive disclosure filters reduce overload and improve decision confidence. (FACT/HEURISTIC) [137]
- Show: filter sheet variants (all filters vs staged).
- Metrics: time-to-set-filters, perceived effort, error rate.
- Failure: increased time or confusion.
- Change: promote top 5 filters; add examples; reduce jargon. (HEURISTIC) [115]

Swipe/grid preference tests - Hypothesis: default tap-based “like a detail” reduces fatigue compared to default swipe. (FACT/HEURISTIC) [89]
- Show: 3-minute simulated browsing tasks across variants.
- Metrics: reported exhaustion, acceptance rate, recall of profiles.
- Failure: decreased match actions.
- Change: keep swipe as optional shortcut; adjust daily pick count. (HEURISTIC) [27]

Paywall elegance tests - Hypothesis: “time back” framing increases perceived fairness vs “power ups.” (HEURISTIC) [137]
- Show: paywall A (boost-heavy) vs B (curation/clarity).
- Metrics: willingness to pay, perceived manipulation.
- Failure: high manipulation rating.
- Change: remove urgency, simplify tiers, clarify terms. (FACT/HEURISTIC) [182]

Safety visibility tests - Hypothesis: surfacing Safety Center in tab bar raises safety confidence without reducing romance. (HEURISTIC; needs validation) [160]
- Show: nav variants with/without Safety tab.
- Metrics: “I feel safe,” “app feels romantic,” “app feels serious.”
- Failure: romance score drops.
- Change: adjust iconography (subtle), rename to “Safety & Trust,” keep warm tone. (HEURISTIC) [165]

Onboarding drop-off tests - Hypothesis: 6–8 step progressive onboarding reduces drop-off while maintaining profile quality. (HEURISTIC; cognitive load guidance is FACT) [207]
- Show: onboarding length variants.
- Metrics: completion rate, time, profile completeness, report rates later.
- Failure: low completion or low profile quality.
- Change: allow “skip for now,” add coaching microcopy, reduce fields. (FACT/HEURISTIC) [172]

Dark mode preference tests - Hypothesis: Velvet Night editorial increases premium perception but must maintain readability. (FACT/HEURISTIC) [208]
- Show: dark mode variants with contrast checks.
- Metrics: readability, eye strain, premium rating.
- Failure: readability complaints.
- Change: reduce transparency, increase text contrast, simplify background. (FACT) [209]

“Seductive without sleazy” perception tests - Hypothesis: comment-first + respectful photography + visible safety cues increases “intimate” without increasing “sleazy.” (HEURISTIC; must validate) [210]
- Show: full concept prototype vs control.
- Metrics: adjective selection (“warm,” “hopeful,” “safe,” “sleazy,” “manipulative”).
- Failure: sleaze/manipulation rises.
- Change: reduce sexualized imagery/copy; remove urgency; increase explanation. (FACT/HEURISTIC) [211]

PRIORITIZED ACTIONS

OUTPUT 13: FINAL PRIORITIZED ACTIONS

Top 10 aesthetic decisions to implement immediately 1. Default discovery to **Daily Picks** (5–9/day) with an optional Explore expansion. (FACT/HEURISTIC) [137]
2. Primary interaction = **comment on a specific detail**, not binary swipe-only. (HEURISTIC) [132]
3. Make **verification and safety cues tasteful but visible** (badge + explainer). (FACT/HEURISTIC) [175]
4. Build **Safety Center** as primary nav destination; include report/block/contact info. (FACT) [38]
5. Adopt **Velvet Clarity token system** (single accent restraint; semantic colors; dark mode). (FACT/HEURISTIC) [212]
6. Enforce **44×44 pt** minimum touch targets + Apple spacing guidance. (FACT) [188]
7. Make Reduce Motion support a first-class design requirement (fade alternatives). (FACT) [149]
8. Paywall sells **time-back and clarity**, not “dopamine boosts.” (HEURISTIC) [137]
9. Account deletion is **easy to find and complete** in-app. (FACT) [39]
10. Create a strict **photo + copy style guide** to avoid hookup/porn interpretation under App Review. (FACT/HEURISTIC) [38]

Top 10 anti-patterns to ban 1. Hot-or-not voting, “rate people,” objectification mechanics. (FACT) [38]
2. Random/anonymous chat as a core loop. (FACT) [213]
3. Countdown timers and urgency banners in discovery/paywall. (HEURISTIC) [214]
4. Neon multi-accent chaos. (HEURISTIC) [27]

5. Tiny tap targets or dense action clusters. (FACT) [188]
6. Motion that ignores Reduce Motion or uses blink/flash. (FACT) [43]
7. Hiding report/block or making it multiple taps deep. (HEURISTIC; policy requires mechanisms exist) [143]
8. Shame-based upsells ("no one will see you unless...") (HEURISTIC; ethical requirement) [46]
9. Permission gating not tied to core features. (FACT) [171]
10. Dark patterns around deletion/cancellation. (FACT) [39]

Top 5 uncertainties that require user testing 1. Optimal Daily Picks count (5 vs 7 vs 9) for balancing calm and excitement. (UNKNOWN → test) [137]
2. How visible safety cues can be before they feel unromantic. (UNKNOWN → test) [215]
3. Best premium framing (filters vs curation vs privacy tools) without manipulation perception. (UNKNOWN → test) [157]
4. Match moment animation intensity that feels delightful but not childish or casino-like. (UNKNOWN → test) [149]
5. Comment-first vs swipe-first impact on conversion and "spark." (UNKNOWN → test) [95]

Final recommendation (choose one) - **Safest winner:** Clinic-Grade Romance (best for compliance + trust). (HEURISTIC) [143]
- **Bolder winner:** Velvet Night Editorial (highest premium seduction, higher review risk if mis-executed). (HEURISTIC) [126]
- **Balanced winner:** Velvet Clarity Standard (recommended default). (HEURISTIC) [216]

EVIDENCE APPENDIX

Source scoring (abbreviated; only key sources listed)
Scores reflect your rubric; values are approximate but justified by tier, provenance, and directness.

- Apple App Review Guidelines (turn0search4): **98/100** (Authority 25, Rigor 25, Recency 15, Relevance 15, Transferability 10, Corroboration 8) — used for App Store risk doctrine. [38]
- Apple guideline update note (turn0search3): **95/100** — clarifies random/anonymous chat under 1.2; used for risk stance. [217]
- Apple account deletion support (turn4search0): **98/100** — used for settings + deletion doctrine. [21]
- Apple HIG Accessibility (turn5search1): **95/100** — used for motion/cognitive guidance. [115]
- Apple sufficient contrast criteria (turn5search19): **92/100** — used for contrast guardrails. [44]
- W3C WCAG 2.2 / understanding target size (turn8search9, turn8search11): **92/100** — used for minimum target size baseline. [24]
- Pew 2023 online dating report (turn9search0, turn9search1): **90/100** — used for harassment/scam prevalence and trust uncertainty. [45]
- Reinecke et al. CHI 2013 (turn9search9): **90/100** — used for fast first impressions and link to perceived usability/trust. [3]
- Computers in Human Behavior partner availability experiment (turn13search11): **90/100** — used for overload/choice dynamics. [27]
- Telematics and Informatics 2023 excessive swiping effects (turn13search8): **88/100** — used for swiping/fatigue mechanisms. [28]
- Taylor & Francis 2025 decision-making on dating apps (turn13search5): **88/100** — used for effects of many profiles and acceptance rates/overload. [29]
- Lovable docs prompting + design systems (turn14search0, turn14search2): **90/100** — used for implementation guidance. [218]
- Replit Next.js quickstart (turn14search8): **90/100** — used for MVP build plan. [33]

- Figma variables/tokens help (turn14search7, turn14search4, turn14search11): **90/100** — used for Figma pack. [35]
- Canva Brand Kit (turn14search10): **88/100** — used for Canva pack. [37]

Israel / Hebrew-first appendix (high-level)
Given limited Tier-1/Tier-2 public sources for Israel-specific iOS dating UI needs, treat this section as HEURISTIC until validated with local user testing. (UNKNOWN) [219]

- **RTL implications:** plan RTL layouts and mirrored navigation gestures; test in Figma with language modes. (HEURISTIC) [186]
- **Hebrew typography:** pick a Hebrew-compatible font pair; maintain the same hierarchy and line-height; avoid cramped captions. (HEURISTIC; accessibility constraints remain FACT) [220]
- **Bilingual hierarchy:** one primary language per screen; secondary language only as helper to reduce cognitive load. (HEURISTIC; cognitive load guidance anchored) [115]
- **Discretion in small social graph markets:** stronger privacy defaults, incognito-like browsing, and explicit control surfaces. (HEURISTIC; privacy and safety concern anchored) [160]
- **Observance signaling without crudeness:** treat as intent/values tags, not stereotypes; avoid fetishization and objectification. (HEURISTIC; objectification risk anchored) [195]

---

[1] [2] [7] [11] [20] [38] [50] [53] [59] [65] [98] [100] [104] [105] [106] [107] [122] [123] [124] [125] [126] [128] [143] [165] [170] [187] [194] [195] [206] [210] [211] https://developer.apple.com/app-store/review/guidelines/
https://developer.apple.com/app-store/review/guidelines/

[3] [75] [131] [144] [145] [168] [178] https://www.eecs.harvard.edu/~kgajos/papers/2013/reinecke13predicting.shtml
https://www.eecs.harvard.edu/~kgajos/papers/2013/reinecke13predicting.shtml

[4] [26] [45] [74] [86] [94] [121] [129] [173] [181] https://www.pewresearch.org/internet/2023/02/02/from-looking-for-love-to-swiping-the-field-online-dating-in-the-u-s/
https://www.pewresearch.org/internet/2023/02/02/from-looking-for-love-to-swiping-the-field-online-dating-in-the-u-s/

[5] [83] https://developer.apple.com/design/human-interface-guidelines/designing-for-ios
https://developer.apple.com/design/human-interface-guidelines/designing-for-ios

[6] [27] [34] [36] [47] [48] [71] [92] [95] [96] [108] [109] [110] [134] [137] [153] [157] [158] [189] [202] [216] https://www.sciencedirect.com/science/article/pii/S0747563221003009
https://www.sciencedirect.com/science/article/pii/S0747563221003009

[8] [10] [18] [219] https://sensortower.com/blog/2025-q4-ios-top-5-dating-revenue-il-64c9b6bbe1714cfff1c9d0e8
https://sensortower.com/blog/2025-q4-ios-top-5-dating-revenue-il-64c9b6bbe1714cfff1c9d0e8

[9] https://www.investopedia.com/match-group-stock-soars-as-new-ceo-says-hinge-unit-crushing-it-11785894
https://www.investopedia.com/match-group-stock-soars-as-new-ceo-says-hinge-unit-crushing-it-11785894

[12] [93] https://www.apptweak.com/en/reports/most-downloaded-dating-apps
https://www.apptweak.com/en/reports/most-downloaded-dating-apps

[13] [14] [30] [54] [76] https://apps.apple.com/us/app/tinder-dating-app-date-chat/id547702041
https://apps.apple.com/us/app/tinder-dating-app-date-chat/id547702041

[15] [46] [49] [88] [112] [136] [141] [152] [160] [161] [163] [175] [215] https://www.pewresearch.org/internet/2023/02/02/the-experiences-of-u-s-online-daters/
https://www.pewresearch.org/internet/2023/02/02/the-experiences-of-u-s-online-daters/

16 51 https://onlinepersonalswatch.com/2026/01/ios-and-google-play-online-dating-app-rankings-january-26-update/
https://onlinepersonalswatch.com/2026/01/ios-and-google-play-online-dating-app-rankings-january-26-update/

17 61 63 72 82 111 119 https://apps.apple.com/us/app/raya/id957215308
https://apps.apple.com/us/app/raya/id957215308

19 55 60 78 https://apps.apple.com/us/app/grindr-gay-dating-chat/id319881193
https://apps.apple.com/us/app/grindr-gay-dating-chat/id319881193

21 39 151 164 169 182 198 201 https://developer.apple.com/support/offering-account-deletion-in-your-app/
https://developer.apple.com/support/offering-account-deletion-in-your-app/

22 https://developer.apple.com/design/human-interface-guidelines/
https://developer.apple.com/design/human-interface-guidelines/

23 40 85 135 154 166 https://developer.apple.com/design/human-interface-guidelines/designing-for-games
https://developer.apple.com/design/human-interface-guidelines/designing-for-games

24 42 https://www.w3.org/TR/wcag/
https://www.w3.org/TR/wcag/

25 31 190 191 196 218 https://docs.lovable.dev/prompting
https://docs.lovable.dev/prompting

28 89 97 214 https://www.sciencedirect.com/science/article/pii/S0736585323000138
https://www.sciencedirect.com/science/article/pii/S0736585323000138

29 140 159 https://www.tandfonline.com/doi/full/10.1080/15213269.2025.2555430
https://www.tandfonline.com/doi/full/10.1080/15213269.2025.2555430

32 116 147 149 156 167 179 192 193 https://developer.apple.com/help/app-store-connect/manage-app-accessibility/reduced-motion-accessibility-evaluation-criteria
https://developer.apple.com/help/app-store-connect/manage-app-accessibility/reduced-motion-accessibility-evaluation-criteria

33 197 https://docs.repl.it/getting-started/quickstarts/next-js-app
https://docs.repl.it/getting-started/quickstarts/next-js-app

35 183 186 212 https://help.figma.com/hc/en-us/articles/14506821864087-Overview-of-variables-collections-and-modes
https://help.figma.com/hc/en-us/articles/14506821864087-Overview-of-variables-collections-and-modes

37 203 204 205 https://www.canva.com/pro/brand-kit/
https://www.canva.com/pro/brand-kit/

41 43 52 115 130 133 139 142 146 174 188 207 https://developer.apple.com/design/human-interface-guidelines/accessibility
https://developer.apple.com/design/human-interface-guidelines/accessibility

44 120 138 155 162 208 209 220 https://developer.apple.com/help/app-store-connect/manage-app-accessibility/sufficient-contrast-accessibility-evaluation-criteria/
https://developer.apple.com/help/app-store-connect/manage-app-accessibility/sufficient-contrast-accessibility-evaluation-criteria/

56 90 99 113 https://apps.apple.com/us/app/bumble-dating-app-meet-date/id930441707
https://apps.apple.com/us/app/bumble-dating-app-meet-date/id930441707

57 64 https://apps.apple.com/us/app/plenty-of-fish-dating-app/id389638243
https://apps.apple.com/us/app/plenty-of-fish-dating-app/id389638243

58 77 91 103 132 148 180 https://apps.apple.com/us/app/hinge-dating-app-match-date/id595287172
https://apps.apple.com/us/app/hinge-dating-app-match-date/id595287172

62 69 79 https://apps.apple.com/us/app/badoo-dating-meet-new-people/id351331194
https://apps.apple.com/us/app/badoo-dating-meet-new-people/id351331194

66 80 114 https://apps.apple.com/us/app/okcupid-dating-date-singles/id338701294
https://apps.apple.com/us/app/okcupid-dating-date-singles/id338701294

67 68 127 https://apps.apple.com/us/app/match-dating-app-chat-meet/id305939712
https://apps.apple.com/us/app/match-dating-app-chat-meet/id305939712

70 81 118 https://apps.apple.com/us/app/feeld-open-minded-dating-app/id887914690
https://apps.apple.com/us/app/feeld-open-minded-dating-app/id887914690

73 https://apnews.com/article/27e84e1e14fbe092cb9ff69e41a47ffc
https://apnews.com/article/27e84e1e14fbe092cb9ff69e41a47ffc

84 101 102 177 https://www.tandfonline.com/doi/abs/10.1080/1369118X.2019.1572771
https://www.tandfonline.com/doi/abs/10.1080/1369118X.2019.1572771

87 https://apps.apple.com/us/app/hinge-dating-app-meet-people/id595287172
https://apps.apple.com/us/app/hinge-dating-app-meet-people/id595287172

117 https://developer.apple.com/documentation/uikit/standard-colors
https://developer.apple.com/documentation/uikit/standard-colors

150 https://developer.apple.com/documentation/CoreHaptics
https://developer.apple.com/documentation/CoreHaptics

171 172 176 https://developer.apple.com/app-store/review/guidelines
https://developer.apple.com/app-store/review/guidelines

184 185 https://help.figma.com/hc/en-us/articles/18490793776023-Update-1-Tokens-variables-and-styles
https://help.figma.com/hc/en-us/articles/18490793776023-Update-1-Tokens-variables-and-styles

199 https://help.figma.com/hc/en-us/articles/15343816063383-Modes-for-variables
https://help.figma.com/hc/en-us/articles/15343816063383-Modes-for-variables

200 https://developer.apple.com/tw/help/app-store-connect/manage-app-accessibility/differentiate-without-color-alone-accessibility-evaluation-criteria/
https://developer.apple.com/tw/help/app-store-connect/manage-app-accessibility/differentiate-without-color-alone-accessibility-evaluation-criteria/

213 217 https://developer.apple.com/news/?id=d75yllv4
https://developer.apple.com/news/?id=d75yllv4