

ActiveClinic V7

Release notes and QA test pack

Testing environment · Manual QA scripts · Do not use on production

Product	ActiveClinic
Release	V7 — production-readiness testing
Environment	Testing only (https://activeclinic.pronline.org)
Audience	QA testers and product reviewers
Document date	26 August 2026
How to record results	Mark Pass / Fail in the last column. Note defects with URL, screenshot, and what you expected.

1. Release notes for testers

This pack covers the main staff and patient journeys that must work before ActiveClinic V7 moves into a separate production-readiness / production-deployment phase. Do not test on production. Do not merge to main as part of this QA.

What is in this release for QA

Public platform: homepage, clinic directory, clinic registration, staff login.

New clinic setup: registration creates the organisation, administrator account, and an unpublished website draft.

Staff app: dashboard, clinic setup (onboarding), Website Management, staff invite, logout.

Clinic selector: staff who belong to more than one clinic must choose a clinic after sign-in.

Public clinic website and guest appointment booking.

Patient portal: register from a booking, sign in, dashboard, profile, booking detail, logout.

Security: a patient or staff member must not see another clinic's data.

What is not in this release

OTP / SMS verification codes

Google or Apple sign-in

Patient medical records (MF11), labs, medications, telehealth / Join Call

Website theme customisation / staging URL

Production deployment

Known testing-environment notes

Staff invitation email is gated on testing. Creating an invitation should succeed, but no email is sent.

Demo tenants activeclinic-demo and julflona-clinic must not be deleted or used as throwaway data.

Prefer a newly registered clinic for mutating tests (website publish, booking, patient portal).

Password: use the testing password from the team vault / QA role-users document. Do not put passwords in bug tickets or screenshots.

Pass / fail rules

PASS: the expected result happens and no 500/503 error page appears.

FAIL: 500/503, login loop, foreign-clinic data shown, or the expected screen/copy is missing.

A redirect to /login is FAIL unless the step says the user should be signed out.

Do not treat a retry as a pass. If the first attempt after login sends you back to Sign In, fail it and capture the URL.

2. Environment and accounts

Base URL	https://activeclinic.pronline.org
Staff login	https://activeclinic.pronline.org/login
Register clinic	https://activeclinic.pronline.org/register-clinic
Clinic directory	https://activeclinic.pronline.org/clinics
Demo clinic (read-only / published site)	https://activeclinic.pronline.org/clinics/activeclinic-demo
Browser	Chrome or Safari, desktop plus one phone-width pass at 390x844

Optional demo staff logins (testing only, ActiveClinic Demo Centre). Email or phone + the shared testing password from docs/activeclinic/ACTIVECLINIC_QA_ROLE_USERS.md:

Organisation admin	demo_organization_admin@demo.activeclinic.example	Website publish, staff, settings
Network admin (legacy)	demo_network_admin@demo.activeclinic.example	Can edit website; cannot publish
Receptionist	demo_receptionist@demo.activeclinic.example	Patients / appointments only

3. Flow catalogue

P-01	Public smoke (logged out)	Visitor	P0
R-01	Register a new clinic	New clinic admin	P0
S-01	Staff login (one clinic)	Staff	P0
S-02	Clinic selector (two clinics)	Multi-clinic staff	P0
S-03	First-login clinic setup	New clinic admin	P0
W-01	Website Management — customise and publish	Org admin	P0
S-04	Invite staff	Org admin	P1
S-05	Staff logout	Staff	P0
W-02	Public clinic website	Visitor	P0

B-01	Guest appointment booking	Patient (guest)	P0
PT-01	Patient portal register, login, dashboard	Patient	P0
PT-02	Patient logout and sign in again	Patient	P0
X-01	Security boundaries	Staff + patient	P0
M-01	Mobile 390x844	Staff + patient	P1

4. Test scripts

P-01 — Public smoke (logged out)

Objective: Confirm public pages load and the staff app is blocked until sign-in.

Preconditions: Incognito / signed-out browser.

1	Open https://activeclinic.pronline.org/	Homepage loads. No 500/503.	
2	Open /clinics	Clinic directory loads. Published clinics are listed.	
3	Open /login	Staff Sign In screen. Title “Sign In”. Field “Email address or phone number”. No Google/Apple buttons.	
4	Open /register-clinic	Register Clinic screen loads.	
5	Open /app while logged out	Redirect to /login. Not a 500.	
6	Open /clinics/activeclinic-demo	Demo clinic public website loads.	
7	Open /clinics/activeclinic-demo/patient/login	Patient sign-in page loads (not the staff app).	

R-01 — Register a new clinic

Objective: A new administrator can create a clinic and then sign in.

Preconditions: Use a unique clinic name, a unique email, and a unique Zambian test phone. Do not use demo emails.

1	Go to /register-clinic	“Register Clinic” (clinic details step).	
2	Enter clinic name, type, country (Zambia), province, city, address. Continue.	Administrator account step: “Create Administrator Account”.	
3	Enter administrator name, phone, email, password (10+ characters), confirm password, accept terms. Submit.	Success page. Copy says you can sign in and that the public website starts unpublished.	
4	Open /login and sign in with the new email or phone + password.	You land in the staff app (dashboard or clinic setup). Not the patient portal. No login loop.	
5	Confirm you are in the clinic you just registered.	Clinic name in the shell matches registration. You are not inside activeclinic-demo.	

S-01 — Staff login (one clinic)

Objective: A staff member with a single clinic goes straight into that clinic.

Preconditions: New clinic from R-01, or demo_organization_admin.

1	Open /login. Enter email or phone and password. Submit.	Redirect into /app (or clinic setup). Cookie/session stays signed in.	
2	If credentials are wrong, submit again.	Stay on Sign In. “Authentication failed” (or equivalent). No account enumeration.	
3	Confirm there is no clinic picker.	No “Select Your Clinic” screen when the user has only one clinic.	
4	Open /app	Staff dashboard / home. Not redirected to /login.	

S-02 — Clinic selector (two clinics)

Objective: Staff who belong to two clinics must choose one. They cannot open a clinic they do not belong to.

Preconditions: A staff identity with membership in two testing clinics. Do not add extra memberships to demo users unless the team agrees.

1	Sign in with the multi-clinic identity.	Redirect to /login/select-organization. Heading “Select Your Clinic”.	
2	Check the list.	Both of that person’s clinics are listed with name, location, and role. Unrelated clinics (including demo) are not listed.	
3	Choose Clinic A.	Staff app opens in Clinic A context.	

4	Sign out, sign in again, choose Clinic B.	Staff app opens in Clinic B context.	
5	While in Clinic A, open another clinic's website admin URL if you know its key.	Access denied (403). No other clinic's Website Management content.	

S-03 — First-login clinic setup

Objective: A newly registered clinic can finish setup without being thrown back to login.

Preconditions: Complete R-01 and stay signed in.

1	After login, open /app then /app/onboarding if prompted.	“Welcome to ActiveClinic” / clinic setup. Not a login loop.	
2	Walk the required setup items (or skip where the product allows).	Progress is saved. Dashboard remains available.	
3	Resize to 390x844 or use phone emulation.	Setup is usable. No horizontal page overflow.	

W-01 — Website Management — customise and publish

Objective: Registration already created an unpublished website. The admin customises it and can publish it.

Preconditions: Signed in as organisation admin of the clinic from R-01.

1	Open Settings → Website, or go to /app/settings/website.	Website Management Hub. First-use copy: website is ready to customise and not live yet. Public URL is shown as not live.	
2	Open Pages.	Draft page list loads. You can open a page to edit.	
3	Edit a visible heading or intro on Home (or equivalent) and save.	Draft saves. Hub shows unpublished / draft changes. Live public site is still unpublished or unchanged.	
4	Open Branding if available and confirm logo/colours tools load.	Branding screen loads. No 500. Theme customisation / staging URL must not appear.	
5	Open Catalogue (public services / doctors).	Catalogue screen loads.	
6	Open Publish. Preview if offered.	Publish screen. Organisation admin sees Publish All Changes (or equivalent).	
7	Publish and make the site public.	Success / return to publish hub. Status is published / live.	
8	Open the public URL in a private window (logged out).	Public clinic website shows your content. No staff chrome.	
9	As network_admin (legacy), confirm publish is not offered or is denied.	Can view/edit/submit only. Cannot publish, restore, or roll back.	

S-04 — Invite staff

Objective: Admin can create a staff invitation. Testing does not send email.

Preconditions: Signed in as organisation admin.

1	Open Staff → Invite (or /app/staff/invite).	Invite screen loads.	
2	Create an invitation: name, unique phone, email, job title, facility, receptionist role.	Invitation created (or equivalent success). On testing, expect a gated note that email is not sent.	
3	Resize to 390x844.	Invite form usable. No horizontal overflow.	

S-05 — Staff logout

Objective: Logout ends the staff session.

Preconditions: Signed in as staff.

1	Use Log out / Sign out.	Redirect to staff Sign In (or public login). No 500.	
2	Press Back or open /app.	Redirect to /login. Staff dashboard is not shown.	
3	Sign in again with the same account.	Login works.	

W-02 — Public clinic website

Objective: Visitors can view a published clinic site.

Preconditions: Clinic from W-01 is published, or use /clinics/activeclinic-demo as a read-only check.

1	From /clinics, open the clinic.	Public mini-website: home, services/doctors as configured.	
2	Confirm booking is offered if the clinic enabled public booking.	Book / appointment CTA is present.	
3	Confirm staff-only pages are not in the public nav.	No Website Management, no /app links that work while logged out.	

B-01 — Guest appointment booking

Objective: A visitor can request an appointment without a patient account.

Preconditions: Published clinic with a bookable public service (new clinic after W-01, or a dedicated testing clinic).

1	Open /clinics/{clinic}/book (or the Book CTA).	Booking wizard: choose service / type.	
2	Choose a service, any doctor if offered, a future date/time, patient name and phone. Submit.	Success. Status copy is “Pending clinic confirmation”.	
3	Use “Create a patient portal account” if shown (guest token).	Patient registration page for this clinic, with the booking linked.	

PT-01 — Patient portal — register, login, dashboard

Objective: The guest becomes a patient user for that clinic only.

Preconditions: Complete B-01. Use the same phone and a new password.

1	Complete patient registration (name, phone, password).	Redirect to patient login or dashboard for this clinic.	
2	Sign in at /clinics/{clinic}/patient/login.	Patient dashboard (Welcome / Patient Portal). Pending booking is listed with “Pending clinic confirmation”.	
3	Open the booking detail.	Same pending copy. No “Join Call”, labs, medications, or medical records widgets.	
4	Open Profile.	Profile loads for this clinic.	
5	While signed in as this patient, open /app.	Denied / redirected to staff login. Patient does not enter the staff app.	

PT-02 — Patient logout and sign in again

Objective: Patient logout must succeed and must not error.

Preconditions: Signed in to the patient portal from PT-01.

1	Use patient Log out.	Redirect to patient login (or public clinic). HTTP 500 must not appear.	
2	Open the patient dashboard URL again.	Sign-in required. Dashboard is not shown.	
3	Log out again (if the control is still reachable).	Safe. No 500.	
4	Sign in again with the same patient credentials.	Dashboard loads. Booking still listed.	

X-01 — Security boundaries

Objective: Nobody may see another clinic’s patient or website data.

Preconditions: Patient session from PT-01 (Clinic A). Staff session from R-01. Demo clinic URL: /clinics/activeclinic-demo/...

1	As Clinic A patient, open /clinics/activeclinic-demo/patient	403 Access unavailable (or equivalent). No other clinic’s patient dashboard chrome.	
2	As Clinic A patient, open demo patient profile and a booking URL under the demo clinic.	403. No foreign booking or profile data. Your Clinic A session must still work afterwards.	
3	As Clinic A staff, open the Clinic A patient portal URL.	403 or redirect. Staff must not own the patient dashboard.	
4	As Clinic A staff, open /clinics/activeclinic-demo/website/preview (or media / versions).	403. No demo Website Management.	

5	Confirm you are not logged into BlessBoard cookies / church screens.	ActiveClinic only. Session cookie name on testing is the platform testing session cookie, not a BlessBoard cookie.	
---	--	--	--

M-01 — Mobile 390×844

Objective: Key screens must be usable on a phone-width viewport.

Preconditions: Chrome DevTools device mode 390×844, or a real phone.

1	Staff login	Usable. No horizontal overflow.	
2	Clinic selector (if S-02 applies)	Clinic cards usable. No overflow.	
3	Clinic setup / onboarding	No overflow.	
4	Website Management hub	No overflow.	
5	Staff invite	No overflow.	
6	Patient dashboard	No overflow.	

5. Result summary (tester fills this in)

P-01	Public smoke				
R-01	Register clinic				
S-01	Staff login				
S-02	Clinic selector				
S-03	Clinic setup				
W-01	Website Management				
S-04	Invite staff				
S-05	Staff logout				
W-02	Public clinic website				
B-01	Guest booking				
PT-01	Patient portal				
PT-02	Patient logout				
X-01	Security boundaries				
M-01	Mobile 390×844				

6. Sign-off

QA tester			Ready / Not ready for production-readiness
Product owner			
Engineering			

Production must not be deployed from this pack. If every P0 flow is Pass, ActiveClinic V7 may enter a separate production-readiness phase.