

Brighter the Animation: Study and Application of the Combination of Western and Japanese Animation Process Influences to Improve Efficiency Whilst Retaining Quality of Anime Production*

Pen Name: 秋山翔 (Akiyama Shō) Legal Name: Virtucio Carlo
2D Animator & Software Engineer
akiyamashou@protonmail.ch rcpvirtucio@gmail.com

November 2, 2018

Abstract

Anime production in Japan is an industry that ranges from a wide variety of production methods from traditional to 3-D. While most of modern anime productions are based on creating the whole process frame by frame, focusing on rich, imaginative themes not entirely based on reality, and making use of low-cost manual labor and/or outsourcing [1, 2] and grueling work environment [3], I propose a production pipeline that makes use of technologies to reduce feedback loop, prevent repetitive manual labor, and increase overall efficiency of the whole production process from writing to direction to animation to post-processing. I start with writing the storyboards in an agile manner that is used as basis for moving rough 3D model with motion capture, leading to a more defined and visualised video storyboard. The draft animation is run in a faster feedback loop for reviewers that include sound composers, background artists, animators, and voice actors in the process, and is finalised before being passed on to animation and post-processing. At this point, the animation, sound, and voice is done simultaneously as a result of the video storyboard. In addition, further steps to include post-processing is included as additional information and next steps in the research but is not in the scope of this paper.

Note that **anime production** in this paper refers to the traditional, 2D frame-by-frame animation style, not 3DCG anime.

1 Introduction

Japanese Animation, or anime, has been enjoyed as a form of recreation and expression both in Japan and internationally, and is now a 200 billion-yen industry [4, 5]. Despite its massive impact and growth, there are still major issues that can be observed in the efficiency of its production process and more importantly the work environment [6]. Current anime studios, with the exception of some studios such as Kyoto Animation [7], mainly hire freelancers and outsource work[8] to cut expenses. In addition to this, there exists an ever-growing stigma on otaku culture that is mainly caused by the industry's recurring themes in storytelling and character design [8, 9, 10].

In line with this, it is of great interest to solve these three aspects of the anime industry: mainly, **the inefficiencies of production** [11, 12, 13, 14], **the work environment with low minimum wage and gruelling work hours** [15], and **the stigma on otaku culture discussed previously**.

In this paper, I present a full pipeline on a combination of techniques taken from both western and Japanese studios and creators applied on the produc-

*Video result: <https://youtu.be/3yfzqrkyqs>

tion of a short film, its pros and cons, and the potential research and applications of further improvement of the pipeline using both unconventional and classical technologies that include but are not limited to motion capture, computer science concepts, and machine learning. The main idea of the pipeline can be broken down into writing, storyboard direction, animation, and post-processing. So far, this study has been successfully applied to the first three steps: writing, storyboard direction, and animation. The short film was completed as a draft within the deadline, but post-processing has not been applied.

The film's storyline is created as a concept based on the both American band Paramore's song Brighter and the my own experiences, which is then drafted into character designs, object & costume list, and a mockup storyboard. The character designs are then converted into rough 3D models using Blender, and are used as animation reference for all the movements after converting the mockup storyboard into a full, finalised video with dynamic camera view angles that perfectly follow the song's transitions. These movements, camera angles, and transitions are then reviewed and re-tweaked easily due to automation of the storyboarding process with acting and motion capture. The finalised video is then treated as a full step-by-step guide to simply follow for animation and post-processing.

The research and production has been created with the restriction of having a full-time job, thereby limiting the amount of work to roughly 4 to 6 hours on weekdays and 8 to 12 hours on weekends. A deadline of August 31 has been set to prevent open-endedness and unlimited leeway for rework and editing. In addition, I do not have formal education in film and animation, and all parts of the process are simply created from experiences in acting in indie films & theater, first principles, computer science and basic machine learning background, and references on the current animation industries' methods. My current drawing and animation abilities are less than average, with only a single anime short film posted online in 2017 as experience.



Figure 1: **Top right:** Storyboard version of scenes in *Kyoukai no Kanata* (Beyond the Boundary) by Ishidate Taichi. **Main:** Actual scenes in anime output of storyboards [16].

2 Related Work

Kyoto Animation's production process. Kyoto Animation is widely-known for its high attention to detail and quality animation that is based on a number of factors: direction [16, 17, 18], employee management [19, 20], and training process [21, 22]. Their processes focus on improving full-time employees' abilities into animators who can both draw and direct, which is highly unconventional given the current industry's trend of outsourcing and dispatch hiring for keyin animation. Focusing on the direction process, the aim of storyboard artists and directors at Kyoto Animation is to more or less create a clear picture of their vision for animators to simply draw in, thereby focusing simply on improving the animation aspect [23] and not think much about how to draw and animate that vision. This applies a concept similar to Computer Science's widely-known Single Responsibility Principle [24], which manages complexity by having modules focus on a single function. This has been applied to the pipeline in



Figure 2: Rotoscoping Process for Disney’s Peter Pan (1953) [29]

this paper and improved using the said 3D modeling and motion capture processes.

Disney’s Rotoscoping Process. Disney has been known to use rotoscoping [25] in feature films such as Snow White, Peter Pan, Sleeping Beauty, among others [26]. This has greatly improved the quality and efficiency of their animations by not having to perform multiple cycles of trial and error when drawing characters, adding movements, and reworking the drawings after each cycle when animating. Moreover, this also more easily captures the human gestures and expressions since the actual frames are based on real life. However, rotoscoping has had mixed reception from both animators and the art community [27, 28] due to it being completely similar to simply tracing on video and not an actual “art”. In addition to this, rotoscoping limits the amount of actions animators can do compared to simply animation from imagination. This is precisely why only some aspects of the anime production process can use this method. Taking this concept, it is however possible to consider this more as an art of acting, rather than animation, and thus can be considered as a form of process speed improvement for both efficiency and speed. Complete rotoscoping has not been used in the proposed process, and only takes in motions of the 3D models




Figure 3: **Left:** Current industry anime production process [31]. **Right:** Reworked process used with Brighter the Animation.

moved through motion capture as a reference rather than a complete copy. The hair, clothes, and even the dynamics that all boil down to the 12 principles of animation is still applied, and this gives much more control on how the output is created. This is similar to simply using real-life models and mannequins as figure drawing reference.

3 Results and Proposed Approach

3.1 Overview

The current anime production process can be divided into the following steps [30, 31]:

1. Pre-production
 - 1.1. Planning
 - 1.2. Plot
 - 1.3. Scenario
 - 1.4. Setting & Design
 - 1.5. **Output for next stage:** Storyboard
2. Production (done in parallel)
 - 2.1. Colour Planning

- 2.2. Drawing (Line Animation)
 - 2.3. Backgrounds
 - 2.4. **Output for next stage:** Painting to Com-position

3. Post-processing

 - 3.1. CT Editing (cuts)
 - 3.2. Sounds (voiceover, background, music)
 - 3.3. Video Editing
 - 3.4. **Output for next stage:** Release




Figure 4: Left: Draft, quick-drawn storyboard page. **Right:** Spreadsheet for object and costume list organised for each scene.

In this case, each stage is a pre-requisite of the next one, meaning Dubbing cannot start until all the items in Production are completed. Taking these and the references into account, a new pipeline is used for creating Brighter the Animation:

1. Pre-production
 - 1.1. Planning
 - 1.2. Plot
 - 1.3. Scenario
 - 1.4. Setting & Design
 - 1.5. Draft Storyboard
 - 1.6. Motion-capture Storyboard Film
 - 1.7. Storyboard Film Review Cycles
 - 1.8. **Output for next stage:** Storyboard Film
 2. Production (done in parallel)
 - 2.1. Drawing (Line Animation) to Painting
 - 2.2. Sound/Voiceover/Music
 - 2.3. Backgrounds
 - 2.4. **Output for next stage:** Merged Animation Draft
 3. Post-processing
 - 3.1. Video Editing/Post Processing
 - 3.2. **Output for next stage:** Release

This new pipeline adds steps on the pre-production stage, but by introducing this, the ability to concurrently do the visual and non-visual steps can be done, and due to the review stage in Pre-production, all stakeholders can provide inputs to improve the quality of the finalised storyboard. This prevents any unnecessary back-and-forth changes in the Production stage where the storyboards need to be rework after drawing the actual keyframes, or even the painted animations. In addition, key-frame and key-in animations for the characters can be more easily integrated since the 3D models with human-based movements can now be used as direct basis, as well as doing the CT Editing (cuts) as early as this stage. Lastly, since motion-capture is introduced in Pre-production rather than rotoscoping, a single actor, which can also be the same person as the director, can act out all the characters. In addition, if the director is the same person as the actor, similar to how Brighter the Animation was created, it is much easier for the director to record and portray how the final output and vision should be implemented. This requires additional skill on the director/actor's part, but saves more time (and ultimately expenses in a commercial environment).

Kindly note, that Brighter the Animation is a music video and is constrained to the actual music,




Figure 5: **Top:** Hand-drawn character designs for the unnamed heroine and male side-character. **Bottom:** Rigged skeleton models in Blender3D.

meaning that each the drum beats and music are treated as the dubbing and sounds that have been added before completing the storyboard. This also contributed positively to having more detailed scenes that go in sync with each drum beat after meticulous storyboarding. However, Further research and application of the pipeline into an full animation that incorporates sounds, ambient music and dubbing is needed. This will be introduced in Phase 2 of the research.

3.2 Pre-production Stage

The writing, setting, character designs, and draft (paper) storyboard have been created from scratch.

Due to financial limitations, use of actual production-level motion capture devices have not been tested. In line with this, a number of experiments with different motion capture/semi-rotoscoping methods for Brighter the Animation have




Figure 6: **Top-left:** Angled view of 3D skeleton movement based on video. **Top-right:** Front view of 3D skeleton movement based on video. **Bottom-left:** 3D skeletons with interacted objects. **Bottom-right:** Drawn-over 3D skeletons with Freestyle-rendered objects.

been used:

1. Kinect V2 to NI-Mate [32] to Blender Rigify (NG)
This method is perfect for large actions such as dance and walking for minimal characters. However, hand movements are not accurate enough to be used as actual reference. Despite the fluidity of all other parts of the rig, the hands need to be drawn from scratch for each frame. This counted as a failure case and was not used in the short film.
2. Superimposing (Used, but not recommended)
Due to the failure of Method 1, the initial part of the short film used actual video frames that have been re-sized to roughly fit the characters' proportions. These frames have been used for the body, and the head is based on the rough 3D models moved using Rigify on Blender to follow the video.
This, however, made the proportions of the characters look inconsistent as shown in the images.
3. Video reference to Rigify in Blender (Used, but actual motion capture device is more efficient)
After the failure of Method 2, a new method has been created based on how motion capture automates video to 3D model movements. Due to the

lack of hardware, this step was manually done by using the videos as a reference [33]. This, however, serves as a good benchmark for the potential of the use of motion capture hardware with finalising storyboards and keyframes. This method has been used for the remainder of the short film.

4. Deep learning libraries for motion capture (OpenPose) [34](NG)

There is a famous library called OpenPose that makes use of neural networks to estimate poses directly from video. This showed great potential, but after further study and trials, the following issues proved that this is not currently a viable solution:

- The output keypoints (.json) of the library is only 2D and cannot be used in 3D software as without heavy remapping with calculus-based methods
- There is a 3D keypoint that requires multiple cameras, but this requires the purchase of multiple FLIR cameras [35] setup to record motion
- Despite the library being open-source, commercial use of the library requires \$25,000 per year [36]

Due to these issues, simply buying a mid-level Perceptron Neuron motion capture device for \$1500 [37] shows much more potential for this paper's use case than using a commercial version of the library.

Based on the steps above, a finalised storyboard with all the transitions and keyframes based on the 3D models moved with motion capture can be created even before the actual drawing, and can be reviewed easily for any major changes before passing it on to the Production stage. In addition, the advantage of motion capture to simple rotoscoping is the ability for the camera view to be dynamically changed in the 3D software, giving much more freedom on how the scenes can be shown.

The limitation for this is that mocap is limited

to characters. Objects are still created manually. However, these can be modularised using cel shading of 3d objects to make them backgrounds [38] and objects [39] look more like painted anime background. More on this topic in the Production stage.

3.3 Production Stage

After the completion of the finalised storyboards, this stage is simply referencing the 3D movements as actual keyframes and keyin frames for animation. Drawing and animation ability is still essential in this stage, as details with both the movement and character such as clothing, hair, and physics is still taken into account. This, however, solves the following issues:

1. Proportion and consistency
 - Proportion and consistency in drawings is difficult to master for one person, and having a consistent proportion for characters if drawn by multiple animators is a minute detail issue with anime [40]
 - Incorporating the CS concept of functions where having reusability for repetitive actions exponentially decreases feedback loop with both drawing and animation
2. Learning
 - Training and onboarding for new animators is much easier as practicing the characters' proportions is already eliminated
3. Efficiency and work environment
 - Having automation for lower level, repetitive process provides more time for a work-life balance for animators, which allows them to actually live life outside of work and incorporate those experiences into improving their craft
 - Since training and work hours can be improved with these methods, it is now possible to actually hire less people that are full-time instead of paying lower-than-minimum wage [41]

- With more time, additional details for the art can be introduced
- This also includes handling of emergency cases; in the animation industry, it is very difficult to take vacation leaves because someone always needs to be able to fill in[42]

In addition to these, further research can be done for training machine learning models, particularly Generative Adversarial Networks to quickly convert the rendered 3D models into actual anime-style in the future once enough data is created. Inputs can include the rig position, camera view, and actual frame pixels that can be run on a series of convolutional and recurrent neural networks for the generator, and have these outputs run on a discriminator. This is merely a hypothesis but the potential of this is worth noting.

As discussed in the previous section, the backgrounds and objects can be recreated with cel shading and painting-style filters. In animation, especially in films, adding a good number of visual cues is essential for portraying a story, so simply using a photo as a background is more entirely viable. This is precisely why Makoto Shinkai's semi-rotoscoped backgrounds are not simply traceovers of the videos, but are actually modified versions of the reference frames that include more detail and reworked objects.

This, however, is mostly for feature films that focus more on art. For more industry-level anime such as advertisements where it is more important to focus on the product rather than minute details, there are some techniques that can be used to speed up the process with the use of actual photos. An example of this is the use of trained Generative Adversarial Networks for converting photos into actual Makoto Shinkai-, Hayao Miyazaki-, and Mamoru Hosoda-style-looking backgrounds.

For commercial use, however, using pre-trained models is not viable due to license & copyright and



Figure 7: **Top-left:** Real-life photo of myself at Yotsuya Station in Tokyo (taken by Jayzon Ty). **Bottom-right:** Same view in Shinkai Makoto's film *Kimi no Na Wa* (2016). **Top-right:** Real-life photo of a temple near Nijo Station in Kyoto (taken by myself) **Lower-left:** Same photo as top-right ran through a pre-trained Generative Adversarial Network by Chen et. al [43].

further research on how to create the datasets is needed. Again, however, the potential for this is worth noting.

3.4 Post-processing Stage

This is where the current research on Brighter the Animation failed. Post-processing requires a heavy amount of cleaning up of the lines for movement, adding animation to the shadows, and actual colouring.

Further investigation on how parts of the process of this stage can be automated or improved.

There are some deep learning libraries that can do both the shadows and colouring, such as style2paints [44] and Preferred Network's PaintsChainer [45] and similar implementations [46]. However, since these models were trained for single images, the lack of consistency for usage in animation makes it less viable. Research on additional




Figure 8: **Top:** Hand-drawn lines referencing 3d skeletons and manually-animated particles **Bottom:** Post-processed lines with colour, shadows, and particles.

recurrent neural network layers and retraining for these models are needed before they can be viable for use in animation.

3.5 Commercial Use and Impact

As discussed above, only the methods used for creating Brighter the Animation is possible for commercial use, since these do not make use of copyrighted material for training machine learning models nor do they require any expensive licensing. However, after the feasibility of automating parts of the process, use on actual commercial environment can be done, and the effectiveness can be tested and measured to try to solve the problems in the current issues with anime industry. In addition, having the potential of applying machine learning models in the more advanced phases after creating own datasets to avoid copyright infringement introduces more

options for automation. The findings in the study can then be applied on a production environment to focus on the three main aspects of anime production targetted by this paper:

1. Automation of Repetitive, Low-level Tasks

- With the current pipeline, a huge block of the process can already be reduced and the ability to proceed with the Production stage concurrently with sound, music, and dubbing can greatly reduce turnaround time with output
- Addition of more advanced motion capture technologies that also include facial expressions will exponentially improve this method, as opposed to the current process where only the bodily movements are captured

2. Work Environment

- Animators can get a higher wage and the decreased need for additional members since lower-level tasks are now modularised
- Since animators do not have dead time where there is no work, a company that applies this pipeline can now hire full-time employees, following most processes by Kyoto Animation as discussed in the previous sections, which makes it conducive for building a career in a more stable manner
- In the best case, the animators can even be trained on working with ML or SE on their own, or have the extra time work on improving their art for un-automated tasks such as surreal art creation, non-human animation, backgrounds
- On the edge case where there is really nothing to do, animators can simply take courses, create their own scripts for pipeline, research on improving the current processes, or improve their imaginative and artistic abilities

3. Lessening the Stigma on Anime/Otaku culture

- As discussed previously, with work/life balance, animators can have grounding on real life with their art if they have more life experiences other than simply working day and night on animation.
- Some personal notes on this include:
 - I believe having a concrete basis that is grounded on real life gives more input features for animators to include when thinking about animation and creating artworks.
 - Anime and filmmaking as an art is not merely drawing beautiful frames but tackles the complexity of real life issues, human interaction, and the psychology of behavior
 - With the current stigma on otaku culture, personally I would like to build a community that creates anime movies and series with more basis on real life, international influences including western and Asian culture, and deeper levels of nuance. The themes can vary but the acceptance criteria should always be strict in the sense that it should not just be a recurring-theme anime targeted to exploit primary human needs (e.g. - too much fanservice, unrealistic love stories, cliche). As media and entertainment people that can share information to the world on a larger scale, I think it's also a great opportunity to treat this as conveying different walks of life to both entertain and educate people on both current and historical events & the human psyche, and motivate learning & growth

4 Discussion and Next Steps

Aside from research purposes, Brighter the Animation as a short film is more of a passion project rather than something done for networking and submission to film festivals. It is not possible to

submit this short film to any festival due to copyright with Paramore, and posting it online is only possible due to Fair Use Policy. In addition, it is estimated to complete postprocessing of this short film in 5 to 6 months, which could have been used for retraining and creation of shorter films for faster feedback loop.

In addition, on the more technical side, some possible next steps include:

1. As discussed in the previous sections, research on training GANs to convert freestyle render to actual anime
 - How this would not be completely perfect but can be used as good initial frames ready to be cleaned up by animators
 - One hurdle for this method is animation of clothes, which may be a separate set of inputs and outputs for the models
2. Research on more in-depth motion capture models [47] than OpenPose [34]
3. Research on PaintsChainer [45] retraining for colour consistency with RNNs
4. Research feasibility of more direct pipelines [48, 49, 50] that convert video directly to anime
5. Wait for NVIDIA's frame interpolation SDK [52] and research possibilities [51]

The major issue with using research material for application is it will take a lot of time and effort to create datasets that can be used commercially. This is why in order to apply this paper's vision, the first phase would most likely be use of the motion capture automation discussed in the previous sections rather than the deep learning libraries. Moreover, automated libraries are prone to becoming cookie-cutter processes that are not production-level, meaning the feasibility of using the library is based on using them as base frames & automating low-level tasks rather than for actual output and the benefits of applying said base outputs for high quality, production-level output after human post-processing.

Acknowledgements

I would like to thank these people for providing good references to aid the research and overall supporting my endeavors despite its unconventionality:

- Mehdi Shibahara
- Omar Reid
- Yeshua Quijano
- Antoine Lecubin
- Kelvin Tay
- Paoloregel Samonte
- Theresa Mercado
- Jayzon Ty
- Rishant Agarwal
- Frederik Nakstad
- Emanuele Frandi

References

- [1] B. Ashcraft. The Average Anime Salary in Japan Is Shockingly Low. <https://kotaku.com/the-average-anime-salary-in-japan-is-shockingly-low-1700892325>.
- [2] B. Ashcraft. Being an Animator in Japan Is Brutal. <https://kotaku.com/being-an-animator-in-japan-is-brutal-1690248803>.
- [3] The Chunichi Shimbun. Being an Animator in Japan Is Brutal. <https://kotaku.com/being-an-animator-in-japan-is-brutal-1690248803>.
- [4] Nippon Communications Foundation. Anime Industry Revenue Hits 200 Billion Yen. <https://www.nippon.com/en/features/h00279/>.
- [5] Excite Japan Co., Ltd. Animation Production Market Size, Over 200 Billion Yen; Per-company Revenue Hits 800 Million for the First Time in 7 Years. https://www.excite.co.jp/News/product/20180820/Economic_81693.html?_p=2.
- [6] J. Sherman. NHK Program Discusses Anime Industry's Financial, Working-Condition Problems. <https://www.animenewsnetwork.com/interest/2017-06-07/nhk-program-discusses-anime-industry-financial-working-condition-problems/.117144>.
- [7] Kyoto Animation Recruitment <http://www.kyotoanimation.co.jp/recruit/>.
- [8] Yusuke-s. Otaku: People Obsessed with Japanese Animation. <https://jw-webmagazine.com/who-is-otaku-a9a8265f6f8c>.
- [9] A. Welin. The Meaning and Image of Otaku in Japanese Society and Its Change Over Time. https://gupea.ub.gu.se/bitstream/2077/35267/1/gupea_2077_35267_1.pdf.
- [10] ToraoO. Why Otaku are Hated. http://toraoanime.wpblog.jp/anime_otaku.
- [11] K. Don. Anime Production 101: How Anime is Made. <https://comicsverse.com/anime-production/>.
- [12] Kanzenshuu. The Anime Process. <http://www.kanzenshuu.com/production/animation-process/>.
- [13] Human Academy. How is Anime Made?. http://ha.athuman.com/pa/clp_pa_05.php.
- [14] Takasaki University of Economics. Anime Production Process in Japan. <http://www1.tcue.ac.jp/home1/takamatsu/106259/>.
- [15] yu_yasiki. Anime Industry Improvement. How Low are Animators' Salary?. <http://cultivationjapan.hatenablog.com/entry/2015/05/07/060000>.
- [16] T. Ishidate. Beyond the Boundary Storyboards and Output. <https://imgur.com/a/XEHsG1Y>.
- [17] H. Fujita. Sound! Euphonium Storyboards and Output. <https://blog.sakugabooru.com/wp-content/uploads/2017/09/euphostoryboard2.mp4>.
- [18] H. Fujita. A Silent Voice Storyboards and Output. <https://imgur.com/a/gps08od>.
- [19] N. Creamer. What Makes Kyoto Animation So Special?. <https://www.animenewsnetwork.com/feature/2015-12-02/what-makes-kyoto-animation-so-special/.95559>.
- [20] M. Schley. Kyoto Animation Studio Dedication to Nurturing Talent Leads to Big-screen Magic. <https://www.japantimes.co.jp/culture/2017/11/02/films/kyoto-anime-studios-dedication-nurturing-talent-leads-big-screen-magic/#.W5TCiy2CiL4>.

- [21] K. Cirugeda. Kyoto Animation Studio Tour. <https://blog.sakugabooru.com/2017/03/10/anime-craft-weekly-33-kyoto-animation-studio-tour/>.
- [22] Kyoto Animation School <http://www.kyotoanimation.co.jp/school/>.
- [23] Royal Melbourne Institute of Technology. 12 Principles of Animation. http://minyos.its.rmit.edu.au/aim/a_notes/anim_principles.html.
- [24] R. Martin. The Single Responsibility Principle. <http://www.butunclebob.com/ArticleS.UncleBob.PrinciplesOfOOD.aspx>.
- [25] L. LaBracio. What is Rotoscoping?. <https://blog.ed.ted.com/2017/05/31/animation-basics-what-is-rotoscoping/>.
- [26] Chooollss. Rotoscoping in Disney Films. <https://www.lomography.com/magazine/281907-rotoscoping-in-classic-disney-films>.
- [27] R. Fairley. The Horrors of Rotoscoping. <https://www.videomaker.com/article/f06/17164-the-horrors-of-rotoscoping>.
- [28] TV Tropes. Rotoscoping. <https://tvtropes.org/pmwiki/pmwiki.php/Main/Rotoscoping>.
- [29] Chooollss. Peter Pan Rotoscope. <https://www.lomography.com/magazine/281907-rotoscoping-in-classic-disney-films>.
- [30] B. Ettinger. Anime, Its Animators, and the Art of Animation. <http://www.pelleas.net/aniTOP/index.php/the-anime-production-line>.
- [31] P. Hishikawa. Animation Production Process and Workflow. <https://area.autodesk.jp/animation/workflow.html>.
- [32] Delicode Ltd. NI-mate. <https://ni-mate.com/about/>.
- [33] Lile, D. Blender Animation: Using Video Reference. <https://www.youtube.com/watch?v=on678RW8nRY>.
- [34] Z. Cao, T. Simon, S. Wei, Y. Sheikh. Realtime Multi-Person 2D Pose Estimation using Part Affinity Fields. *arXiv preprint arXiv:1611.08050*, 2016.
- [35] Flir Systems Inc. Flir Camera. <https://www.flir.com/about/about-flir/>.
- [36] Carnegie Mellon University. OpenPose Commercial License. <https://flintbox.com/public/project/47343/>.
- [37] Noitom Ltd. Perception Neuron 32 Neuron Edition V2. <https://neuronmocap.com/content/product/32-neuron-edition-v2>.
- [38] M. Lee. Makoto Shinkai Style Painting Tutorial. <http://www.mclelun.com/2015/10/makoto-shinkai-style-painting-tutorial.html>.
- [39] M. Lee. Blender3D Anime Style Background Art Render Settings. <http://www.mclelun.com/2015/10/blender3d-anime-style-background-art.html>.
- [40] P. Hernandez. How Dragon Ball Z Characters Change From Episode to Episode. <https://kotaku.com/how-dragon-ball-z-characters-change-from-episode-to-epi-1723402760>.
- [41] Teffen. PA Works Now Pays New Animators 22% Less Than McDonalds. <http://goboiano.com/p-a-works-now-pays-new-animators-22-less-than-mcdonalds/>.
- [42] J. Smith. Disney Animator Describes the Best and Worst Parts of Her Job. <https://www.businessinsider.com/disney-animator-shares-best-and-worst-parts-of-her-job-2015-3>.
- [43] Y. Chen, Y. Lay, Y. Liu. CartoonGAN: Generative Adversarial Networks for Photo Cartoonization http://openaccess.thecvf.com/content_cvpr_2018/papers/Chen_CartoonGAN_Generative_Adversarial_CVPR_2018_paper.pdf.
- [44] L. Zhang, Y. Ji, X. Lin. Style Transfer for Anime Sketches with Enhanced Residual U-net and Auxiliary Classifier GAN. *arXiv preprint arXiv:1706.03319*, 2017.
- [45] Preferred Networks Inc. PaintsChainer. https://paintschainer.preferred.tech/index_en.html.
- [46] Y. Liu, Z. Qin, H. Wang. Auto-painter: Cartoon Image Generation from Sketch by Using Conditional Generative Adversarial Networks. *arXiv preprint arXiv:1705.01908*, 2017.
- [47] C. Chan, S. Ginosar, T. Zhoue, A. Efros. Everybody Dance Now. *arXiv preprint arXiv:1808.07371*, 2018.
- [48] Y. Jin, J. Zhang, M. Li, Y. Tian, H. Zhu, Z. Fang. Full-body High-resolution Anime Generation with Progressive Structure-conditional Generative Adversarial Networks. *arXiv preprint arXiv:1708.05509*, 2017.
- [49] K. Hamada, K. Tachibana, T. Li, H. Honda, Y. Uchida. Towards the Automatic Anime Characters Creation with Generative Adversarial Networks. *arXiv preprint arXiv:1809.01890*, 2018.
- [50] T. Wang, M. Liu, J. Zhu, G. Liu, A. Tao, J. Kautz, B. Catanzaro. Video-to-Video Synthesis. *arXiv preprint arXiv:1808.06601*, 2018.
- [51] H. Jiang, D. Sun, V. Jampani, M. Yang, E. Miller, J. Kautz. Super SloMo: High Quality Estimation of Multiple Intermediate Frames for Video Interpolation. *arXiv preprint arXiv:1712.00080*, 2018.

- [52] NVIDIA. NVIDIA NGX Technology - AI for Visual Applications. <https://developer.nvidia.com/rtx/ngx#developer>.