

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<%@include file="./base.jsp"%>

<s:url var="url_pagination_css"
    value="/resources/css/pagination-2.6.0.css" />
<link rel="stylesheet" type="text/css" href="${url_pagination_css}">

<s:url var="url_pagination_js"
    value="/resources/js/pagination-2.6.0.min.js" />
<script src="${url_pagination_js}">

</script>

<style>
.box {
    background-color: black;
    height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
}

p {
    font-size: 17px;
    align-items: center;
}

.box a {
    display: inline-block;
    background-color: #fff;
    padding: 15px;
    border-radius: 3px;
}

.modal {
    align-items: center;
    /* float: left;
    left: 50%;
    top: 50%;
    transform: translate(-50%, -50%); */
    padding-top: 140px;
    overflow: auto;
    display: flex;
    justify-content: center;
    position: absolute;
    top: 0px;
    bottom: 0px;
    left: 0;
    right: 0;
    background: rgba(192, 192, 192, 0.3);

    transition: all 0.4s;

```

```

        /*          visibility: hidden;
    */
    opacity: 1;
}

.content {
    position: relative;

    background: white;
    width: 500px;
    padding: 1em 2em;
    border-radius: 4px;
}
/* .modal:target {
    visibility: visible;
    opacity: 1;
} */
.box-close {
    position: absolute;
    top: 0;
    right: 15px;
    color: #fe0606;
    text-decoration: none;
    font-size: 30px;
}

.popup-box {
    display: none;
}
</style>
<script>
    $(document).ready(
        function() {

            getAllrecord();

            $('#saveEmployee').show();
            $('#updateEmployee').hide();
            $('#idfield').hide();

            $("#fnerror").hide();
            let firstNameError = true;
            $("#firstName").keyup(function() {
                validateFirstname();
            });

            $("#lnerror").hide();
            let lastNameError = true;
            $("#lastName").keyup(function() {
                validateLastname();
            });

            $("#emerror").hide();
            let emailError = true;
            $("#email").keyup(function() {
                validateEmail();
            });
        }
    );

```

```

    });

    $("#numerror").hide();
    let phoneError = true;
    $("#phone").keyup(function() {
        validatePhone();
    });

    $("#aterror").hide();
    let attuidError = true;
    $("#attuid").keyup(function() {
        validateattuid();
    });

    $("#dserror").hide();
    let desigError = true;
    $("#designation").keyup(function() {
        validateDesignation();
    });

    $("#aderror").hide();
    let addressError = true;
    $("#address").keyup(function() {
        validateAddress();
    });

    $('#gettime').click(function() {
        $.ajax({
            url : 'date',
            success : function(data) {
                $('#printtime').html(data);
            }
        });
    });

    $('#saveEmployee').click(
        function() {
            var fn = validateFirstname();
            var ln = validateLastname();
            var en = validateEmail();
            var pn = validatePhone();
            var an = validateattuid();
            var dn = validateDesignation();
            var an = validateAddress();

            if (fn == true && ln == true && en
== true
&& pn == true && an ==
true && dn == true
&& an == true) {
                $.ajax({
                    type : "POST",
                    url : "insertEmployee",
                    data : {
                        attuid :
$("#attuid").val(),

```

```

$("#firstName").val(),
$("#lastName").val(),
$("#email").val(),
$("#phone").val(),
$("#designation").val(),
$("#address").val()

function(result) {
    $('#employeeForm')[0].reset()
    $('#popup-box').addClass("popup-box");

    $.ajax({
        url: 'http://localhost:3000/api/employees',
        type: 'POST',
        data: {
            firstName :
            lastName :
            email :
            phone :
            designation :
            address :
        },
        success :
            $('#popup-box')
            .getAllrecord();

        },
        error : function(err) {
            alert("error is"
+ err)
        }
    });
}

});

function validateFirstname() {
    let firstnameValue = $("#firstName").val();

    if (firstnameValue.length == "") {
        $("#ferror").show();

        return false;
    } else {
        var stringRegex = /^[^\d]+$/;

        if (stringRegex.test(firstnameValue)) {
            $("#ferror").hide();
            return true;
        } else {
            $("#ferror").show();
            $("#ferror").html("**should not contain digits");
            return false;
        }
    }
}

```

```

}

function validateLastname() {

    let lastnameValue = $("#lastName").val();

    if (lastnameValue.length == "") {

        $("#lerror").show();

        return false;

    } else {
        var stringRegex = /^[^\d]+$/;

        if (stringRegex.test(lastName)) {
            $("#lerror").hide();
            return true;

        } else {
            $("#lerror").show();
            $("#lerror").html("**only enter character");
            return false;
        }

    }

}

function validateEmail() {

    let emailValue = $("#email").val();

    if (emailValue.length == "") {

        $("#emerror").show();

        return false;

    } else {
        var stringRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;

        if (stringRegex.test(emailValue)) {
            $("#emerror").hide();
            return true;

        } else {
            $("#emerror").show();
            $("#emerror").html("**enter valid email");
            return false;
        }

    }

}

function validatePhone() {

```

```
    let phoneValue = $("#phone").val();

    if (phoneValue.length == "") {

        $("#numerror").show();

        return false;

    } else {
        var stringRegex = /^\d{10}$/;

        if (stringRegex.test(phoneValue)) {
            $("#numerror").hide();
            return true;

        } else {
            $("#numerror").show();
            $("#numerror").html("**length must be 10");
            return false;

        }

    }

}

function validateDesignation() {

    let desigValue = $("#designation").val();

    if (desigValue.length == "") {

        $("#dserror").show();
        return false;

    } else {
        $("#dserror").hide();
        return true;

    }

}

function validateAddress() {

    let addressValue = $("#address").val();

    if (addressValue.length == "") {

        $("#aderror").show();
        return false;

    } else {
        $("#aderror").hide();
        return true;

    }

}
```

```

    }

    function validateattuid() {

        let attuidValue = $("#attuid").val();

        if (attuidValue.length == "") {

            $("#aterror").show();

            return false;

        } else {
            var stringRegex = /^(?=\D*\d\D*\d\D*\d)[A-Za-z\d]{6}$/;

            if (stringRegex.test(attuidValue)) {
                $("#aterror").hide();
                return true;

            } else {
                $("#aterror").show();
                $("#aterror")
                    .html(
                        "**Please enter valid ID
with 3 digits and 3 characters.");
                return false;
            }
        }

    }

    function template(data) {
        let empdataresult = "";

        for (i = 0; i < data.length; i++) {

            empdataresult += '<tr class="tr"> <td>'
                + data[i].attuid
                + '</td> <td>'
                + data[i].firstName
                + '</td> <td>'
                + data[i].lastName
                + '</td> <td>'
                + data[i].email
                + '</td> <td>'
                + data[i].phone
                + '</td> <td>'
                + data[i].designation
                + '</td> <td>'
                + data[i].address
                + '</td> <td><input type="button" class="btn
btn-warning" onclick="editEmployee('
                + data[i].id
                + ')" value="Edit"></input></td> <td> <input
type="button" class="btn btn-danger" onclick="deleteEmployee('

```

```

        + data[i].id + '');"
value="Delete"></input></td> </tr>';

    }
    return empdataresult;
}

var data = "";
function getAllrecord() {
    $.ajax({
        type : "GET",
        url : "getAllEmp",
        success : function(response) {
            // data = response

            let employeeData = response;
            $('#employeeTable tfoot').pagination({
                dataSource : employeeData,
                pageSize : 2,
                callback : function(data, pagination) {
                    // template method of yourself
                    let html = template(data);
                    $('#employeeTable tbody').html(html);
                }
            });

            // $('#tr').remove();
            /* for (i = 0; i < data.length; i++) {
                $("#employeeTable")
                    .append(
                        '<tr class="tr">
<td>'
                        +
data[i].attuid
                        +
'</td> <td>'
                        +
data[i].firstName
                        +
'</td> <td>'
                        +
data[i].lastName
                        +
'</td> <td>'
                        +
data[i].email
                        +
'</td> <td>'
                        +
data[i].phone
                        +
'</td> <td>'
                        +
data[i].designation
                        +
'</td> <td>'

```



```

data[i].address
'</td> <td><input type="button" class="btn btn-warning"
onclick="editEmployee('
data[i].id
value="Edit"></input></td> <td> <input type="button" class="btn btn-danger"
onclick="deleteEmployee('
data[i].id
');" value="Delete"></input></td> </tr>');
    } */

    },
    error : function(err) {
        alert("error is" + err)
    }
});

function editEmployee(id) {
    $.ajax({
        type : "GET",
        url : "getOneEmployee/" + id,
        dataType : 'json',
        success : function(response) {

            //alert("student--"+response.id);
            $("#id").val(response.id),
            $("#attuid").val(response.attuid),
            $("#firstName").val(response.firstName),
            $("#lastName").val(response.lastName),
            $("#email").val(
                response.email), $("#phone")
            .val(response.phone),
            $("#designation").val(
                response.designation),
            $("#address").val(
                response.address)

            $("#attuid").prop("readonly", true);
            $("#email").prop("readonly", true);
            $('#saveEmployee').hide();
            $('#updateEmployee').show();
            $('#idfield').hide();

            $('#popup-box').removeClass("popup-box");
            /* var popupDiv = document.getElementById("popup-
            box");
            popupDiv.style.display = "block"; */

        },
        error : function(err) {

```

```

        alert("error is" + err)
    }
});

}

function updateEmployeebtn() {
    var fn = validateFirstname();
    var ln = validateLastname();
    var en = validateEmail();
    var pn = validatePhone();
    var an = validateattuid();
    var dn = validateDesignation();
    var an = validateAddress();

    if (fn == true && ln == true && en == true && pn == true && an ==
true
        && dn == true && an == true) {
        $.ajax({
            type : "POST",
            url : "updateEmployee",
            data : {
                id : $("#id").val(),
                attuid : $("#attuid").val(),
                firstName : $("#firstName").val(),
                lastName : $("#lastName").val(),
                email : $("#email").val(),
                phone : $("#phone").val(),
                designation : $("#designation").val(),
                address : $("#address").val()
            },
            success : function(result) {
                $('#popup-box').addClass("popup-box");
                /* var popupDiv =
document.getElementById("popup-box");
popupDiv.style.display = "none"; */
                getAllrecord();

                $('#saveEmployee').show();
                $('#updateEmployee').hide();
                $('#idfield').hide();
                $('#employeeForm')[0].reset()
            },
            error : function(err) {
                alert("error is" + err)
            }
        });
    }
}

function deleteEmployee(id) {
    $.ajax({
        url : "deleteEmployee/" + id,
        success : function(response) {
            getAllrecord();
        },
        error : function(err) {
            alert("error is" + err)
        }
    });
}

```



```

        </div>
    </div>

    <div class="row">
        <div class="col">
            <div class="form-
group">
                <label
for="address">Address</label> <input type="text"
                class="form-control" id="address" name="address"
                placeholder="Enter address"> <span id="aderror"
                class="error-message text-danger">address is required</span>
            </div>
        </div>
        <div class="row">
            <div class="col">
                <button type="button"
id="saveEmployee" class="btn btn-primary">Submit</button>
                <button type="button"
id="updateEmployee"
                onclick="updateEmployeebtn()" class="btn btn-primary">Update</button>
            </div>
        </div>
    <!-- <div class="col-6">

    <h3>Employee Record</h3>

    <br>
    <table id="employeeTable" class="table table-
hover">
        <thead>
            <tr>
                <th scope="col">Attuid</th>
                <th scope="col">FirstName</th>
                <th scope="col">LastName</th>
                <th scope="col">Email</th>
                <th scope="col">Phone</th>
                <th scope="col">Designation</th>
                <th scope="col">Address</th>
                <th scope="col">Edit</th>
                <th scope="col">Delete</th>
            </tr>
        </thead>
        <tbody>

        <c:forEach var="std" items="${student}">
            <tr>

```

```

        plus">${std.id}</td>
        <td class="table-
        <td>${std.name}</td>
        <td>${std.age}</td>
        <td>${std.course}</td>
        <td><a
        href="editEmployee/${std.id}" class="btn btn-warning">
        Edit </a></td>
        <td><a
        href="deleteEmployee/${std.id}"
        class="btn btn-danger">
        Delete </a></td>
    </tr>
</c:forEach>
</tbody>
<tfoot></tfoot>
</table>

</div> --%>

</div>
</form>
</div>

<a href="#" onClick="closePopup()" class="box-close"> x
</a>
</div>
</div>

<div class="container mt-3">
    <form id="employeeForm" name="employeeForm">
        <div class="row">
            <!-- <div class="col-3" >
                <h3>Employee Form</h3>

            <div class="row" id="idfield">
                <div class="col">
                    <div class="form-group">
                        <label for="id">ID</label>
<input type="text" readonly="readonly"
                        class="form-control"
id="id" name="id">
                    </div>
                </div>
            </div>
        </div>

        <div class="row">
            <div class="col">
                <div class="form-group">
                    <label
for="attuid">Attuid</label> <input type="text"
                        class="form-control"
id="attuid" name="attuid">

```

```
attuid" >                                                                 placeholder="Enter  
                                                                <span id="atererror"  
class="error-message text-danger">attuid is required</span>  
  
                                                                </div>  
                                                                </div>  
                                                                </div>  
  
    <div class="row">  
        <div class="col">  
            <div class="form-group">  
                <label  
for="firstName">FirstName</label> <input type="text"  
  
                                                                class="form-control"  
id="firstName" name="firstName"  
  
                                                                placeholder="Enter  
FirstName">  
  
                                                                <span id="fnererror"  
class="error-message text-danger">first name is required</span>  
                                                                </div>  
                                                                </div>  
                                                                </div>  
        <div class="row">  
            <div class="col">  
                <div class="form-group">  
                    <label  
for="lastName">LastName</label> <input type="text"  
  
                                                                class="form-control"  
id="lastName" name="lastName"  
  
                                                                placeholder="Enter  
LastName">  
  
                                                                <span id="lnerror"  
class="error-message text-danger">last name is required</span>  
                                                                </div>  
                                                                </div>  
                                                                </div>  
  
        <div class="row">  
            <div class="col">  
                <div class="form-group">  
                    <label  
for="email">Email</label> <input type="text"  
  
                                                                class="form-control"  
id="email" name="email"  
  
                                                                placeholder="Enter  
Email">  
  
                                                                <span id="emerror" class="error-  
message text-danger">email is required</span>  
  
                                                                </div>  
                                                                </div>  
                                                                </div>  
        <div class="row">  
            <div class="col">  
                <div class="form-group">
```



```

                                <label
for="phone">Phone</label> <input type="text"
                                class="form-control"
id="phone" name="phone"
                                placeholder="Enter
Mobile number">
                                <span id="numerror"
class="error-message text-danger">number is required</span>
                                </div>
                            </div>
                        </div>
                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                <label
for="designation">Designation</label> <input type="text"
                                class="form-control"
id="designation" name="designation"
                                placeholder="Enter
designation">
                                <span id="dserror"
class="error-message text-danger">designation is required</span>
                                </div>
                            </div>
                        </div>
                    <div class="row">
                        <div class="col">
                            <div class="form-group">
                                <label
for="address">Address</label> <input type="text"
                                class="form-control"
id="address" name="address"
                                placeholder="Enter
address">
                                <span id="aderror"
class="error-message text-danger">address is required</span>
                                </div>
                            </div>
                        </div>
                    <div class="row">
                        <div class="col">
                            <button type="button"
id="saveEmployee" class="btn btn-primary">Submit</button>
                            <button type="button"
id="updateEmployee"
                                onclick="updateEmployeebtn()"
class="btn btn-primary">Update</button>
                            </div>
                        </div>
                    </div> -->
<div class="col-6">

```

```

        <h3>Employee Record</h3>

        <br>
        <table id="employeeTable" class="table table-
hover">

            <thead>
                <tr>
                    <th scope="col">Attuid</th>
                    <th scope="col">FirstName</th>
                    <th scope="col">LastName</th>
                    <th scope="col">Email</th>
                    <th scope="col">Phone</th>
                    <th scope="col">Designation</th>
                    <th scope="col">Address</th>
                    <th scope="col">Edit</th>
                    <th scope="col">Delete</th>

                </tr>
            </thead>
            <tbody>

            </tbody>
            <tfoot></tfoot>
        </table>

    </div>

    </div>
</form>
</div>
</body>
</html>

```

```
package com.demo.controller;
```

```
import java.util.List;
```

```
import org.springframework.beans.factory.annotation.Autowired;
```

```
import org.springframework.stereotype.Controller;
```

```
import org.springframework.web.bind.annotation.GetMapping;
```

```
import org.springframework.web.bind.annotation.ModelAttribute;
```

```
import org.springframework.web.bind.annotation.PathVariable;
```

```
import org.springframework.web.bind.annotation.PostMapping;
```

```
import org.springframework.web.bind.annotation.RequestBody;
```

```
import org.springframework.web.bind.annotation.RequestMapping;
```

```
import org.springframework.web.bind.annotation.ResponseBody;
```

```
import com.demo.dao.EmployeeDao;
```

```
import com.demo.mail.GEmailSender;
```

```
import com.demo.model.Employee;
```

```
import com.demo.model.Student;
```

```
@Controller
```

```
@RequestMapping
```

```
public class EmployeeController {
```

```
    @Autowired
```

```
    private EmployeeDao employeeDao;
```

```
    @RequestMapping("/")
```

```

public String lodeEmployee() {
    return "employee";
}

```

```

@GetMapping("/getAllEmp")
public @ResponseBody List<Employee> getAllEmployee() {
    return employeeDao.getAllEmp();
}

```

```

@PostMapping("/insertEmployee")
@ResponseBody
public String saveEmployee(@ModelAttribute("insertEmployee") Employee emp) {
    //public String saveEmployee(@ResponseBody Employee emp){
    System.out.println(emp.toString()); // @ModelAttribute when in browser
    employeeDao.addEmployee(emp);

    //System.out.println( "Hello World!" );
    GEmailSender gEmailSender = new GEmailSender();
    String to = emp.getEmail();
    String from = "akkikartik25@gmail.com";
    String subject = "Employee created";
    String text = "Welcome: " + emp.getFirstName();
    boolean b = gEmailSender.sendEmail(to, from, subject, text);
    if (b) {
        System.out.println("Email is sent successfully");
    } else {
        System.out.println("There is problem in sending email");
    }
}

```

```
}
```

```
    return "saved:";
```

```
}
```

```
@GetMapping("/getOneEmployee/{id}")
```

```
@ResponseBody
```

```
public Employee getById(@PathVariable Long id) {
```

```
    return employeeDao.getEmpById(id);
```

```
}
```

```
@PostMapping("/saveemp")
```

```
@ResponseBody
```

```
public String saveemp(@RequestBody Employee emp) {
```

```
    System.out.println(emp.toString()); // @ModelAttribute when in browser
```

```
    employeeDao.addEmployee(emp);
```

```
    //System.out.println( "Hello World!" );
```

```
GEmailSender gEmailSender = new GEmailSender();
```

```
String to = emp.getEmail();
```

```
String from = "akkikartik25@gmail.com";
```

```
String subject = "Employee created";
```

```
String text = "Welcome: " + emp.getFirstName();
```

```
boolean b = gEmailSender.sendEmail(to, from, subject, text);
```

```
if (b) {
```

```
    System.out.println("Email is sent successfully");
```

```
} else {
```

```
    System.out.println("There is problem in sending email");
```

```
}
```

```

        return "saved:";
    }

    @PostMapping("/updateEmp")
    @ResponseBody
    public String updateEmp(@RequestBody Employee emp)
    {
        employeeDao.updateEmp(emp);

        return "updated";
    }

    @GetMapping("/deleteEmployee/{id}")
    @ResponseBody
    public String deleteEmployee(@PathVariable Long id) {
        employeeDao.deleteEmp(id);
        return "Deleted";
    }

    @PostMapping("/updateEmployee")
    @ResponseBody
    public String updateEmployee(@ModelAttribute("updateEmployee") Employee emp)
    {
        employeeDao.updateEmp(emp);

        return "updated";
    }
}

```

```
package com.demo.model;
```

```
import javax.persistence.Entity;
```

```
import javax.persistence.GeneratedValue;
```

```
import javax.persistence.GenerationType;
```

```
import javax.persistence.Id;
```

```
import lombok.Data;
```

```
import lombok.ToString;
```

```
@Data
```

```
@Entity
```

```
public class Employee {
```

```
    @Override
```

```
    public String toString() {
```

```
        return "Employee [id=" + id + ", attuid=" + attuid + ", firstName=" + firstName + ",  
lastName=" + lastName
```

```
        + ", email=" + email + ", phone=" + phone + ", designation=" +  
designation + ", address=" + address
```

```
        + "];
```

```
    }
```

```
    public Employee() {
```

```
    }
```

```
    @Id
```

```
@GeneratedValue(strategy = GenerationType.IDENTITY)
```

```
private Long id;
```

```
private String attuid;
```

```
private String firstName;
```

```
private String email;
```

```
private String phone;
```

```
private String designation;
```

```
private String address;
```

```
public String getFirstName() {
```

```
    return firstName;
```

```
}
```

```
public void setFirstName(String firstName) {
```

```
    this.firstName = firstName;
```

```
}
```

```
private String lastName;
```

```
public String getLastName() {
```

```
    return lastName;
```

```
}
```

```
public void setLastName(String lastName) {
```

```
    this.lastName = lastName;
```

```
}
```

```
public Long getId() {
```



```
        return id;
    }
```

```
    public void setId(Long id) {
        this.id = id;
    }
```

```
    public String getAttuid() {
        return attuid;
    }
```

```
    public void setAttuid(String attuid) {
        this.attuid = attuid;
    }
```

```
    public String getEmail() {
        return email;
    }
```

```
    public void setEmail(String email) {
        this.email = email;
    }
```

```
    public String getPhone() {
        return phone;
    }
```

```
public void setPhone(String phone) {  
    this.phone = phone;  
}
```

```
public String getDesignation() {  
    return designation;  
}
```

```
public void setDesignation(String designation) {  
    this.designation = designation;  
}
```

```
public String getAddress() {  
    return address;  
}
```

```
public void setAddress(String address) {  
    this.address = address;  
}
```

```
}
```

