ASSIGNMENT TOPIC: LINEAR REGRESSION

- 21) When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, ..., x_r)$, where r is the number of predictors, which of the following statements will be true?
- a) β_0 , β_1 , ..., β_r are the regression coefficients.
- b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
- c) E is the random interval
- d) Both and b

ANSWER: OPTION A is correct

- 22) What indicates that you have a perfect fit in linear regression?
 - a) The value $R^2 < 1$, which corresponds to SSR = 0
 - b) The value $R^2 = 0$, which corresponds to SSR = 1
 - c) The value $R^2 > 0$, which corresponds to SSR = 1
 - d) The value $R^2 = 1$, which corresponds to SSR = 0

ANSWER: OPTION D

- 23) In simple linear regression, the value of what shows the point where the estimated regression line crosses the y axis?
 - a) Y
 - b) B0
 - c) B1
 - d) F

ANSWER: OPTION **B**, it is collect Intercept Value

24) Check out these four linear regression plots:

Which one represents an underfitted model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

ANSWER: OPTION **A**, simple line represent underfitted model.

- 25) There are five basic steps when you're implementing linear regression:
 - a. Check the results of model fitting to know whether the model is satisfactory.
 - b. Provide data to work with, and eventually do appropriate transformations.
 - c. Apply the model for predictions.
 - d. Import the packages and classes that you need.
 - e. Create a regression model and fit it with existing data. However, those steps are currently listed in the wrong order.

What's the correct order?

- a) e, c, a, b, d
- b) e, d, b, a, c
- c) d, e, c, b, a
- d) d, b, e, a, c

ANSWER: OPTION **D**

- 26) Which of the following are optional parameters to LinearRegression in scikit-learn?
 - a) Fit
 - b) fit_intercept
 - c) normalize
 - d) copy_X
 - e) n_jobs
 - f) reshape

27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ?
a) Multiple linear regression
b) Simple linear regression
c) Polynomial regression
ANSWER : OPTION C , polynomial regression.
28) You should choose statsmodels over scikit-learn when:
a) You want graphical representations of your data.
b) You're working with nonlinear terms.
c) You need more detailed results.
d) You need to include optional parameters.
ANSWER : OPTION B
29) is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.
a) Pandas
b) Numpy
c) Statsmodel
d) scipy
ANSWER : OPTION B , Numpy
30) is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

ANSWER: OPTION **A**, fit & predict are parameter inside LinearRegression.

a) Bokeh	
b) Seaborn	
c) Matplotlib	
d) Dash	
ANSWER: OPTION B , Seaborn	
41) Among the following identify the one in which dimensionality reduction reduces.	
a) Performance b) statistics c) Entropy d) Collinearity	
ANSWER: OPTION B , statistics.	
42) Which of the following machine learning algorithm is based upon the idea of bagging?	
a) Decision Tree b) Random Forest c) Classfication d) SVM	
ANSWER: OPTION B, random forest	
42) Channe a direction to a find a direction to a constant following	
43) Choose a disadvantage of decision trees among the following.	
a) Decision tree robust to outliers	
b) Factor analysis	
c) Decision Tree are prone to overfit	
d) all of the above	
ANSWER: OPTION C	
44) What is the term known as on which the machine learning algorithms build a model based o sample data?	n
a) Data Training	
b) Sample Data	
c) Training data	
d) None of the above	

ANSWER: OPTION C , Training Data.
45) Which of the following machine learning techniques helps in detecting the outliers in data?
a) Clustering b) Classification c) Anamoly detection d) All of the above
ANSWER: OPTION C , Anamoly detection
46) Identify the incorrect numerical functions in the various function representation of machine learning.
a) Support Vector b) Regression c) Case based d) Classification
ANSWER: OPTION C , Case based
47) Analysis of ML algorithm needs :
a) Statistical learning theory
b) Computational learning theory
c) None of the above
d) Both a and b
ANSWER: OPTION D ,
48) Identify the difficulties with the k-nearest neighbor algorithm.
a) Curse of dimensionality
b) Calculate the distance of test case for all training cases
c) Both a and b
d) None
ANSWER: OPTION B
49) The total types of the layer in radial basis function neural networks is
a) 1 b) 2 c) 3 d) 4

ANSWER: OPTION **C**, 3 LAYERS

50 Which of the following is not a supervised learning

a) PCA b) Naïve bayes c) Linear regression d) K Means

ANSWER: OPTION **A**, PCA