PYTHON – WORKSHEET 1

Q1 to Q8 have only o	ne correct answ	er. Choose the	correct option to answer your question.
1. Which of the follow	ving operators is	used to calcula	te remainder in a division?
A) #	B) &	C) %	D) \$
ANSWER: C) %			
2. In python 2//3 is ed	qual to?		
A) 0.666	B) 0	C) 1	D) 0.67
ANSWER: B) 0			
_	_		imal value, means value after point ie. 0.666 Il value. It will show value before point ie. 0
3. In python, 6<<2 is 6	equal to?		
A) 36	B) 10	C) 24	D) 45
ANSWER : C) 24			
		•	with the value itself after that sign, means from y with value before << this sign, means 6*4=24.
4. In python, 6&2 will	give which of th	e following as o	output?
A) 2	B) True	C) False	D) 0
ANSWER: A) 2			
	• •		10 and 2 is 10. (&) operator is to SET 1 IF BOTH is binary representation of 2. So answer is 2.
5. In python, 6 2 will	give which of the	e following as o	utput?
A) 2	B) 4	C) 0	D) 6
ANSWER: D) 6			
EXPLAINATION : () o between them will 11			1 is 1. So 6 = 110, 2 = 10, representation of 6. So answer is 6.

6. What does the finally keyword denotes in python?

A) It is used to mark the end of the code

B) It encloses the line			
code in the try block.	s of code which	will be executed	if any error occurs while executing the lines of
C) the finally block wi	II be executed no	o matter if the tr	y block raises an error or not.
D) None of the above			
ANSWER: Option: B	s)		
7. What does raise ke	yword is used fo	or in python?	
A) It is used to raise an exception.			B) It is used to define lambda function
C) it's not a keyword in python.			D) None of the above
ANSWER : A) It is use	d to raise an exc	eption	
8. Which of the follow	wing is a commo	n use case of yie	ld keyword in python?
A) in defining an iterator			B) while defining a lambda function
C) in defining a generator			D) in for loop.
ANGMED - Chinal Co	ing a generator		
ANSWER : C) in defini			
ANSWEK : C) in defin			
	ltiple correct an	swers. Choose a	ll the correct options to answer your question
	-		
Q9 and Q10 have mu	-		
Q9 and Q10 have mu 9. Which of the follov	ving are the valid	d variable names	?
Q9 and Q10 have mu 9. Which of the follov A) _abc	ving are the valid	d variable names	?
Q9 and Q10 have mu 9. Which of the follov A) _abc	ving are the valid B) 1abc B) 1abc, c) abc2	d variable names C) abc2	D) None of the above
Q9 and Q10 have mu 9. Which of the follov A) _abc ANSWER: A)_abc,	ving are the valid B) 1abc B) 1abc, c) abc2	d variable names C) abc2	D) None of the above