
DANGER HIGH VOLTAGE
R1
R3
R5
R7
R9
R13
R15
IN-1
IN-2
IN-3
IN-4
IN-5
IN-6
IN-7
IN-8
220V to TTL Converter


NOTR
SENSE 8
SENSE 7
SENSE 6
SENSE 5
SENSE 4
SENSE 3
SENSE 2
SENSE 1
NOTR
B302BA-PCIe
220V to TTL Converter


DANGER HIGH VOLTAGE
220V to TTL Converter
IN-1
IN-2
IN-3
IN-4
IN-5
IN-6
IN-7
IN-8
R1
R2
R3
R4
R5
R6
R7
R8
R9
R10
R11
R12
R13
R14
R15
R16
R17
R18
R19
R20
D1
D2
D3
D4
D5
D6
D7
D8
C1
C2
C3
C4
C5
C6
C7
C8
C9
C10
C11
U2
U3
Q1
Q2
1
15
17
51

Layer Stack Legend



Material	Layer	Thickness	Dielectric Material	Type	Gerber
	Top Overlay			Legend	GTO
Surface Material	Top Solder	0.03mm	SM-001	Solder Mask	GTS
Nickel, Gold	Top Surface Finish	0.02mm		Surface Finish	
CF-004	**Top Layer**	**0.04mm**		**Signal**	**GTL**
Prepreg		*0.11mm*	*PP-015*	*Dielectric*	
CF-004	**Inner Layer 1**	**0.04mm**		**Signal**	**G1**
Core		*0.61mm*	*Core-038*	*Dielectric*	
CF-004	**Inner Layer 2**	**0.04mm**		**Signal**	**G2**
Prepreg		*0.11mm*	*PP-015*	*Dielectric*	
CF-004	**Bottom Layer**	**0.04mm**		**Signal**	**GBL**
Nickel, Gold	Bottom Surface Finish	0.02mm		Surface Finish	
Surface Material	Bottom Solder	0.03mm	SM-001	Solder Mask	GBS
	Bottom Overlay			Legend	GBO

Total thickness: 1.06mm

Bill Of Materials

Designator	Quantity	Manufacturer Name	Manufacturer Part Number
C1, C2, C3, C4, C5, C6, C7, C8	8	KEMET	C0402C475M9PACTU
C9, C10, C11	3	AVX	04026D104KAT4A
D1, D2, D3, D4, D5, D6, D7, D8	8	ROHM Semiconductor	SML-P12MTT86R
J1	1	Molex	53426-1010
R1, R3, R5, R7, R9, R11, R13, R15	8	Vishay Dale	CRCW0805220KJNEAHP
R2, R4, R6, R8, R10, R12, R14, R16, R17, R18, R19, R20	12	Vishay	CRCW040247K0FKED
U1, U2	2	Vishay Semiconductors	TCMT4100
U3	1	FXL6408UMX	OnSemi



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
✩	109	0.20mm	Plated	
⌘	10	1.00mm	Plated	
○	2	2.60mm	Plated	+/-0.05mm
	121 Total			


59.80mm
44.85mm
30.00mm
J1
DANGER HIGH VOLTAGE
220V to TTL Converter
U1
U2
U3
R1
R3
R5
R7
R9
R11
R13
R15
IN-1
IN-2
IN-3
IN-4
IN-5
IN-6
IN-7
IN-8
A
A

10.10mm
6.70mm