

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☒ outline ☒ image report Options...

Check by ☐ CSS

```
<!-- Bootstrap used:
  1. Navbar from Bootstrap Examples
  2. Form from Bootstrap Examples
  3. Card from Bootstrap Docs
  4. Button from Bootstrap Docs
  5. Footer from Bootstrap Examples
-->
<!-- 1. create HTML5 doctype -->
<!DOCTYPE html>
<html lang="en" data-bs-theme="light">
  <head>
    <meta charset="UTF-8">

    <!-- 2. include meta tag to ensure proper rendering and touch zooming -->
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering


Document checking completed. No errors or warnings to show.

Image report

The `img` elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match that group's definition.

Images with textual alternative

The following images have textual alternatives. Please review that the textual alternatives make sense considering the purpose of the image in the context of the page and that phrases like "Image of ..." are avoided. Note that iconic images that are redundant with text next to them or purely decorative should have `alt=""` instead.

Image	Textual alternative	Location
	The Muppet Show album cover featuring Kermit the Frog holding a microphone with the cast behind him.	From line 84, column 13; to line 84, column 329
<i>Not resolvable</i>	Rupaul's Drag Race tv show cover featuring Rupaul in a white dress.	From line 101, column 13; to line 101, column 152

Source

```

1. <!-- Bootstrap used:↵
2.   1. Navbar from Bootstrap Examples↵
3.   2. Form from Bootstrap Examples↵
4.   3. Card from Bootstrap Docs↵
5.   4. Button from Bootstrap Docs↵
6.   5. Footer from Bootstrap Examples↵
7. -->↵
8. <!-- 1. create HTML5 doctype -->↵
9. <!DOCTYPE html>↵
10. <html lang="en" data-bs-theme="light">↵
11.   <head>↵
12.     <meta charset="UTF-8">  ↵
13.     ↵
14.     <!-- 2. include meta tag to ensure proper rendering and touch zooming -->↵
15.     <meta http-equiv="X-UA-Compatible" content="IE=edge">  ↵
16.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
17.     <!-- ↵
18.     Bootstrap is designed to be responsive to mobile.↵
19.     Mobile-first styles are part of the core framework.↵
20.     ↵
21.     width=device-width sets the width of the page to follow the screen-width↵
22.     initial-scale=1 sets the initial zoom level when the page is first loaded
↵
23.   -->↵
24.   ↵
25.   <meta name="author" content="Jacqueline Lainhart and Angie Loayza">↵
26.   <meta name="description" content="Social media website surrounding movies,
tv shows, and music.">  ↵
27.   <meta name="keywords" content="movies, tv shows, tv series, music, social
media, forums">  ↵
28.   ↵
29.   ↵
30.   ↵
31.   <title>Mediac</title>↵
32.   ↵
33.   <!-- 3. link bootstrap -->↵
34.   <!-- if you choose to use CDN for CSS bootstrap -->↵
35.   <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">  ↵
36.   <!-- ↵
37.   Use a link tag to link an external resource. A rel (relationship) specifies
relationship between the current document and the linked resource.  ↵
38.   -->↵

```

```

39.     ↵
40.     <!-- For development, we may want a better-printed CSS, but with larger
download size. Ignore "min" ↵
41.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.css"
rel="stylesheet"> ↵
42.     -->↵
43.     <!-- if you choose to download bootstrap and host it locally -->↵
44.     <!-- <link rel="stylesheet" href="path-to-your-file/bootstrap.min.css" /> --
> ↵
45.     ↵
46.     <!-- include your CSS↵
47.         by including your CSS last, anything you write may override (depending
on specificity) the Bootstrap CSS↵
48.     <link rel="stylesheet" href="your-custom.css" /> ↵
49.     -->↵
50.     <link rel="stylesheet" href="styles/main.css"> ↵
51.     <link rel="stylesheet/less" type="text/css" href="styles/custom.less">↵
52.     </head>↵
53.     ↵
54.     <body class="d-flex flex-column min-vh-100">↵
55.         <!-- Navbar from Bootstrap Examples - Element 1 -->↵
56.         <div class="container-fluid bg-dark">↵
57.             <header class="d-flex flex-wrap align-items-center justify-content-
center justify-content-md-between py-3 bg-dark">↵
58.                 <div class="col-md-3 mb-2 mb-md-0">↵
59.                     <!-- <a href="/" class="d-inline-flex link-body-emphasis text-
decoration-none">↵
60.                         <svg class="bi" width="40" height="32" role="img" aria-
label="Bootstrap"><use xlink:href="#bootstrap"></use></svg>↵
61.                     </a> -->↵
62.                 </div>↵
63.                 ↵
64.                 <ul class="nav nav-pills mr-auto">↵
65.                     <li class="nav-item"><a href="/Hw3/index.html" class="nav-link
active" aria-current="page">Feed</a></li>↵
66.                     <li class="nav-item"><a href="/Hw3/playlists.html" class="nav-
link">Playlists</a></li>↵
67.                     <li class="nav-item"><a href="/Hw3/discover.html" class="nav-
link">Discover</a></li>↵
68.                     <li class="nav-item"><a href="/Hw3/friends.html" class="nav-
link">Friends</a></li>↵
69.                 </ul>↵
70.                 ↵
71.                 <!-- Form from Bootstrap Examples - Element 2 -->↵
72.                 <div class="col-md-3">↵
73.                     <form class="col-12 col-lg-auto mb-3 mb-lg-0 me-lg-3 col-xl-6"
role="search">↵
74.                         <input type="search" class="form-control form-control-dark text-
bg-dark" placeholder="Search..." aria-label="Search">↵
75.                     </form>↵
76.                 </div>↵
77.             </header>↵
78.         </div>↵
79.         ↵
80.         <!-- Card from Bootstrap Docs - Element 3 -->↵
81.         <div class="card mb-3 mx-auto bordered" style="max-width: 540px;margin-
top: 16px;">↵
82.             <div class="row g-0">↵
83.                 <div class="col-md-4 d-flex align-items-center">↵
84.                     ↵

```

```

85.         </div><
86.         <div class="col-md-8"><
87.             <div class="card-body"><
88.                 <h5 class="card-title">Card title</h5><
89.                 <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional content. This content is a little bit
longer.</p><
90.                 <p class="card-text"><small>Last updated 3 mins ago</small></p><
91.                 <!-- Button from Bootstrap Docs - Element 4 --><
92.                 <button class="btn btn-primary" type="submit">Button</button><
93.             </div><
94.         </div><
95.     </div><
96. </div><
97. <
98. <div class="card mb-3 mx-auto" style="max-width: 540px;"><
99.     <div class="row g-0"><
100.         <div class="col-md-4 d-flex align-items-center"><
101.             <
102.         </div><
103.         <div class="col-md-8"><
104.             <div class="card-body"><
105.                 <h5 class="card-title">Card title</h5><
106.                 <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional content. This content is a little bit
longer.</p><
107.                 <p class="card-text"><small>Last updated 3 mins ago</small></p><
108.                 <button class="btn btn-primary" type="submit">Button</button><
109.             </div><
110.         </div><
111.     </div><
112. </div><
113. <
114. <!-- Footer from Bootstrap Examples - Element 5 --><
115. <footer class="mt-auto"><
116.     <ul class="nav justify-content-center border-bottom pb-3 mb-3"><
117.         <li class="nav-item"><a href="/Hw3/index.html" class="nav-link px-2
text-body-secondary">Feed</a></li><
118.         <li class="nav-item"><a href="/Hw3/playlists.html" class="nav-link
px-2 text-body-secondary">Playlists</a></li><
119.         <li class="nav-item"><a href="/Hw3/discover.html" class="nav-link
px-2 text-body-secondary">Discover</a></li><
120.         <li class="nav-item"><a href="/Hw3/friends.html" class="nav-link px-
2 text-body-secondary">Friends</a></li><
121.         <li class="nav-item"><a href="#" class="nav-link px-2 text-body-
secondary">About</a></li><
122.     </ul><
123.     <p class="text-center text-body-secondary">© 2024 Company, Inc</p><
124. </footer><
125. <
126. <!-- 4. include bootstrap Javascript<
127.     Why at the end of the body?<
128. --><
129. <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.j
s" integrity="sha384-
C6RzsynM9kWDrmNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"><
130. </script><
131. <script src="https://cdn.jsdelivr.net/npm/less"></script><
132. <
133. </body><
134. </html>

```

Outline

<h1> [missing]

<h2> [missing]

<h3> [missing]

<h4> [missing]

<h5> **Card title**

<h5> **Card title**

Used the HTML parser.

Total execution time 9 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.2.14