

OUTPUT I: SPSS

Run MATRIX procedure:

***** PROCESS Procedure for SPSS Version 3.00 *****

Written by Andrew F. Hayes, Ph.D. www.afhayes.com
Documentation available in Hayes (2018). www.guilford.com/p/hayes3

Model : 1
Y : crave2
X : bdi0
W : mbrp

Covariates:
treathrs crave0

Sample
Size: 168

OUTCOME VARIABLE:
crave2

Model Summary	R	R-sq	MSE	F	df1	df2	p
	.5140	.2642	.7277	11.6319	5.0000	162.0000	.0000

Model	coeff	se	t	p	LLCI	ULCI
constant	1.0385	.4701	2.2090	.0286	.1102	1.9668
bdi0	1.1221	.2762	4.0625	.0001	.5767	1.6675
mbrp	.5872	.5241	1.1204	.2642	-.4478	1.6222
Int_1	-.9485	.4235	-2.2398	.0265	-1.7847	-.1122
treathrs	-.0177	.0103	-1.7190	.0875	-.0380	.0026
crave0	.1920	.0735	2.6138	.0098	.0470	.3371

Product terms key:
Int_1 : bdi0 x mbrp

Test(s) of highest order unconditional interaction(s):

	R2-chng	F	df1	df2	p
X*W	.0228	5.0166	1.0000	162.0000	.0265

Focal predict: bdi0 (X)
Mod var: mbrp (W)

Conditional effects of the focal predictor at values of the moderator(s):

mbrp	Effect	se	t	p	LLCI	ULCI
.0000	1.1221	.2762	4.0625	.0001	.5767	1.6675
1.0000	.1736	.3281	.5291	.5974	-.4744	.8216

***** ANALYSIS NOTES AND ERRORS *****

Level of confidence for all confidence intervals in output:

95.0000

----- END MATRIX -----