

Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

Datagrid Kullanımı

```
private void btnEkle_Click(object sender, EventArgs e)
{
    dgKayitlar.Rows.Add(txtOgrno.Text, txtAdsoyad.Text,
txtMail.Text);
}

private void btnGuncelle_Click(object sender,
EventArgs e)
{
    if (txtId.Text=="")
    {
        MessageBox.Show("Bir Kayıt Seçiniz!", "Hata", MessageBoxButtons.OK,
MessageBoxIcon.Error);
        return;
    }
    int kayitId = Convert.ToInt32(txtId.Text);
    dgKayitlar.Rows[kayitId].Cells[0].Value = txtOgrno.Text;
    dgKayitlar.Rows[kayitId].Cells[1].Value = txtAdsoyad.Text;
    dgKayitlar.Rows[kayitId].Cells[2].Value = txtMail.Text;
}

private void dgKayitlar_CellClick(object sender, DataGridViewCellEventArgs e)
{
    txtOgrno.Text = dgKayitlar.CurrentRow.Cells[0].Value.ToString();
    txtAdsoyad.Text = dgKayitlar.CurrentRow.Cells[1].Value.ToString();
    txtMail.Text = dgKayitlar.CurrentRow.Cells[2].Value.ToString();
    txtId.Text = dgKayitlar.CurrentRow.Index.ToString();
}

private void Form1_Load(object sender, EventArgs e)
{
    for (int i = 1; i <= 10; i++)
    {
        dgKayitlar.Rows.Add(i, "Adı Soyadı " + i, "adsoyad@mail.com");
    }
}

private void btnSil_Click(object sender, EventArgs e)
{
    if (txtId.Text == "")
    {
        MessageBox.Show("Bir Kayıt Seçiniz!", "Hata", MessageBoxButtons.OK,
MessageBoxIcon.Error);
        return;
    }
    int kayitId = Convert.ToInt32(txtId.Text);
    dgKayitlar.Rows.RemoveAt(kayitId);
}
}
```

Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

Seffaf Form Kullanımı

```
Point nokta = new Point();
int x, y;
double t;

private void Form1_MouseMove(object sender, MouseEventArgs e)
{
    if (e.Button == System.Windows.Forms.MouseButtons.Left)
    {
        nokta = Control.MousePosition;
        nokta.X = nokta.X - x;
        nokta.Y = nokta.Y - x;
        this.Location = nokta;
    }
}

private void Form1_MouseDown(object sender, MouseEventArgs e)
{
    x = Control.MousePosition.X - this.Location.X;
    y = Control.MousePosition.Y - this.Location.Y;
}

private void trackBar1_Scroll(object sender, EventArgs e)
{
    double s = Convert.ToDouble(trackBar1.Value);
    this.Opacity = s / 10;
}

private void btnKapat_Click(object sender, EventArgs e)
{
    t = 10;
    timer1.Enabled = true;
}

private void timer1_Tick(object sender, EventArgs e)
{
    t--;
    this.Opacity = t / 10;
    if (t <= 0)
    {
        Application.Exit();
    }
}
```




Image CROP

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using Microsoft.VisualBasic; //Project Menü Add Reference

namespace WindowsFormsApplication1
```

```
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }
        Rectangle rect;
        Boolean tusbasili;
        Color seciliRenk = Color.FromArgb(100, Color.Red);
        int kalinlik = 2;
        Bitmap rsm;
        private void Form1_Load(object sender, EventArgs e)
        {
            rect = new Rectangle(0,0,200,200);
            this.SetStyle(ControlStyles.AllPaintingInWmPaint, true);
            this.SetStyle(ControlStyles.OptimizedDoubleBuffer, true);
            this.Text = "O:Open C:Crop S:Setting";
        }

        private void Form1_Paint(object sender, PaintEventArgs e)
        {
            e.Graphics.FillRectangle(new SolidBrush(seciliRenk), rect);
            e.Graphics.DrawRectangle(new Pen(new SolidBrush(seciliRenk),kalinlik),rect);
            e.Graphics.DrawString(rect.Width + " X " + rect.Height,new
Font("Arial",20,FontStyle.Regular),new SolidBrush(seciliRenk),rect.Location);
        }

        private void Form1_MouseDown(object sender, MouseEventArgs e)
        {
            tusbasili = true;
            rect = new Rectangle(e.Location, rect.Size);
            this.Invalidate();
        }

        private void Form1_MouseUp(object sender, MouseEventArgs e)
        {
            tusbasili = false;
        }

        private void Form1_MouseMove(object sender, MouseEventArgs e)
        {
            if (tusbasili)
            {
                rect = new Rectangle(e.Location,rect.Size);
                this.Invalidate();
            }
        }

        private void Form1_KeyPress(object sender, KeyPressEventArgs e)
        {
            if (e.KeyChar == 'o' || e.KeyChar == 'O')
            {
                openFileDialog1.Filter = "Resim Dosyaları|*.jpg";
                if (openFileDialog1.ShowDialog()==DialogResult.Cancel)
                {
                    return;
                }
                this.BackgroundImage = Image.FromFile(openFileDialog1.FileName);
            }
            if (e.KeyChar == 'c' || e.KeyChar == 'C')
            {
                rsm = new Bitmap(rect.Width, rect.Height);
                e.Graphics.DrawImage(rsm, rect);
            }
        }
    }
}
```

Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

```
{
    if (this.BackgroundImage == null)
    {
        MessageBox.Show("Önce Resim  
Açınız!", "Hata", MessageBoxButtons.OK, MessageBoxIcon.Error);
        return;
    }
    Random rastgele = new Random();
    saveFileDialog1.FileName = rastgele.Next(100, 999).ToString() + ".jpg";
    if (saveFileDialog1.ShowDialog() == DialogResult.Cancel)
    {
        return;
    }
    rsm = new Bitmap(this.BackgroundImage);
    Bitmap crop = rsm.Clone(rect, rsm.PixelFormat);
    crop.Save(saveFileDialog1.FileName);
    if (MessageBox.Show("Resim Croplandı Açılışın mı?", "İşlem Onayı",  
MessageBoxButtons.YesNo) == DialogResult.No)
    {
        return;
    }
    System.Diagnostics.Process p = new System.Diagnostics.Process();
    p.StartInfo.FileName = saveFileDialog1.FileName;
    p.Start();
}
if (e.KeyChar == 's' || e.KeyChar == 'S')
{
    string gelen = Interaction.InputBox("Dikdörtgen Boyutlarının 100;100 şeklinde  
giriniz", "Ayarlar", "100;100");
    if (gelen.IndexOf(';') == -1)
    {
        MessageBox.Show("Geçersiz Giriş Tekrar  
Deneyiniz", "Hata", MessageBoxButtons.OK, MessageBoxIcon.Error);
        return;
    }
    string[] parcala = gelen.Split(';');
    rect = new  
Rectangle(MousePosition.X, MousePosition.Y, Convert.ToInt32(parcala[0]), Convert.ToInt32(  
parcala[1]));
}
}
}
```

Setting File Kullanımı

Form1

```
private void btnArkaPlan_Click(object sender, EventArgs e)
{
    if (colorDialog1.ShowDialog() == DialogResult.Cancel)
    {
        return;
    }
    this.BackColor = colorDialog1.Color;
    Ayarlar.Default.ArkaPlanRengi = colorDialog1.Color;
    Ayarlar.Default.Save();
}
```



Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

```
private void btnYazi_Click(object sender, EventArgs e)
{
    if (colorDialog1.ShowDialog() == DialogResult.Cancel)
    {
        return;
    }
    this.ForeColor = colorDialog1.Color;
    Ayarlar.Default.YaziRengi = colorDialog1.Color;
    Ayarlar.Default.Save();
}

private void btnFont_Click(object sender, EventArgs e)
{
    if (fontDialog1.ShowDialog() == DialogResult.Cancel)
    {
        return;
    }
    this.Font = fontDialog1.Font;
    Ayarlar.Default.YaziFontu = fontDialog1.Font;
    Ayarlar.Default.Save();
}

private void Form1_Load(object sender, EventArgs e)
{
    this.BackColor = Ayarlar.Default.ArkaPlanRengi;
    this.ForeColor = Ayarlar.Default.YaziRengi;
    this.Font = Ayarlar.Default.YaziFontu;
}
```



YÜKLENİYOR

Form2


```
private void Form2_Load(object sender, EventArgs e)
{
    this.BackColor = Ayarlar.Default.ArkaPlanRengi;
    this.ForeColor = Ayarlar.Default.YaziRengi;
    this.Font = Ayarlar.Default.YaziFontu;
}

private void btnTamam_Click(object sender, EventArgs e)
{
    if (txtKadi.Text == "akd" && txtParola.Text == "123")
    {
        this.Hide();
        Form3 f = new Form3();
        f.Show();
    }
}
```

Form3

```
int t = 0;
private void timer1_Tick(object sender, EventArgs e)
{
    t += 5;
    progressBar1.Value = t;
    label1.Text = "Y Ü K L E N İ Y O R % " + t;
    if (t >= 100)
    {

```



Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

```
timer1.Enabled = false;
this.Hide();
Form1 f = new Form1();
f.Show();
}
}

private void Form3_Load(object sender, EventArgs e)
{
    this.BackColor = Ayarlar.Default.ArkaPlanRengi;
    this.ForeColor = Ayarlar.Default.YaziRengi;
    this.Font = Ayarlar.Default.YaziFontu;
}
```


Resim İşleme

```
private void btnAynaY_Click(object sender, EventArgs e)
{
    if (pbResim.Image == null)
    {
        MessageBox.Show("Önce Resim Dosyası Açınız!",
            "Hata", MessageBoxButtons.OK, MessageBoxIcon.Error);
        return;
    }

    Bitmap bm = new Bitmap(pbResim.Image);
    Bitmap ybm = new Bitmap(pbResim.Image);
    Color renk = default(Color);
    for (int X = 0; X <= bm.Width - 1; X++)
    {
        for (int Y = 0; Y <= bm.Height - 1; Y++)
        {
            renk = bm.GetPixel(X, Y);
            ybm.SetPixel(X, bm.Height - Y - 1, renk);
        }
    }
    pbSonuc.Image = ybm;
}

private void btnAc_Click(object sender, EventArgs e)
{
    openFileDialog1.Filter = "Resim Dosyası|*.jpg";
    if (openFileDialog1.ShowDialog() == DialogResult.Cancel)
    {
        return;
    }
    pbResim.Image = Image.FromFile(openFileDialog1.FileName);
}

private void btnAynaD_Click(object sender, EventArgs e)
{
    if (pbResim.Image == null)
    {
        MessageBox.Show("Önce Resim Dosyası Açınız!", "Hata", MessageBoxButtons.OK,
            MessageBoxIcon.Error);
        return;
    }
}
```



Nesne Tabanlı Programlama I Ders Notları (2. Kısım)

```
Bitmap bm = new Bitmap(pbResim.Image);
Bitmap ybm = new Bitmap(pbResim.Image);
Color renk = default(Color);
for (int X = 0; X <= bm.Width - 1; X++)
{
    for (int Y = 0; Y <= bm.Height - 1; Y++)
    {
        renk = bm.GetPixel(X, Y);
        ybm.SetPixel(bm.Width - X - 1, Y, renk);
    }
}
pbSonuc.Image = ybm;
}

private void btnGri_Click(object sender, EventArgs e)
{
    Bitmap bm = new Bitmap(pbResim.Image);
    Bitmap ybm = new Bitmap(pbResim.Image);
    Color renk = default(Color);
    for (int X = 0; X <= bm.Width - 1; X++)
    {
        for (int Y = 0; Y <= bm.Height - 1; Y++)
        {
            renk = bm.GetPixel(X, Y);
            int gri=(renk.R+renk.G+renk.B)/3;
            ybm.SetPixel(X, Y, Color.FromArgb(gri, gri, gri));
        }
    }
    pbSonuc.Image = ybm;
}

private void btnNegatif_Click(object sender, EventArgs e)
{
    Bitmap bm = new Bitmap(pbResim.Image);
    Bitmap ybm = new Bitmap(pbResim.Image);
    Color renk = default(Color);
    for (int X = 0; X <= bm.Width - 1; X++)
    {
        for (int Y = 0; Y <= bm.Height - 1; Y++)
        {
            renk = bm.GetPixel(X, Y);
            Color yRenk = Color.FromArgb(255 - renk.R, 255 - renk.G, 255 - renk.B);
            ybm.SetPixel(X, Y, yRenk);
        }
    }
    pbSonuc.Image = ybm;
}
```