

Models for Sustainable Population Growth on Mars

Chris Dunlap, Allen Koh, Matt May

CSE 6730 Project 2 Checkpoint, Spring 2016

Contents

1	Problem Statement and Approach	2
2	Simulation Description	2
3	Related Work	2
4	Simulation Architecture	4
5	Progress To Date	4
6	Task Plan	4
7	Proposal	4

1 Problem Statement and Approach

In the United States, the National Aeronautics and Space Administration (NASA) has announced its plan to send humans to Mars during the 2030s. This ambitious goal requires a variety of studies be conducted to effectively plan the endeavor. General habitation, food production, resource extraction, communication, spacecraft, and many other areas must be studied to determine their optimal configuration.

For our second project, we propose a simulation of population growth dynamics on Mars, with the goal of determining an optimal strategy for sustainable population growth. Population growth models have been extensively studied in the literature [4], [3], [10], [2], [6] but generally only in the context of our own planet.

2 Simulation Description

We intend to model humans as consumer entities, and several types of resources such as food, water, and sanitation availability as resource entities. We intend to take a stochastic, discrete-time approach. As David Quammen notes [13], there are four sources of uncertainty to which a population may be subject: demographic, environmental, natural catastrophes, and genetic. We will attempt to model several of these to provide the greatest realism possible.

3 Related Work

Often, natural populations without resource limitations exhibit exponential growth [1]. However, this type of rapid growth will likely be unsustainable under the extreme resource constraints of Mars. By considering several proposed habitation models for Mars, we hope to better understand the resource requirements of these approaches, and by that develop recommendations for sustainable growth.

A stochastic model of population growth during the Neolithic transition focused on foragers and farmers is presented by [7] where a two-population model is used. Foragers and farmers are modeled separately but maintain a relationship through total population density. Crop production is also modeled by a formula based on soil nutrients and production rate. The density of

soil nutrients is modeled as a partial differential equation, taking into account population size and crop production per unit of time. The study discusses the change in food supply as population density increases and farm land degrades, but as mentioned earlier, there are underlying assumptions that do not apply to the case of colonizing Mars (such as erosion and flooding). Despite the model’s end goal being different from ours, the modeling of crop production and soil nutrients appears transferrable to our application with the proper tailoring.

The study in [7] established the use of phosphorus as the predominant indicator of nutrients in soil. As such, the relationship of phosphorus excreted by human subjects as a function of protein intake [11] can be applied to our problem to quantify the ability to reconstitute soil for farming by using human excrement.

A study by the Food and Agriculture Organization of the United Nations (FAO) [9] further adds value to our study by providing the amount of animal- and plant-based protein consumed by individuals from a multitude of countries. Given our study’s focus on NASA, figures from the United States can be gleaned. Other information from the FAO [8] provides figures for crop efficiency, quantifying edible energy and protein per hectare of farming land for a selection of key crops.

Finally, a study related to hydroponics [5] presents a final useful component to the modeling of food our study, where the effectiveness of hydroponic gardening is compared to that of conventional crop growing techniques by analyzing one of the crops found in [8]. In the end of the study, a multiplier is found that could be used to approximate the amount of food the Mars colony can grow using hydroponics when compared to the amount grown by conventional means. In this light, it may be attractive for the Mars colony to use hydroponics in lieu of conventional farming landscapes.

Another study by [12] introduces five models of human colonization. The study focuses around expansion of colonies by modeling migration patterns of the population as well as mortality and fertility rates. The five models of colonization mentioned are the matrix model, beachhead model, string of pearls, outpost model and the pulse model. The paper concludes that regardless of population size, low fertility rates and/or high mortality rates will cause colonization to fail.

4 Simulation Architecture

5 Progress To Date

From a programming perspective, we plan to use the Python programming language, which is object-oriented, dynamically typed, and interpreted, making it an excellent choice for developing our simulation in an iterative manner.

6 Task Plan

7 Proposal

References

- [1] Teresa Audesirk, Gerald Audesirk, and Bruce E Byers. *Biology: life on earth*. Prentice Hall, 1996.
- [2] Ester Boserup, N Makhoul, RE Munn, TN Srinivasan, JA Robinson, and C Rocha. Population and technological change: A study of long-term trends. *International Journal of Health Services*, 13(1):15–31, 1983.
- [3] Hal Caswell. *Matrix population models*. Wiley Online Library, 2001.
- [4] Colin Clark et al. *Population growth and land use*. London: MacMillan., 1967.
- [5] Ricardo M. Correa, Jose Eduardo B. Pinto, Cesar Augusto Brasil Pereira Pinto, Valdemar Faquin, Erika S. Reis, Aline B. Monteiro, and Willian E. Dyer. A comparison of potato seed tuber yields in beds, pots, and hydroponic systems. *Scientia Horticulturae*, 116(1):17–20, 2008.
- [6] Paul R Ehrlich, John P Holdren, et al. Impact of population growth. *Science*, 171(3977):1212–1217, 1971.
- [7] Sergei Fedotov, David Moss, and Daniel Campos. Stochastic model for population migration and the growth of human settlements during the neolithic transition. *Physical Review E*, 78(2):026107, 2008.
- [8] Food and Agriculture Organization of the United Nations (FAO). Roots, tubers, plantains and bananas in human nutrition. 1990.
- [9] Food and Agriculture Organization of the United Nations (FAO). Food balance sheets. <http://faostat.fao.org/site/368/default.aspx>, 2011. Accessed: 2016-04-04.
- [10] Donella H Meadows, Dennis L Meadows, Jørgen Randers, et al. *Beyond the limits: global collapse or a sustainable future*. Earthscan Publications Ltd., 1992.
- [11] James R. Mihelcic, Lauren M Fry, and Ryan Shaw. Global potential of phosphorus recovery from human urine and feces. *Chemosphere*, 84, 2011.

- [12] John H Moore. Evaluating five models of human colonization. *American Anthropologist*, 103(2):395–408, 2001.
- [13] David Quammen. The song of the dodo: island biogeography in an age of extinction. *Hutchinson, London*, 1996.