

Monthly Report: Chevron Richmond Community Air Monitoring Program

Report Number: RCAMP_MO_10

Date: January 2014

Table of Contents

T	able of Contents	2
E	Executive Summary	4
1	Report Document Control	6
2	Introduction	7
3	Results	8
	3.2.1 Point Richmond	11
	3.3 QA/QC Checks	19
4	Operational Performance Events	21
5	Maintenance Activities	22
6	Summary of Findings	23
A	ppendix A: Maintenance and Calibration Activities	24
A	ppendix B: Website Message Board Logs	25
A	ppendix C: Equipment Location	26

<u>TABLES</u>	
Table 2.1: Target Compounds Measured by Fence Line System	7
Table 3.1: Maximum Detected Concentrations Measured by the Fence Line	
Monitoring Equipment Located Adjacent to Point Richmond	8
Table 3.2: Maximum Detected Concentrations Measured by the Fence Line	
Monitoring Equipment Located Adjacent to Atchison Village	9
Table 3.3: Maximum Detected Concentrations Measured by the Fence Line	
Monitoring Equipment Located Adjacent to North Richmond	10
EICHDEC	
Figure 2.1. Daint Dichmand Pangana Manitaged by IIV	11
Figure 3.1: Point Richmond Benzene Monitored by UV	
Figure 3.2: Point Richmond Sulfur Dioxide Monitored by UV	
Figure 3.3: Point Richmond Toluene Monitored by UV	
Figure 3.4: Point Richmond Wind Speed	
Figure 3.5: Point Richmond Wind Direction	
Figure 3.6: Atchison Village Benzene Monitored by UV	
Figure 3.7: Atchison Village Sulfur Dioxide Monitored by UV	
Figure 3.8: Atchison Village Toluene Monitored by UV	
Figure 3.9: Atchison Village Wind Speed	
Figure 3.10: Atchison Village Wind Direction	
Figure 3.11: North Richmond Sulfur Dioxide Monitored by UV	
Figure 3.12: North Richmond Toluene Monitored by UV	
Figure 3.13: North Richmond Wind Speed	
Figure 3.14: North Richmond Wind Direction	
Figure 3.15: Point Richmond Ozone by UV	
Figure 3.16: Atchison Village Ozone by UV	
Figure 3.17: North Richmond Ozone by UV	20

Executive Summary

The following report summarizes the monthly data generated as part of the Richmond Community Air Monitoring Program (RCAMP). RCAMP is an independent initiative designed to provide air quality readings to the general public and educate the community about what is in the air. The air quality monitoring equipment and its installation was funded by Chevron in consultation with the City of Richmond. Ongoing operation, maintenance and data reporting is managed by Argos Scientific, Inc., with direction from the City Manager's Office, and input from Chevron and community representatives.

This report details the information collected by the operation of the open path fence line monitoring systems installed near the perimeter of Chevron's Richmond Refinery. The report explains the data and measurements of target compounds (benzene, toluene, sulfur dioxide, p-xylene, carbon disulfide and hydrogen sulfide) for the month of January 2014, at the fence line monitoring locations located near the Richmond Refinery perimeter, adjacent to Point Richmond, Atchison Village and North Richmond.

Operational Performance Events

During January 2014 there were no events that affected the monitoring system on the refinery perimeter.

Maintenance Activities

Routine maintenance and quality assurance/quality control (QA/QC) for the open path fence line monitoring systems occurred on January 13, 2014 at the fence line monitoring locations located near the Richmond Refinery perimeter, adjacent to Point Richmond and Atchison Village. There was no access to the fence line monitoring location located near the Richmond Refinery perimeter, adjacent to North Richmond so Argos technicians were unable to perform QA/QC checks in January 2014 at this site.

Summary Findings

The following was noted from the monthly results of the monitoring activities:

- At the refinery perimeter that is adjacent to Point Richmond, the
 maximum benzene concentration was recorded when the winds were
 from the South-to-southeast. The maximum sulfur dioxide value was
 recorded when winds were from the East-to-northeast. The maximum
 toluene value was recorded when winds were from the Southeast;
- At the refinery perimeter that is adjacent to Atchison Village, the maximum benzene concentration was recorded when the winds were from the South-to-southwest. The maximum sulfur dioxide value was

- recorded when winds were from the Southeast. The maximum toluene value was recorded when winds were from the North-to-northeast;
- At the refinery perimeter that is adjacent to North Richmond, the maximum sulfur dioxide concentration was recorded when the winds were from the South. The maximum toluene value was recorded when winds were from the North-to-northeast.

1 Report Document Control

PROJECT REFERENCE:	RCAMP_MO_10
REPORT TITLE:	Monthly Report: Richmond Community Air Monitoring Program
DATE SUBMITTED:	January 09, 2013
CLIENT:	Adam Lenz Sustainability Coordinator City Manager's Office E-mail: adam_lenz@richmond.ca.us Telephone: 510-620-5537
PREPARED BY:	Don Gamiles Argos Scientific Inc.
STATUS	Final
NOTICE	

2 Introduction

Table 2.1 lists the target compounds monitored during the month of January 2014, at the fence line monitoring systems near the refinery perimeter and adjacent to Point Richmond, Atchison Village and North Richmond. Each site has an open path Ultra Violet (Open Path UV) air monitoring system and an open path tunable diode laser (TDL) air monitoring system, see Appendix C for an equipment location map.

Table 2.1: Target Compounds Measured by Fence Line System

Compound	Instrument
Benzene	Open Path UV
Toluene	Open Path UV
Sulfur Dioxide	Open Path UV
p-Xylene	Open Path UV
Carbon Disulfide	Open Path UV
Hydrogen Sulfide	TDL

In addition each site is equipped with a meteorological station measuring the following parameters:

- Wind speed
- Wind direction
- Temperature
- Relative humidity

The results of the measurements performed by the system for the month of January 2014, are presented in the sections that follow.

3 Results

Monthly Maximum Fence Line Detections

This section of the report presents the results for the monitoring performed for the month of January 2014. Tables 3.1, 3.2 and 3.3 list the maximum monthly concentrations measured at each of the sites for the monitoring period.

Table 3.1: Maximum Detected Concentrations Measured by the Fence Line Monitoring Equipment Located Adjacent to Point Richmond

Compound	Date	Time	Concentration (ppb)	Toxicity Summary (ppb)	Wind Direction
				Short-term/acute (for a 6-hour exposure) 1: 433	
Benzene	01/07/2014	03:40 PM	5	Long- term/chronic ² : 20	South-to- southeast
Sulfur Dioxide	01/11/2014	03:15 AM	52	Short-term/acute (for a 1-hour exposure) ¹ : 230	East-to- northeast
				Short-term/acute (for a 1-hour exposure) 1: 8600	
Toluene	01/12/2014	12:05 AM	11	Long- term/chronic ² : 70	Southeast
				Short-term/acute (for a 1-hour exposure) ¹ : 6285	
p-Xylene	Nothing Detected	Nothing Detected	Nothing Detected	Long- term/chronic ² : 200	Nothing Detected
				Currently there are no standards set for evaluating risks	
Carbon Disulfide	Nothing Detected	Nothing Detected	Nothing Detected	of exposure to Carbon Disulfide	Nothing Detected
Hydrogen Sulfide	Nothing Detected	Nothing Detected	Nothing Detected	Long- term/chronic ² : 8	Nothing Detected

 $^{^{}m 1}$ California Office of Environmental Health Hazard Assessment, Acute Toxicity Summary

⁽http://oehha.ca.gov/air/hot_spots/2008/AppendixD2_final.pdf)

² California Office of Environmental Health Hazard Assessment, Chronic Toxicity Summary (http://oehha.ca.gov/air/hot spots/2008/AppendixD3 final.pdf)

Table 3.2: Maximum Detected Concentrations Measured by the Fence Line Monitoring Equipment Located Adjacent to Atchison Village

Compound	Date	Time	Concentration (ppb)	Toxicity Summary (ppb)	Wind Direction
			(pps)	Short-term/acute (for a 6-hour exposure) ³ : 433	Zir cotton
Benzene	01/25/2014	11:25 AM	9	Long- term/chronic ⁴ : 20	South-to- southwest
Sulfur Dioxide	01/24/2014	02:50 AM	82	Short-term/acute (for a 1-hour exposure) ³ : 230	Southeast
				Short-term/acute (for a 1-hour exposure) ³ : 8600	
Toluene	01/25/2014	07:05 PM	19	Long- term/chronic ⁴ : 70	North-to- northeast
				Short-term/acute (for a 1-hour exposure) ³ : 6285	
p-Xylene	Nothing Detected	Nothing Detected	Nothing Detected	Long- term/chronic4: 200	Nothing Detected
				Currently there are no standards set for evaluating risks of	
Carbon Disulfide	Nothing Detected	Nothing Detected	Nothing Detected	exposure to Carbon Disulfide	Nothing Detected
Hydrogen Sulfide	Nothing Detected	Nothing Detected	Nothing Detected	Long- term/chronic ⁴ : 8	Nothing Detected

 $^{\rm 3}$ California Office of Environmental Health Hazard Assessment, Acute Toxicity Summary

⁽http://oehha.ca.gov/air/hot_spots/2008/AppendixD2_final.pdf)

4 California Office of Environmental Health Hazard Assessment, Chronic Toxicity Summary (http://oehha.ca.gov/air/hot spots/2008/AppendixD3 final.pdf)

Table 3.3: Maximum Detected Concentrations Measured by the Fence Line Monitoring Equipment Located Adjacent to North Richmond

Compound	Date	Time	Concentration (ppb)	Toxicity Summary (ppb)	Wind Direction
				Short-term/acute	
				(for a 6-hour	
				exposure) 5: 433	
	Nothing	Nothing	Nothing	Long-	Nothing
Benzene	Detected	Detected	Detected	term/chronic ⁶ : 20	Detected
				Short-term/acute	
				(for a 1-hour	
Sulfur Dioxide	01/29/2014	04:50 PM	42	exposure) ⁵ : 230	South
				Short-term/acute	
				(for a 1-hour	
				exposure) ⁵ : 8600	
				Long-	North-to-
Toluene	01/07/2014	05:50 AM	9	term/chronic ⁶ : 70	northeast
				Short-term/acute	
				(for a 1-hour	
				exposure) 5: 6285	
				Long-	
	Nothing	Nothing	Nothing	term/chronic ⁶ :	Nothing
p-Xylene	Detected	Detected	Detected	200	Detected
				Currently there	
				are no standards	
				set for evaluating	
	37 .11			risks of exposure	37 .1.
Carbon	Nothing	Nothing	Nothing	to Carbon	Nothing
Disulfide	Detected	Detected	Detected	Disulfide	Detected
Hydrogen	Nothing	Nothing	Nothing	Long-	Nothing
Sulfide	Detected	Detected	Detected	term/chronic ⁶ : 8	Detected

Tables 3.1, 3.2 and 3.3 above indicate that the fence line equipment detected compounds at each location. The concentrations of these compounds were significantly lower than the toxicity standards established by the State of California.

3.2 Monthly Fence Line Detections

The sections below detail the compounds detected at each of the monitoring locations. Where there were no detections for the month these graphs are not included. The data is grouped by sampling site with the associated meteorological data included.

⁵ California Office of Environmental Health Hazard Assessment, Acute Toxicity Summary (http://oehha.ca.gov/air/hot_spots/2008/AppendixD2_final.pdf)

⁶ California Office of Environmental Health Hazard Assessment, Chronic Toxicity Summary (http://oehha.ca.gov/air/hot_spots/2008/AppendixD3_final.pdf)

3.2.1 Point Richmond

Figures 3.1 to 3.5 show the gas detections for the month of January 2014 at the fence line monitoring system near the refinery perimeter and adjacent to Point Richmond. In addition wind speed and wind direction data measured by the system is reported. For the month of January 2014, p-xylene, carbon disulfide and hydrogen sulfide were not detected by the system. The data is plotted on a logarithmic scale.




Figure 3.1: Point Richmond Benzene Monitored by UV

Figure 3.1 shows that the maximum concentration of 5 ppb was detected on January 07, 2014 at 03:40 PM. Toxicity levels established by the State of California are listed in tables 3.1 above.




Figure 3.2: Point Richmond Sulfur Dioxide Monitored by UV

Figure 3.2 shows that the maximum concentration of 52 ppb was detected on January 11, 2014 at 03:15 AM. Toxicity levels established by the State of California are listed in tables 3.1 above.




Figure 3.3: Point Richmond Toluene Monitored by UV

Figure 3.3 shows that the maximum concentration of 11 ppb was detected on January 12, 2014 at 12:05 AM. Toxicity levels established by the State of California are listed in tables 3.1 above.

3.2.1.1 Point Richmond Wind Speed and Wind Direction

Figure 3.4: Point Richmond Wind Speed





Figure 3.5: Point Richmond Wind Direction



3.2.2 Atchison Village

Figures 3.6 to 3.10 show the gas detections for the month of January 2014 at the fence line monitoring location located near the refinery perimeter and adjacent to Atchison Village as well as the wind speed and wind direction data measured

by the system. For the month of January 2014, p-xylene, carbon disulfide and hydrogen sulfide were not detected. The gas data is plotted on a logarithmic scale.




Figure 3.6: Atchison Village Benzene Monitored by UV

Figure 3.6 shows that the maximum concentration of 9 ppb was detected on January 25, 2014 at 11:25 AM. Toxicity levels established by the State of California are listed in tables 3.2 above.




Figure 3.7: Atchison Village Sulfur Dioxide Monitored by UV

Figure 3.7 shows that the maximum concentration of 82 ppb was detected on January 24, 2014 at 02:50 AM. Toxicity levels established by the State of California are listed in tables 3.2 above.




Figure 3.8: Atchison Village Toluene Monitored by UV

Figure 3.8 shows that the maximum concentration of 19 ppb was detected on January 25, 2014 at 07:05 PM. Toxicity levels established by the State of California are listed in tables 3.2 above.

3.2.2.1 Atchison Village Wind Speed and Wind Direction

Figure 3.9: Atchison Village Wind Speed





Figure 3.10: Atchison Village Wind Direction



3.2.3 North Richmond

Figures 3.11 to 3.14 show the gas detections for the month of January 2014 at the fence line monitoring location located near the refinery perimeter and adjacent to North Richmond as well as the wind speed and wind direction data

measured by the system. For the month of January 2014, benzene, p-xylene, carbon disulfide and hydrogen sulfide were not detected. The gas data is plotted on a logarithmic scale.




Figure 3.11: North Richmond Sulfur Dioxide Monitored by UV

Figure 3.11 shows that the maximum concentration of 41 ppb was detected on January 29, 2014 at 04:50 PM. Toxicity levels established by the State of California are listed in tables 3.3 above




Figure 3.12: North Richmond Toluene Monitored by UV

Figure 3.12 shows that the maximum concentration of 9 ppb was detected on January 07, 2014 at 05:50 AM. Toxicity levels established by the State of California are listed in tables 3.3 above.

3.2.3.1 North Richmond Wind Speed and Wind Direction




Figure 3.13: North Richmond Wind Speed

360 330 300 270 Mind Direction (degrees) 150 150 150 90 60 30

Figure 3.14: North Richmond Wind Direction

3.3 QA/QC Checks




Figure 3.16: Atchison Village Ozone by UV





Figure 3.17: North Richmond Ozone by UV



4 Operational Performance Events

During January 2014 there were no events that affected the monitoring system on the refinery perimeter. $\,$

5 Maintenance Activities

Routine maintenance and quality assurance/quality control (QA/QC) for the open path fence line monitoring systems occurred on January 13, 2014 at the fence line monitoring locations located near the Richmond Refinery perimeter, adjacent to Point Richmond and Atchison Village. There was no access to the fence line monitoring location located near the Richmond Refinery perimeter, adjacent to North Richmond so Argos technicians were unable to perform QA/QC checks in January 2014 at this site.

6 Summary of Findings

The following was noted from the monthly results of the monitoring activities:

- At the refinery perimeter that is adjacent to Point Richmond, the
 maximum benzene concentration was recorded when the winds were
 from the South-to-southeast. The maximum sulfur dioxide value was
 recorded when winds were from the East-to-northeast. The maximum
 toluene value was recorded when winds were from the Southeast;
- At the refinery perimeter that is adjacent to Atchison Village, the
 maximum benzene concentration was recorded when the winds were
 from the South-to-southwest. The maximum sulfur dioxide value was
 recorded when winds were from the Southeast. The maximum toluene
 value was recorded when winds were from the North-to-northeast;
- At the refinery perimeter that is adjacent to North Richmond, the maximum sulfur dioxide concentration was recorded when the winds were from the South. The maximum toluene value was recorded when winds were from the North-to-northeast.

Appendix A: Maintenance and Calibration Activities

The following calibration activities were recorded at the site.

Point Richmond QA/QC

Instrument	Instrument Compound		Time	Passed Yes/No
UV	Benzene, Toluene, Sulfur Dioxide, p-Xylene	01/13/2014	01:35 PM	Yes
TDL	Hydrogen Sulfide	01/13/2014	01:13 PM	Yes

Atchison Village QA/QC

Instrument	Compound	Date	Time	Passed Yes/No
UV Benzene, Toluene, Sulfur Dioxide, p-Xylene		01/13/2014	11:35 AM	Yes
TDL	Hydrogen Sulfide	01/13/2014	12:12 AM	Yes

North Richmond QA/QC

Instrument	Compound	Date	Time	Passed Yes/No
UV	Benzene, Toluene, Sulfur Dioxide, p-Xylene			No site access
TDL	Hydrogen Sulfide			No site access

Appendix B: Website Message Board Logs

The following operational issues were noted on the Richmond Refinery Community Website:

- 01/13/2014 10:24 Argos is on site to perform monthly maintenance on the fence line instruments. UV, TDL, and MET systems may be temporarily offline for the next few hours. The message board will be updated when QA/QC work is complete.
- 01/13/2014 15:28 QA/QC work for the fence line instruments has been completed.

Appendix C: Equipment Location

