



FOR SUPER ADMINS

Super Admin Guide

The operations and financial controls you uniquely manage — users, applications, invoices, financials, data integrity, and the admin tools that keep LogisX running clean.

Contents

01	Welcome	What Super Admin uniquely manages What this guide covers What this guide doesn't cover A note on power A note on accountability A note on supporting roles
02	Quick Start	Signing in The full sidebar A typical week What's different from dispatcher view Keyboard shortcuts (none yet) Search How real-time updates work Click anywhere to drill in A daily glance routine What to escalate (yes, you can escalate too) A note on speed A note on transparency

03 User Management

- Opening Users
- The four roles
- Creating a user
- Editing a user
- Deleting a user
- Roles and permissions in detail
- Changing a user's role
- Linking accounts to data
- When a user account isn't linking correctly
- Bulk operations
- Password resets
- Demo viewer
- Pro tips

04 Driver Applications

- Where applications come from
- Opening Applications
- Reading an application
- What to look for
- Downloading the application PDF
- Approving an application
- Rejecting an application
- When an application is unclear
- The onboarding flow
- What if an applicant doesn't sign in
- Re-applications
- Bulk applications
- Pro tips

05 Investor Applications

- Where investor applications come from
- Opening Investor Applications
- Reading an application
- What to look for
- Talking to the applicant
- Approving an application
- The investor onboarding flow
- Adding trucks to an investor's fleet

- Multiple trucks
- Rejecting an application
- When the investor disappears
- Coordinating with the truck purchase
- Reading the investor dashboard from your side
- Pro tips

06 Invoice Approvals

- Opening Invoices
- Invoice lifecycle
- Reading an invoice
- What to check before approving
- Approving
- Rejecting
- Adjustments
- Common issues
- When to send back vs. fix yourself
- After approval — payment
- Disputes
- Pro tips

07 Financials

- Opening Financials
- Key numbers
- Per-truck profitability
- Reading trends
- When numbers look wrong
- Reconciling with bank statements
- Drilling into specific items
- Exporting
- Comparing periods
- Investor reports
- When financials shock you
- Pro tips

08 Data Manager

- What it is
- Why it exists
- How to use it carefully

- Editing a cell
- Adding a row
- Deleting a row
- The Job Tracking columns
- The Carrier Database
- Best practices
- When NOT to use Data Manager
- What about adding columns?
- Editing the archive sheet
- Editing while a dispatcher is using the same data
- Mass operations
- Pro tips

09 Admin Tools

- Opening Admin Tools
- The available tools
- When to run each tool
- A note on "Scan" results
- The audit trail records your actions
- What's not in Admin Tools
- Limitations
- Pro tips

10 Loads Management — Cancellation, Soft-Delete, Restoration

- The three options
- Cancelling a load
- Soft-deleting a load
- Hard-deleting a row
- When to cancel vs. soft-delete
- The dispatcher can't cancel
- Notifying drivers about cancellations
- Notifying brokers
- Audit trail of cancellations and deletions
- Patterns and outliers
- Restoring a soft-deleted load
- Restoring a cancelled load
- Pro tips

11 Archive

- What's in the Archive
- Opening the Archive
- What you can do
- What you can't do
- When to use the Archive
- Searching the archive
- Archive's relationship to production
- Archive memory
- Growing the archive
- Archiving is not deletion
- When to archive vs. delete
- Backup strategy
- The Pending Google Cloud reminder
- Pro tips

12 Audit Trail

- What's logged
- Opening the audit trail
- When to use it
- Reading entries
- Audit retention
- Audit trail vs. notifications

Audit trail vs. status logs
Cross-referencing with other data
Privacy
When to actively review
Outputs of audit review
Querying the table directly
Audit trail integrity
Pro tips

13 Super Admin Best Practices

Discipline with destructive operations
Consistency
Communication
Working with the team
Working with drivers (when you do)
Working with investors
Data integrity
Financial discipline
Decision-making
Security
When things go wrong
Career
A note on speed

14 Troubleshooting

"I can't sign in."
"I see the dispatcher view, not the admin sidebar."
Application issues
Invoice approval issues
Financials issues
User management issues
Data Manager issues
Admin Tools issues
Load cancellation issues
Soft-delete issues
Audit trail issues
Routemate issues
n8n / email ingestion issues
System-wide issues

When all else fails

15 Frequently Asked Questions

Authority and access
User management
Applications
Invoices
Financials
Data Manager
Admin Tools
Cancellation and deletion
Audit trail
Investors
Data integrity
Technical questions
Career and growth

Welcome

Super Admin is the top of the access hierarchy at LogisX. You can do everything a dispatcher can do, plus everything that touches users, applications, money, financials, and data integrity. This guide is the complete reference for the things only you can do.

What Super Admin uniquely manages

The dispatcher runs daily operations — assigning loads, tracking trucks, communicating with drivers. You handle the strategic and structural layer:

- **Users.** Adding, removing, role changes. Anyone who can sign in to LogisX is in your purview.
- **Applications.** Driver applications and investor applications both flow to you for review and decision.
- **Onboarding.** After approval, you orchestrate the onboarding flow (document signing, drug test, FMCSA, training).
- **Invoices.** Weekly invoices are auto-generated; you approve before payment.
- **Financials.** The company P&L, per-truck profitability, expense breakdowns — your view.
- **Data integrity.** Duplicate scans, driver name fixes, orphan cleanup — your tools.
- **Cancellations and soft-deletes.** Loads that need to disappear from active views are your responsibility (per a 2026-04-19 client decision, dispatchers don't have cancel rights).
- **Audit trail.** Reviewing system-wide actions.
- **Archive.** Read access to historical data.

You're not just a dispatcher with more buttons. The Super Admin role is different in kind, not just degree.

What this guide covers

The chapters that follow walk through each domain:

- Getting started and quick reference.
- User management — creating, editing, deleting accounts.
- Driver applications — review, approval, onboarding triggering.

- Investor applications — same plus the investor-specific onboarding flow.
- Invoice approvals — what to check before approving.
- Financials — reading the P&L, exporting, troubleshooting numbers.
- Data Manager — direct sheet editing, with appropriate caution.
- Admin Tools — data integrity scanners and one-shot fixes.
- Load management — cancellation, soft-deletion, restoration.
- Archive — historical data access.
- Audit trail — accountability.
- Best practices, troubleshooting, and FAQ.

What this guide doesn't cover

- **Dispatcher-level operations** (assigning loads, real-time tracking) are in the Dispatcher Guide. You can do all of it; the workflow is the same.
- **Driver-level operations** (POD upload, expense logging) are in the Driver Guide.
- **Technical documentation** (server architecture, API, database) is in the Technical Documentation PDF.

If you find yourself doing dispatcher work for an extended period (covering shifts, hands-on with assignments), the Dispatcher Guide is your reference for that.

A note on power

Super Admin has access to delete, modify, and override almost any data in the system. With that comes responsibility:

- **A wrong click can lose data.** Soft-deletes are reversible; hard deletes typically aren't.
- **Edits to historical records can change the audit trail.** Don't rewrite history without good reason.
- **Financial decisions affect drivers and investors directly.** A wrong invoice approval means someone gets paid wrong.
- **User role changes affect access immediately.** Demoting someone in error loses their work mid-task.

Use the tools deliberately. When in doubt, consult leadership before acting.

A note on accountability

Every Super Admin action is logged in the **audit_trail** SQLite table. The system records:

- What action was taken.
- Who took it (your user ID).
- When it happened.
- What was changed (before/after where applicable).

This isn't to police you — it's to ensure transparency. If a question arises later ("who deleted that user?", "who approved that invoice?"), the answer is in the system. Be the Super Admin you'd want auditing your own work.

A note on supporting roles

Other people will be looking to you for support:

- **Dispatchers** when they hit a permission boundary (cancellation, financial questions).
- **Drivers** when they have an issue dispatcher can't resolve.
- **Investors** when they have a question about their dashboard or earnings.
- **Leadership** when they want operational metrics.

Some of this is dispatcher work; some is your unique work. The skill is knowing when to absorb a question vs. when to redirect.

Let's get into the details.

Quick Start

What you'll see when you sign in, the menu structure, and how a typical week flows.

Signing in

Go to `app.logisx.com`. Sign in with your Super Admin credentials. You land on the operations dashboard at `/dashboard` — the same view as a dispatcher, with additional sidebar items available.

The full sidebar

Super Admin sees the most expansive sidebar:

ITEM	WHAT IT'S FOR
Dashboard	Operations view (Job Board, Active Loads, Completed, Fleet).
Tracking	Live truck map.
Expenses	Driver expense submissions — you can approve/reject.
Invoices	Weekly invoices — your approval action.
Messages	Chat with drivers.
Notifications	System-generated alerts feed.
Users	Account management.
Drivers	The drivers directory (carrier database).
Trucks	Fleet inventory — full edit access.
Trailers	Trailer inventory.
Investors	Investor records.
Applications	Driver applications — review and decide.
Investor Applications	Investor applications — review and decide.
Data Manager	Direct Google Sheets editor.
Admin Tools	Data integrity scanners, batch fixes.
Admin → Financials	Company P&L.
Archive	Historical archived data, read-only.

That's roughly 17 destinations. Most days you'll touch 5–6.

A typical week

Monday morning:

- Quick dashboard glance.
- Review any weekend applications (Applications, Investor Applications).
- Check the Notifications feed for weekend events.

Daily:

- Spot-check expenses — approve clear submissions, message ambiguous ones.
- Respond to escalations from dispatchers (cancellations, unusual situations).
- Field investor questions if any.

Mid-week:

- Quick financials check. Are revenue and expenses tracking expected?
- Any audit-worthy events (unusual deletes, late nights of activity).

End of week / payroll day:

- Review the week's invoices. Approve.
- Handle any pay disputes from drivers.
- Coordinate with bookkeeping for actual disbursement.

Periodically:

- Run Admin Tools scanners (duplicates, mismatches, orphans).
- Audit trail review.
- Fix any data-quality issues that have accumulated.

What's different from dispatcher view

You see everything a dispatcher sees, plus:

- **Financials tab** in the sidebar.
- **Approve/Reject buttons** on expenses, applications, invoices.
- **Cancel/Delete actions** on loads.
- **Edit access** to user accounts and truck records.
- **Data Manager** and **Admin Tools** access.
- **Archive** access.

Some screens show additional fields when you visit them as Super Admin. For example, the Trucks page shows Owner ID and lets you edit it; dispatchers see Owner ID but can't edit it.

Keyboard shortcuts (none yet)

The UI doesn't have keyboard shortcuts. You'll use the mouse/touchscreen for everything.

Search

Most lists have a search bar. Common uses:

- **Users** — search by username, full name, or company.
- **Loads** (anywhere) — search by Load ID, driver, broker, city.
- **Applications** — search by name.

How real-time updates work

The dashboard updates automatically when:

- A new load arrives or is acted on.
- A driver responds to an assignment.
- A driver reports GPS.
- A driver uploads a POD.
- A driver submits an expense.
- A driver sends a message.

You don't need to refresh. If you're not seeing something you expect, refresh manually — but in 99% of cases the screen is already current.

Click anywhere to drill in

Almost everything is clickable. The general rule: if it shows a value, you can click it to see more or do something with it.

A daily glance routine

A 10-minute routine that catches most issues:

1. **Dashboard KPIs** — anything looking unusual? Active loads spike or drop? Trucks idle that shouldn't be?
2. **Notifications** — anything that needs immediate attention?
3. **Applications** — any new ones waiting?
4. **Expenses** — any new submissions to approve?
5. **Invoices** — anything pending approval near payroll?

6. Messages from dispatchers — any escalations?

That's it. Most of your time is the work that flows from that initial scan.

What to escalate (yes, you can escalate too)

Some things are outside the Super Admin scope:

- **Technical bugs** (server errors, data corruption, login failures across the board) — escalate to technical support.
- **Legal questions** (lease terms, regulatory compliance, audits) — to leadership and legal counsel.
- **Major financial decisions** (capital expenditures, large investor exits, new contract negotiations) — to leadership and finance.
- **Personnel decisions** (hiring, firing, disciplinary action) — to HR and leadership.

Super Admin handles operational and data-integrity decisions. Strategic decisions still flow up.

A note on speed

Don't rush Super Admin actions. The dispatcher world is fast — you need to respond in minutes. Super Admin work is slower:

- Approving an invoice with \$5,000 of pay should take more than 30 seconds.
- Approving an application should involve reading the application, not just clicking through.
- Edits to user roles should be considered, not impulsive.

Take the time. The system rewards careful work.

A note on transparency

Super Admin actions are logged. If you're unsure whether to do something, ask. If you're sure, document why. The audit trail captures what you did; your notes capture why.

Examples of transparency:

- **Rejecting an expense** — add a clear reason in the note (driver will see it).
- **Cancelling a load** — note why (broker cancellation, force majeure, etc.) in the load's history.
- **Demoting a user** — note the reason in the user's record or audit trail.

Future-you will thank present-you for the notes.

Let's dig into the specific areas.

User Management

The Users screen is where you manage every account that can sign in to LogisX. This chapter covers creating, editing, and removing users, plus the role system.

Opening Users

Sidebar → **Users**. You'll see every user account in a table with:

- Username.
- Role.
- Full name.
- Email.
- Linked driver or company (for Drivers and Investors).
- Status (active or disabled, if your install supports).
- Creation date.

USER	USERNAME	ROLE	FULL NAME	DETAILS	EMAIL	CREATED	
SA Super Admin	super_admin	Super Admin	Super Admin	—	—	Apr 14, 2026	Edit Remove
JR Johnny Rocks Spirits LLC	johnny.rocks.spirits.llc	Investor	Johnny Rocks Spirits LLC	Johnny Rocks Spirits	johnny@johnnyrocks.co	Apr 15, 2026	Edit Remove
DV Demo Viewer	demo_viewer	Super Admin	Demo Viewer	—	demo@logisx.com	Apr 15, 2026	Edit Remove
SK Shorn King	LogisX-3867	Driver	Shorn King	Shorn King	Shornastransportation@gmail.com	Apr 16, 2026	Edit Remove
LJ Lesline Johnson	LogisX-4778	Driver	Lesline Johnson	Lesline Johnson	CHEVINETRANSPORT@GMAIL.COM	Apr 17, 2026	Edit Remove
FL Francis Logistics enterprise llc	francis.logistics.enterprise.llc	Investor	Francis Logistics enterprise llc	Francis Logistics enterprise llc	franciskemarOO@icloud.com	Apr 20, 2026	Edit Remove
AI Abc Inc	abc.inc	Investor	Abc Inc	Abc Inc	deshornking@gmail.com	Apr 20, 2026	Edit Remove

The four roles

LogisX has four roles. Each has a different access scope:

ROLE	WHAT THEY SEE AND DO
Super Admin	Everything. The role you have.
Dispatcher	Operations dashboard, assignments, tracking, expenses (view), messages. No financials, no user mgmt, no cancellations.
Driver	The driver app at <code>/driver</code> . Their own loads, status, POD, expenses, messages, truck documents, invoices.
Investor	The investor dashboard at <code>/investor</code> . Earnings for trucks they own, fleet view, reports, documents, messaging.

A user has exactly one role. Roles change via the Users page; the user gets logged out (forced re-sign-in) when their role changes.

Creating a user

Click **Add User** at the top of the Users page. The form:

- **Username** — what they sign in with. Make it consistent (we use patterns like `LogisX-XXXX` for drivers, last names for dispatchers).
- **Password** — initial temporary password. They change it on first sign-in.
- **Role** — pick from the four.
- **Full name** — for display in the app.
- **Email** — for notifications and password resets.
- **Phone** (optional) — for calling outside the app.
- **Linked driver** (for Drivers) — pick the matching record from the drivers directory.
- **Linked carrier / company** (for Investors) — pick the carrier name. This is what links them to the trucks and loads in their fleet.

Save. The user can now sign in.

For Drivers: the linked driver name must match what appears on Job Tracking loads (case-insensitive). Without this match, the driver will see no loads. If you're not sure of the exact spelling, look at the Carrier Database (Drivers page) before creating the account.

For Investors: the linked company name must match the `company_name` field used on Job Tracking's Owner ID column (or carrier-name fallback). Same matching rule.

Editing a user

Click any user row to open their detail. Edit any field, save.

Common edits:

- **Reset password** — set a new temporary password and share with the user. Use the dedicated **Reset Password** button rather than typing into the form; the password gets hashed correctly.
- **Change role** — only Super Admin can do this. Promoting or demoting takes effect immediately and forces re-sign-in.
- **Update email** — if they switched personal email.
- **Update linked driver / company** — if they changed assignments.

Deleting a user

Click **Delete** on the user's row (or in their detail view). Confirm.

The user can no longer sign in. Their historical activity remains:

- Their authored messages, status updates, expense submissions, etc. are preserved.
- Their name might still appear on old loads.
- Their submitted applications (if a Driver who was hired) stay.

Deletion is reversible by recreating the user with the same username, but it's not seamless — the new user starts with no session history. Be deliberate.

Roles and permissions in detail

Each role has a specific set of permissions. The exact list is documented in the Technical Documentation; the day-to-day implications:

Super Admin: Read + write everywhere. Approval authority on expenses, invoices, applications. Cancellation authority on loads. Direct database access.

Dispatcher: Read + write on operational records (loads, assignments, status, messages). Read-only on financials, applications, archives. No user management, no approval rights.

Driver: Read + write on their own loads only. No visibility into other drivers' work. No financial dashboard. No admin tools.

Investor: Read-only on their fleet's performance data. Read-only on their signed documents. Read + write on messages with operations. No operational controls.

Changing a user's role

Be deliberate. The implications:

- **Driver → Dispatcher.** They go from seeing only their loads to seeing the whole operation. Usually only done for former drivers transitioning into office roles.
- **Dispatcher → Super Admin.** Big jump. They gain financial visibility and approval rights. Usually only for promotions.
- **Super Admin → Dispatcher.** They lose financial visibility. Usually only for role rotations.
- **Investor → anything else.** Rare. Investors don't usually transition to operational roles.

A role change triggers immediate logout. The user has to sign in again, and their new session reflects the new permissions.

Linking accounts to data

The user record has two link fields:

driver_name for Driver users. This is the name LogisX uses to match the user account to their dispatch identity on Job Tracking loads. The match is case-insensitive. Examples:

- User account `LogisX-4778` with `driver_name = "Lesline Johnson"` → sees all loads assigned to "Lesline Johnson" (or "LESLINE JOHNSON" or any case variant).

company_name for Investor users. Links to the Carrier Database carrier names. Examples:

- Investor user `johnny.rocks.spirits.llc` with `company_name = "Johnny Rocks Spirits LLC"` → sees revenue and trucks where the carrier matches that name.

Mismatches between these link fields and the actual data cause dashboard issues (drivers see no loads; investors see no earnings). When troubleshooting, check the link first.

When a user account isn't linking correctly

Common scenarios:

Driver signs in and sees no loads. Check:

1. Their `driver_name` field on the user record.
2. The driver names actually on Job Tracking (Data Manager → Job Tracking → look at the Driver column).
3. Are they spelled the same? Case-insensitive match, but typos matter ("Jonhson" vs. "Johnson" — actually happened historically; we fixed it).

Investor signs in and sees \$0 earnings. Check:

1. Their `company_name` on the user record.
2. The carrier names on the Carrier Database.
3. The `Owner ID` column on Job Tracking — does it point to their investor record ID?
4. Run the "Scan driver mismatches" tool from Admin Tools.

Bulk operations

Creating many users at once isn't supported via the UI. Two options:

- **Manual creation** one at a time. Tedious but reliable.
- **Direct SQL** via Super Admin tools (Database admin → query) for power users. Not recommended unless you really know what you're doing.

Password resets

When you reset a user's password:

1. Use the **Reset Password** button on the user record.
2. The temporary password you enter is hashed and stored.
3. Tell the user the temporary password through a secure channel (in person, encrypted email, phone).
4. The user signs in with the temporary password.

5. They change it (or you can ask them to).

If a user forgets their password again, repeat.

Demo viewer

There's a special account `demo_viewer` that's a read-only Super Admin (the middleware blocks all mutations). It's used for client demos, screenshots, training videos. Don't delete it.

If you need to refresh the demo viewer's password, run `node scripts/create-demo-user.js`.

Pro tips

- **Use consistent usernames.** Pattern your usernames so anyone can guess them. Examples: `LogisX-XXXX` for drivers, last name for dispatchers, `<company>.<role>` for investors.
- **Set strong initial passwords.** Even temporary passwords should be at least 12 characters with mix of cases, numbers, symbols.
- **Audit user accounts quarterly.** Disable or delete accounts that haven't signed in for 6+ months. They're attack surface.
- **Don't share Super Admin credentials.** Each Super Admin should have their own account, not a shared one. The audit trail relies on individual accountability.

Driver Applications

When someone applies to drive for LogisX, their application lands on the Applications screen for your review. This chapter is how to read an application and what happens when you approve or reject.

Where applications come from

Public applications come from the form at `app.logisx.com/apply`. Anyone with the URL can submit — no account required. The form has rate-limiting to prevent abuse (10 submissions per 15 minutes per IP).

Each submission creates a row in the `job_applications` SQLite table and appears on the Applications screen.

Opening Applications

Sidebar → **Applications**. You'll see a list of pending applications:

- Applicant name.
- Submission date.
- Status — Pending, Approved, Rejected.
- Quick contact info.

LogitiX

Logistics Management

Dashboard

New Job

Tracking

Notifications181

Expenses

Invoices

Messages

ADMINISTRATION

User Management

Investor Database

Driver Database

Truck Database

Trailer Database

APPLICATIONS

Driver Applications

Investor Applications

SYSTEM

Financials

Fleet Health

Data Tools

Logout

Connected

Job Applications

Review and manage employment applications

3 total

Refresh

TOTAL

3

Applications

NEW

0

Pending review

ACCEPTED

3

Approved

REJECTED

0

Declined

NAME	POSITION	EMAIL	PHONE	CDL	EXPERIENCE	STATUS	APPLIED		
Rodney Brown	OWNER OPERATOR	brownmann1984@icloud.com	9548247448	Yes	More than 3 years	ACCEPTED	Apr 20, 2026	View	PDF
Lesline Johnson	COMPANY DRIVER	CHEVINETRANSPORT@GMAIL.COM	4233834778	Yes	More than 3 years	ACCEPTED	Apr 17, 2026	View	PDF
Shorn King	COMPANY DRIVER	Shornastransportation@gmail.com	3053183867	Yes	More than 3 years	ACCEPTED	Apr 16, 2026	View	PDF

Filter by status to focus on what needs review.

Reading an application

Click into an application to open the full detail. The application has sections matching what the applicant filled in:

Personal info:

- Full name (legal).
- Email.
- Phone.
- Date of birth.
- Address.

Driving history:

- Years of CDL experience.
- Equipment types (dry van, reefer, flatbed, HAZMAT, tanker, etc.).
- Accidents in the last X years.

- Moving violations.
- DUI history.

Certifications:

- CDL class (A, B, C).
- Endorsements (H, T, N, X, P, S).
- Medical card status and expiration.
- HAZMAT certifications.

References:

- 2-3 professional references with phone numbers.

Prior employment:

- Carriers worked for.
- Dates.
- Reasons for leaving.

What to look for

A few things that matter:

Honesty signals.

- Do the dates of employment have gaps that aren't explained?
- Are accidents and violations consistent with what FMCSA Clearinghouse will show later?
- Do the references list real people we can call?

If the application has obvious lies or omissions, lean toward rejection. A driver who fabricates an application will probably fabricate other things too.

Experience signals.

- Years of experience match the type of work we're hiring for?
- Equipment types match what we run?
- Endorsements match the freight we typically haul?

Compliance signals.

- CDL valid?

- Medical card current?
- HAZMAT cert current if relevant?
- Clean recent record (last 3 years)?

Downloading the application PDF

Click **Download PDF** on the application detail. You get a formatted PDF with all the application data, suitable for:

- **Records** in case the digital record is ever lost.
- **Printing** for offline review.
- **Sharing** with someone offsite who needs to look at it.

The PDF is generated on demand from the latest application data.

Approving an application

Click **Approve**. Several things happen automatically:

1. The application status changes to Approved.
2. A new driver record is created in the drivers directory.
3. A new user account is created with role Driver.
4. The user's `driver_name` is linked to the new driver record.
5. A welcome email is sent to the applicant with their username and temporary password.
6. The driver onboarding flow is initialized (the lock screen they'll see on first sign-in).

Before approving, **make sure everything is right:**

- The legal name is exactly as you want it stored (no typos).
- The email is correct (the welcome email goes there).
- The carrier name (if you want to assign immediately) is correct.

After approval, you can edit the user record, drivers directory record, or onboarding state, but it's cleaner to get it right at approval.

Rejecting an application

Click **Reject**. The application status changes to Rejected.

You can (and should) add a brief reason. The applicant doesn't see the reason — it's for internal records — but it's useful for:

- **Audit** — why was this person not hired?
- **Future reference** — if they re-apply.
- **Patterns** — are we rejecting for consistent reasons?

There's no automatic email sent on rejection. If you want to notify the applicant, send an email manually or have HR do it.

When an application is unclear

Don't approve or reject on the spot. Options:

Call the applicant. Sometimes a phone call resolves ambiguity in 5 minutes — clarify dates, ask about the gap, etc. If the answer is satisfactory, approve.

Call references. Old-school but reliable. A 5-minute call to a former supervisor gives you context the application can't.

Run a background / driving record check. Outside the app, but standard hiring practice. Cost is minor.

Wait for FMCSA Clearinghouse query. The pre-employment query is mandatory before hiring; you'll see prior testing history.

Don't approve under uncertainty. A questionable hire is harder to fire than to decline upfront.

The onboarding flow

After approval, the driver:

1. Receives the welcome email.
2. Signs in on their phone.
3. Sees the onboarding lock screen (they can't access loads yet).
4. Walks through:
 - **Document signing** — equipment policy, mobile policy, substance policy, contractor agreement.
 - **Drug test** — you schedule the appointment; they go.

- **FMCSA Clearinghouse enrollment** — they enroll, grant LogisX query permission; you verify.
- **Training** — if assigned; they complete; you mark complete.

You monitor their progress from Sidebar → **Applications** → their record → onboarding tab (or similar in the UI).

When all steps are complete, the lock disappears and the driver can run loads.

What if an applicant doesn't sign in

Sometimes a new hire never shows up — they got a different job, changed their mind, etc.

If they don't sign in within a week of approval:

1. Call them. Confirm they still intend to start.
2. If they're not interested, demote / remove their account.
3. If they want to start but haven't gotten around to it, send another welcome email (or share the temporary password again).

Don't let stale "approved but not started" accounts accumulate. They clutter the user list and waste your attention.

Re-applications

If someone applies again after a rejection (or never starting), the second application is a fresh row. The system doesn't auto-detect "this is the same person." You may want to:

- **Look up their previous application** (search by name) to see what was decided last time.
- **Decide whether the prior reason still applies.**
- **Approve or reject anew.**

Rejecting a re-application is fine if the situation hasn't changed. Approving a previously-rejected person is fine if you have a reason (different role, more experience, gap addressed).

Bulk applications

Mass-hiring events are rare. If you have 10 applications to review at once:

1. **Skim all 10 first.** Get a sense of the batch.

2. **Reject obvious passes** (incomplete, no CDL, bad fit).
3. **Approve obvious wins** (experienced, clean, matching equipment).
4. **Take time on the middle group.** Phone calls, reference checks.

A batch shouldn't change your standards. Rushing approvals to clear the queue creates problems later.

Pro tips

- **Quote the application's text** when calling a reference. "John's application says he worked for you from June 2024 to March 2025 — is that right?" Catches lies quickly.
- **Keep a small mental list** of red-flag patterns. The list grows over time.
- **Don't approve on Fridays.** A driver hired Friday afternoon has no momentum until Monday. Hire Monday for the best start-of-week energy.
- **Talk to dispatch** about hiring needs. They know the gaps better than the org chart suggests.

Investor Applications

When someone applies to invest in the LogisX fleet, their application arrives on the Investor Applications screen. This chapter covers reviewing investor applications and orchestrating their onboarding through the signed-documents flow.

Where investor applications come from

The public investor application form lives at `app.logisx.com/invest`. It's a multi-step wizard with conditional fields. Anyone with the URL can apply — no account required. Rate-limited at 10 submissions per 15 minutes per IP.

Each submission creates a row in the `investor_applications` table.

Opening Investor Applications

Sidebar → **Investor Applications**. List of pending applications with:

- Name (individual or company).
- Submission date.
- Status — Pending, Approved, Rejected.
- Investment intent (amount, target truck count).

Reading an application

Click into an application for the full detail. Sections:

Personal or company information:

- If individual: full name, contact, DOB.
- If company: company name, primary contact, role in company.

Investment intent:

- Capital amount to deploy.
- Target number of trucks.
- Timeline.

- Goals (passive return, fleet building, semi-active management).

Funding source:

- Source of capital (savings, business cash, financing, etc.).
- Confirmation of legitimate funds.

Legal acknowledgment:

- The applicant confirms they've reviewed the high-level terms of the Master Participation Agreement.
- Not a final signature — that comes during onboarding.

References:

- Optional. Bankers, accountants, attorneys, business partners.

What to look for

Capital fit.

- Does the stated capital match what LogisX needs and absorbs?
- Is the deployment timeline realistic?

Source legitimacy.

- Funded by legitimate means? Some carriers have AML compliance requirements.
- Documented (bank statements, etc.) — usually verified later in onboarding, but flag early concerns.

Engagement level.

- Passive investor expecting hands-off returns? Fine.
- Wants to be heavily involved in daily ops? May not fit.

Industry experience.

- Trucking experience is a plus but not required.
- Business management experience matters more.

References.

- If provided, are they credible (banker, accountant, attorney)?
- Worth a call before approving.

Talking to the applicant

Most investor approvals involve a phone call before deciding. The application is starting context; the call is where you confirm alignment.

Things to cover:

- **What returns are they expecting?** Set realistic expectations.
- **How involved do they want to be?** Day-to-day vs. quarterly updates.
- **Have they read the management agreement?** It's a 30+ page legal document; serious applicants will have at least skimmed it.
- **What's their exit plan?** Trucks aren't liquid investments. Make sure they understand.

Conversations like this usually filter the serious from the merely curious.

Approving an application

Click **Approve**. The system:

1. Marks the application Approved.
2. Creates an investor record in the `investors` table.
3. Creates a user account with role Investor.
4. Links the user's `company_name` to the carrier name.
5. Initiates the investor onboarding flow.

Before approving, verify the names and emails are correct.

The investor onboarding flow

Investor onboarding is different from driver onboarding. Where a driver signs internal policy documents, an investor signs the legal documents that govern their relationship with LogisX:

1. **Master Participation & Management Agreement** — the umbrella contract covering profit-sharing, management responsibilities, dispute resolution. The investor signs in their capacity as the truck owner.
2. **Vehicle Lease Agreement** — separately, one per truck. Documents that the investor (as Lessor) leases their truck to LogisX (as Lessee) for operation.
3. **W-9 Form** — tax form. The investor's TIN goes on this for 1099 issuance.

4. **Exhibit A documents** — vehicle specifications, one per truck. If the investor owns multiple trucks, the system generates multiple Exhibit A pages.

The investor signs each document electronically through the onboarding portal. Each signature generates a permanent signed PDF stored in their Documents portal.

You orchestrate this from your side:

- **Initiate the documents** — the system does this automatically on approval, but you may need to verify they appeared.
- **Watch progress** — investor signs documents one at a time; you can see who signed what and when.
- **Handle questions** — investors often ask about specific clauses. You can answer most, or escalate to legal counsel for the tricky ones.
- **Verify banking info** — they enter payment info during onboarding for direct deposit of distributions.

When all documents are signed, the investor's dashboard activates and they begin seeing earnings on their fleet.

Adding trucks to an investor's fleet

After approval, you'll typically attach one or more trucks to the new investor. The flow:

1. **Trucks page** → find or create the truck.
2. **Set Owner ID** to the new investor's record ID.
3. **Save.**

Now any loads run on this truck count toward the investor's earnings.

The investor sees the truck in their Fleet Breakdown section.

Multiple trucks

Investors with multiple trucks get multiple Exhibit A pages in their signed Master Agreement. The system clones the Exhibit A template per truck when rendering the signed PDF.

If you add a truck after the investor has signed their Master Agreement, the existing signed agreement doesn't auto-update — it represents what was signed at that time. Subsequent truck additions are handled via a separate Vehicle Lease for each new truck.

Rejecting an application

Click **Reject**. Note the reason internally.

Common rejection reasons:

- **Inadequate capital.** They wanted to invest \$5K but the minimum is \$50K.
- **Source of funds unclear.** Couldn't verify legitimacy.
- **Misaligned expectations.** Wants daily operational control we don't offer.
- **Reference check failed.** Bad signal from a stated reference.

Notify the applicant by email (manually — there's no auto-rejection email). Keep the tone professional and brief.

When the investor disappears

If an approved investor doesn't sign any documents within a couple weeks:

1. Call them. Are they still interested?
2. If yes, walk them through the onboarding steps.
3. If no, demote their account or remove it. Clear the truck attribution.

Stale onboarding state is messy. Don't let it sit.

Coordinating with the truck purchase

In the typical workflow, the investor signs documents around the same time they're purchasing a truck (either directly or through LogisX). The sequence matters:

1. **Application** approved.
2. **Master Agreement** signed.
3. **Funds wired** to the appropriate account.
4. **Truck purchased** — paperwork in the investor's name (or LLC).
5. **Vehicle Lease** signed for that specific truck.
6. **Truck added to LogisX** with the investor as Owner ID.
7. **First load** runs.
8. **First earnings** show on dashboard.

Each of these is a real-world step happening outside the app. Your job is to coordinate the LogisX side and verify each happens in turn.

Reading the investor dashboard from your side

You can view any investor's dashboard as if you were them — sidebar → Investors → click an investor → "View Dashboard" (the exact label may vary).

This is useful when:

- An investor has a question about their numbers. You see what they see.
- Verifying the dashboard looks right before activating an investor.
- Generating a report on the investor's behalf.

Their dashboard is read-only for them but you can act on data behind it.

Pro tips

- **Don't approve and forget.** New investors need active onboarding orchestration. Set a calendar reminder if they go quiet.
- **Use the phone, not email.** Investor relationships are higher-touch than driver relationships. Call.
- **Send the Investor Guide PDF early.** Set their expectations for what they'll see on their dashboard.
- **Document odd cases.** If you bent a rule for a specific investor (lower minimum, custom split), note it in their record. Future-you needs the context.

Invoice Approvals

Every week, LogisX auto-generates invoices for each driver based on the work they did. You review and approve before payment. This chapter is how to read an invoice and what to check.

Opening Invoices

Sidebar → **Invoices**. You'll see a list of recent invoices with:

- Driver.
- Week covered.
- Total.
- Status — Pending, Submitted, Approved, Paid.
- Loads included (count).

The screenshot displays the LogisX interface for managing driver invoices. On the left is a sidebar with navigation links: Dashboard, New Job, Tracking, Notifications (101), Expenses, Invoices (selected), Messages, and a section for ADMINISTRATION (User Management, Investor Database, Driver Database, Truck Database, Trailer Database), APPLICATIONS (Driver Applications, Investor Applications), and SYSTEM (Financials, Fleet Health, Data Tools). At the bottom of the sidebar are Logout and Connected status indicators.

The main area is titled "Driver Invoices" with the subtitle "Review, approve, and mark driver weekly invoices as paid". It includes a "2 total" count, "Export CSV", and "Refresh" buttons. Below this are five status cards: SUBMITTED (1 invoice, \$1,250.00 pending review), APPROVED (0 invoices, \$0.00 ready to pay), PROCESSING (0 invoices, \$0.00 payment in flight), PAID (1 invoice, \$1,500.00 settled), and REJECTED (0 invoices, Need correction).

Below the cards is a filter section for "Driver" (All drivers) and "Week" (mm/dd/yyyy). The main table lists recent invoices:

INVOICE #	DRIVER	WEEK	LOADS	TOTAL	STATUS	SUBMITTED	ACTIONS
INV-SK-2026W18-01	SHORN KING	May 2 – May 8, 2026	5	\$1,250.00	SUBMITTED	May 11, 2026	PDF Approve
INV-SK-2026W17-01	SHORN KING	Apr 25 – May 1, 2026	6	\$1,500.00	PAID	May 2, 2026	PDF

Filter by status to focus on the ones needing your action.

Invoice lifecycle

Statuses progress:

Pending → Submitted → Approved → Paid

- **Pending** — auto-generated. Driver (or dispatch) hasn't submitted for approval yet.
- **Submitted** — driver or dispatcher submitted for approval. Awaiting your review.
- **Approved** — you approved. Payment can be processed.
- **Paid** — payment was disbursed (typically by your bookkeeping team outside the app).

Your action is moving Submitted → Approved.

Reading an invoice

Click into an invoice. You'll see:

- **Header** — driver name, week start and end dates.
- **Pay type** — Daily Rate or Owner-Operator percentage.
- **Loads list** — each load worked during the period, with dates and Load IDs.
- **Active days** (Daily Rate) or **revenue & percentage** (Owner-Op) — the math for the base pay.
- **Base pay total.**
- **Adjustments** — bonuses, deductions, layover pay, detention pay.
- **Total.**

For Daily Rate drivers, the system shows each active day:

Mon 04/14	— Load LD-3492 (pickup→In Transit)	1 day
Tue 04/15	— Load LD-3492 (continuing)	1 day
Wed 04/16	— Load LD-3492 (delivered)	1 day
Thu 04/17	— Load LD-3498	1 day
Fri 04/18	— Loads LD-3501, LD-3502, LD-3503	1 day (multiple loads same day)
Total active days: 5 × \$250 = \$1,250		

For Owner-Op, the system shows each load's revenue and the percentage:

LD-3492 (Atlanta → Chicago, 04/14-04/16)	Rev $\$2,400 \times 70\% = \$1,680$
LD-3498 (Chicago → Dallas, 04/17)	Rev $\$1,800 \times 70\% = \$1,260$

Total base pay: \$2,940

What to check before approving

A few things worth verifying:

All loads delivered. The invoice should include loads that completed during the period, not loads still in progress.

Pay type matches contract. Make sure the system is using the right pay structure for this driver. If their contractor agreement says daily rate but the invoice computed as owner-op, that's a problem.

Dates make sense. For daily rate, the active days should match the actual pickup-to-delivery span. A load that spans Monday-Wednesday should be 3 days, not 1.

Revenue numbers right. For owner-op, the rates should match the original rate confirmations.

No duplicates. Sometimes the same load appears twice (corrected entry, duplicate row). The system deduplicates by Load ID but verify.

Cancelled loads excluded. A load that was cancelled mid-trip shouldn't count toward pay. The system excludes via `excludeDroppedLoads` but spot-check if you've recently cancelled anything.

Approving

Click **Approve**. The invoice status changes to Approved. Payment processing can proceed.

Rejecting

Click **Reject**. The status reverts to Pending and the driver/dispatcher can correct and resubmit.

When you reject, **add a clear reason**. The driver will see it. Examples:

- "Active days count is wrong — load LD-3492 was 3 days, not 2."
- "Owner-op rate for LD-3498 should be \$1,800, not \$1,500. Verify against rate con."

- "Missing load LD-3501 from Friday."

Specific feedback gets fixed faster than vague feedback.

Adjustments

You can add adjustments to an invoice manually. Common reasons:

- **Bonus** — recognition for exceptional service.
- **Layover pay** — driver stuck overnight at a dock.
- **Detention pay** — receiver kept driver over the standard window.
- **Deduction** — fine paid by company, equipment damage, etc.
- **Per diem** — if your company offers it.

For each adjustment, enter:

- **Amount** (positive for additions, negative for deductions).
- **Description** of what it's for.
- **Date** (the date the event occurred).

Adjustments appear on the invoice with the description. The driver sees them.

Common issues

"The active days count looks wrong." The system expands pickup-to-delivery dates into a list of unique calendar days, then deduplicates across all loads. If the count is wrong, check:

- **Were the load dates entered correctly?** A typo in pickup or dropoff date will throw off the math.
- **Was a load cancelled?** Cancelled loads don't count.
- **Did the driver have a pickup or delivery span midnight?** Cross-midnight is fine — each calendar day counts.

To fix: edit the load dates in Data Manager, then regenerate the invoice (or wait for the auto-recalc).

"The owner-op rate is wrong." Look at the load's Payment field in Data Manager. That's the source of the rate. If it's wrong there, fix it. Then regenerate.

"A load that should be on the invoice is missing." Three possibilities:

1. The load is still in progress (not delivered as of the invoice cutoff). It'll be on next week's invoice.
2. The load was attributed to a different driver. Fix the driver name on the load.
3. The load was cancelled or soft-deleted. Restore if needed.

"A load that shouldn't be on the invoice is there." Inverse of above. The load was attributed to this driver in error, or wasn't actually theirs to begin with. Fix the attribution.

When to send back vs. fix yourself

Sometimes you'll see an invoice error you can fix directly (edit the load dates in Data Manager and regenerate). Other times you want the dispatcher or driver to fix.

Fix yourself when:

- The error is a typo or formatting issue.
- The fix is straightforward.
- You need to move quickly (Friday afternoon, payroll Monday).

Send back when:

- The error reveals a process issue the team should learn from.
- The fix requires information you don't have (broker contact, rate confirmation, etc.).
- You want the driver or dispatcher to be aware of the issue.

After approval — payment

The "Paid" status is set when payment is actually disbursed. In typical operation:

1. You approve invoices Monday or Tuesday for the prior week.
2. Bookkeeping processes the batch via your payment system (Bill.com, direct ACH, etc.).
3. Payments land in driver bank accounts by Friday.
4. Bookkeeping marks invoices as Paid.

The mechanics of payment vary by company. The LogisX app is the approval gate, not the disbursement system.

Disputes

If a driver disputes an approved invoice (or asks for retroactive corrections to a paid one):

1. **Listen to their case.** Look at the specific loads they're disputing.
2. **Pull the data.** Look at the loads in Data Manager. Verify dates, rates, etc.
3. **Decide.** Either:
 - **They're right** — make a corrective adjustment on a future invoice. Don't try to retroactively un-pay; payment already happened.
 - **They're wrong** — explain why with reference to the contract and the data.
4. **Document.** Note the dispute and resolution in the driver's record.

Disputes are rare if invoice review is careful. Most disputes are honest disagreements, not bad faith.

Pro tips


- **Don't approve in bulk without reading.** Each invoice is someone's pay. Take the 30 seconds to look.
- **Watch for outliers.** If a driver's typical invoice is \$1,500 and this week's is \$3,500, that's worth investigating. Could be a great week, could be an error.
- **Adjust early in the cycle.** Adjustments are easier to verify when the events are fresh. Don't sit on a layover pay request.
- **Communicate approvals.** If you make any unusual adjustment (significant bonus, large deduction), message the driver to explain before they see it.

Financials

The Admin → Financials view is the company-wide P&L. This chapter is how to read it, what each number means, and how to drill into specifics.

Opening Financials

Sidebar → **Admin** → **Financials**. (Or navigate to `/admin/financials`.) Super Admin only.



You'll see the company's financial dashboard with:

- **Revenue** by month and year-to-date.
- **Expenses** broken down by category.
- **Driver pay** total.
- **Net profit** by month and YTD.
- **Per-truck profitability**.

Key numbers

Revenue

Total revenue = sum of all completed load payments from the Job Tracking sheet, excluding cancelled and soft-deleted loads.

A load counts in the month it was **assigned**, not the month it was delivered. This is an intentional decision (confirmed with the CEO) so that revenue lines up with how the dispatcher dashboard reports it.

Excluded:

- **Cancelled loads** (status matches `^(cancel|canceled|cancelled)$`).
- **Soft-deleted loads** (rows in the `deleted_loads` table).

These exclusions are centralized in the `excludeDroppedLoads` helper — every revenue aggregator (dashboard, investor view, financials) uses the same filter.

Expenses

Breakdown by category:

- **Fuel.**
- **Repairs.**
- **Tolls.**
- **Lumpers.**
- **Scale fees.**
- **Other** (catch-all from the expenses table).

Plus structural costs:

- **Driver pay** (calculated, not from expenses table).
- **Insurance** (per-truck monthly amount × months of operation).
- **ELD service** (per-truck monthly amount × months).
- **IRP** (per-truck annual / 12).
- **HVUT** (per-truck annual / 12).
- **Maintenance fund** contributions (per-truck monthly).

The expense list only counts **approved** expenses — pending and rejected are excluded.

Driver pay

Calculated per the formula in the [Invoice Approvals](#) chapter:

- **Daily rate drivers:** \$250 × unique active days.
- **Owner-operator:** percentage of load revenue.

The total here is across all drivers for the period.

Net profit

Revenue minus all expenses minus all driver pay. This is the company's bottom line for the period.

Per-truck profitability

A separate section shows each truck individually:

TRUCK	REVENUE	DRIVER PAY	FIXED COSTS	TRIP EXPENSES	NET PROFIT
TRK-101	\$14,200	\$3,750	\$1,915	\$1,200	\$7,335
TRK-102	\$9,800	\$2,500	\$1,915	\$800	\$4,585
...					

Use this to identify:

- **Strong performers** — trucks with high net profit.
- **Underperformers** — trucks with low or negative net.
- **Expense outliers** — trucks with unusually high fuel or repair costs.

A truck consistently underperforming is worth investigating: bad driver-truck match?
Mechanical issues? Wrong rates?

Reading trends

The financials view shows trends over time. Look for:

- **Revenue growing or flat?** A growing fleet should show growing revenue.
- **Expenses growing faster than revenue?** Margin compression.

- **Driver pay percentage** — is it consistent with your pay structure? Drifting can indicate a structural issue.
- **Fixed costs trending up?** Insurance, ELD costs creeping up matter over time.
- **Per-truck profitability spread** — if some trucks are at \$8K/month and others at \$1K, why?

When numbers look wrong

Three common causes:

Cancelled loads not excluded. Verify a recent cancelled load shows `Cancelled` status exactly (not `Cancellation Pending` or some other variant). The exclusion regex matches exactly.

Soft-deleted loads not excluded. If you remember deleting a load, verify it's in the `deleted_loads` table. Query via Database Admin tools.

Driver pay miscalculated. Check the driver's pay type and the load dates. If a load's pickup or dropoff dates are wrong, the active-day count is wrong. The investor dashboard chapter goes deeper on this.

Owner ID mismatched. A load attributed to the wrong owner shows up in the wrong investor's earnings (or none). Fix the Owner ID on the load.

Reconciling with bank statements

The Financials view shows the operational P&L, not the cash flow:

- **Revenue** here is what was earned (load delivered). The broker might pay 30–60 days later.
- **Expenses** here are submitted/approved expenses. The actual cash might have come out of a fuel card or bank account at a different time.
- **Driver pay** here is the calculated owed amount. Payment happens later via your payment process.

Don't expect this view to match a bank statement exactly. For cash reconciliation, you need accounting software (QuickBooks, etc.) that imports bank transactions.

What this view gives you is **operational visibility** — what's the business earning, what's it spending, on what timeline.

Drilling into specific items

The dashboard isn't a drill-down tool — you can't click a number and see the underlying loads in detail. To drill in:

- **Open Data Manager** → Job Tracking → filter by date and status.
- **Open the relevant driver's record** → see their loads list.
- **Open the truck's record** → see loads attributed to it.

Most "why is this number what it is" questions require pulling the underlying data.

Exporting

For deeper analysis (e.g., spreadsheet pivoting), you can:

- **Download the Job Tracking sheet** as CSV directly from Google Sheets.
- **Download the expenses table** via Database Admin → query expenses → export.
- **Generate an investor report** for a specific investor (sidebar → Investor Applications → ...; this gives you their slice but not the whole company).

There's no one-click "export financials" feature. If you need that, talk to leadership about adding one.

Comparing periods

The view shows current month and YTD by default. To compare to prior periods:

- **Mental comparison** based on memory of last month.
- **Database query** to pull historical data.
- **Spreadsheet** with manual entry from past months.

A historical comparison chart isn't built into the dashboard. This is a limitation worth flagging if you regularly need it.

Investor reports

Each investor's earnings are a slice of the financials. The numbers on an investor's dashboard equal:

- **Their** loads' revenue (filtered to trucks they own).

- **Minus their** drivers' pay (proportionate to their loads).
- **Minus their** fixed costs (their trucks' insurance, ELD, IRP, HVUT, maintenance).
- **Minus their** trip expenses (fuel etc. on their loads).
- **Divided by 2** (their 50% share).

Run their dashboard and the math should reconcile to the company financials if you sum across all investors. Plus or minus the company-owned trucks (not investor-owned).

When financials shock you

If a number is surprisingly high or low:

1. **Don't panic.** The system aggregates a lot of data. One bad input creates apparent surprises.
2. **Drill into the underlying data.** Find the specific loads or expenses driving the surprise.
3. **Verify the data is right** — are dates correct, are amounts right, are exclusions applied?
4. **If the data is right**, the surprise is real — investigate the business reason.

Half of "weird financial numbers" turn out to be data entry issues. The other half are real and worth understanding.

Pro tips

- **Glance at financials weekly.** Catching trends early is way easier than catching them quarterly.
- **Coordinate with bookkeeping.** They have visibility into actual cash; you have operational visibility. Together you see the whole picture.
- **Per-truck profitability over time is your best metric for fleet decisions.** Use it to argue for or against truck acquisitions.
- **Don't share specific numbers casually.** Financials are sensitive. Even within the company, not everyone needs to know exact figures.

Data Manager

The Data Manager is a direct editor for the underlying Google Sheets that drive LogisX. This chapter is what's in there and how to use it without breaking things.

What it is

Sidebar → **Data Manager** (or navigate to `/data`). You'll see a tab list at the top — each tab is a sheet tab in the production Google Sheets workbook:

- **Job Tracking** — the system of record for every load.
- **Carrier Database** — the drivers directory.
- **Status Logs** — historical status changes (read-mostly).
- **Payments Table** — historical payment records (older system; may be empty).
- Other tabs as configured.

LogisX

Logistics Management

Dashboard

New Job

Tracking

Notifications181

Expenses

Invoices

Messages

ADMINISTRATION

User Management

Investor Database

Driver Database

Truck Database

Trailer Database

APPLICATIONS

Driver Applications

Investor Applications

SYSTEM

Financials

Fleet Health

Data Tools

Logout

Connected

Job Tracking

284 ROWS

Search...

Duplicate Records (115)

+ Add Row

CONTRACT ID	LOAD ID	DETAILS	TRAILER NUMBER	DRIVER	PICKUP INFO	PICKUP APPOINTMENT	PICKUP ADDRESS	DRC
GARCDANI@CHRobinson.com	514964039	Conroe, TX, 77303 - Wilmer, TX, 75146		Lesline Johnson	Broadrange Logistics REF/PU#: MRSU5017553, MRSU5017553	5/15/25	1375 Conroe Park W Dr, Conroe, TX 77303	Trin MFC - MR
GARCDANI@CHRobinson.com	515076025	Woodway, TX, 76712 - Houston, TX, 77041		Lesline Johnson	Uzin Utz North America - 0450/01013877	5/14/25 08:30-09:00	7601 Mars Dr, Woodway, TX 76712	Prof Flo - O4E - O4E
GARCDANI@CHRobinson.com	514964283	Conroe, TX, 77303 - Wilmer, TX, 75146		Kenrick Davis	Broadrange Logistics - MSKU1742777	5/16/25 9:00	1375 Conroe Park W Dr, Conroe, TX 77303	Trin MFC - M - M
GARCDANI@CHRobinson.com	514964496	Conroe, TX, 77303 - Wilmer, TX, 75146		Lesline Johnson	Broadrange Logistics REF/PU#: MSKU0383939, MSKU0383939	5/16/25 10:00 Appt.	1375 Conroe Park W Dr, Conroe, TX 77303	Trin MFC - MS
GARCDANI@CHRobinson.com	514801906	Houston, TX, 77003 - Wilmer, TX, 75146		Lesline Johnson	UNIS REF/PU#: TCLU8727782, TCLU8727782	5/15/25 07:00-15:30	3401 Navigation Blvd, HOUSTON, TX 77003	Trin TCL

1-5 of 284

«

«

1

2

...

41

»

»

5/page

Click a tab to see its rows. Each row is editable inline.

Why it exists

For 90% of operations, you use the dedicated UIs (Users, Drivers, Trucks, etc.). For the other 10%:

- **Correcting a typo** in a sheet column that doesn't have a dedicated UI.
- **Backfilling a column** for old rows.
- **Inspecting raw values** when something looks off elsewhere.
- **Bulk edits** that would be tedious via the dedicated UI.
- **One-off data entry** for rows that don't have an obvious flow.

The Data Manager is the universal escape hatch.

How to use it carefully

Three rules:

1. **Verify before saving.** Edits write directly to the production Google Sheet. There's no undo. If you mistype a value or paste into the wrong cell, you've changed live data.
2. **Don't make sweeping changes during peak hours.** A bulk edit at 10 AM can cause cascading issues across the dispatcher dashboard and customer trackers. Save bulk work for after-hours.
3. **Don't delete columns or rename headers.** The whole system relies on regex-based column matching. Adding a column is safe; removing or renaming an existing column will break downstream queries.

If you need to rearrange columns substantially, talk to technical support first.

Editing a cell

Click a cell. Type. Hit Enter or Tab to save. The change writes to Google Sheets within a second.

You'll see a small indicator confirming the save (or an error if something went wrong).

Adding a row

Use the **Add Row** button at the top of the table. The form asks for each column's value.

For Job Tracking specifically, you should rarely add rows manually — broker emails via n8n handle that. Manual entries are for:

- Phone-confirmed loads.
- Test or training entries.
- Corrections to misimported rows.

Deleting a row

Use the **Delete Row** button on the row. Confirm. The row is removed from the Google Sheet.

Be careful. Deletion is hard to undo. The audit trail logs that you deleted, but reconstructing the data requires a copy from somewhere else.

For Job Tracking, prefer **soft-delete** (the dedicated Delete action that uses the `deleted_loads` table) over hard-delete from Data Manager. Soft-delete is reversible; hard-delete isn't.

The Job Tracking columns

The most-edited sheet. Columns of interest:

COLUMN	NOTES
Load ID	Unique identifier. Don't change after a load is in motion.
Driver	Who's running it. Matched case-insensitively.
Status	The current status. Edits here update the load.
Pickup Appointment	Pickup date/time. Affects driver pay (active days).
Drop-off Appointment	Delivery date/time. Same.
Payment	Load revenue. Drives investor earnings and owner-op pay.
Owner ID	Investor record ID owning the truck. Drives investor attribution.
Truck #	Truck unit number.

Editing these has downstream effects. Be deliberate.

The Carrier Database

The drivers directory. Each row is a driver:

- Name (matched against Job Tracking's Driver column).

- Carrier Name (matched to investor user accounts' `company_name`).
- Address, contact, etc.

Editing a driver name here doesn't auto-rename them in Job Tracking. Use the **Fix Driver Name** tool from Admin Tools to propagate a rename across both sheets and SQLite tables.

Best practices

Read before you edit. Open the cell you're about to change and read its current value. Don't paste over without looking.

Verify with the dispatcher view. After an edit, switch to the operations dashboard and confirm the change took effect as expected.

Don't multi-edit in one session unless you're prepared. A series of careful edits is fine. A barrage of edits while distracted is how mistakes happen.

Save backups. Before a major edit (especially deletes), download a CSV of the affected sheet tab via Google Sheets directly. Cheap insurance.

Use Admin Tools first when applicable. If you're trying to fix duplicate Load IDs, use the duplicate scanner — don't manually pick which to delete.

When NOT to use Data Manager

- **Adding a new user account.** Use the Users page.
- **Approving an expense.** Use the Expenses page.
- **Renaming a driver.** Use Admin Tools → Fix Driver Name.
- **Cancelling a load.** Use the dedicated Cancel action on the load.
- **Routine load updates.** Drivers and dispatch handle these via the operations dashboard.

The Data Manager is the wrench, not the screwdriver. Use it when the screwdriver isn't enough.

What about adding columns?

Adding a new column to a sheet (e.g., a new field on Job Tracking) requires:

1. Adding the column in Google Sheets directly.
2. Updating regex patterns in `server.js` if the column needs special handling (financial scrubbing, status detection, etc.).

The first part you can do; the second part requires technical support.

Editing the archive sheet

There's a separate **Archive** spreadsheet for historical data. The Data Manager has access (sidebar → Archive). Edits there don't affect live operations — the archive is essentially a snapshot.

Be careful with the archive too. Editing history can confuse audits. Better to leave it untouched.

Editing while a dispatcher is using the same data

Risk: dispatcher reads a row, you edit it, dispatcher writes back with their old value. You lose your edit.

In practice this is rare because:

- Most operations happen via the dedicated UIs which serialize changes.
- The Data Manager edits write immediately and the dispatcher view auto-refreshes.

If you're worried, time edits for off-hours. Or message dispatch first: "I'm going to fix the dates on LD-3492; hold off on that load for 2 minutes."

Mass operations

For mass edits (e.g., backfill a column across 100 rows), Data Manager is slow. Two alternatives:

1. **Edit directly in Google Sheets** (same sheet, full Sheets UI). Faster for bulk work.
2. **Direct SQL via Database Admin** for SQLite-backed tables.

Both bypass the LogisX server logic, which means:

- No audit trail.
- No real-time refresh for users.
- No validation of values.

Trade speed for safety as needed.

Pro tips


- **Reload after edits.** Refresh the Data Manager to confirm what you actually saved.
- **Use search.** Most tabs have a search bar. Find your specific row before editing.
- **Read recently-changed rows.** If you're investigating an issue, look at rows changed in the last 24 hours first. Usually that's where the problem is.
- **Keep a log.** When you do significant Data Manager work, jot down what you changed and when. Future-you will appreciate it.

Admin Tools

Admin Tools is a collection of one-shot operations: data integrity scanners, batch fixes, and operational shortcuts. This chapter covers each.

Opening Admin Tools

Sidebar → **Admin** → **Tools** (or navigate to `/admin/tools`). Super Admin only.



You'll see a screen with multiple tool cards or buttons, one per operation.

The available tools

Scan Duplicates

Finds rows in Job Tracking with the same Load ID. Common cause: a broker re-sent the same rate confirmation, n8n processed it twice.

How to use:

1. Click **Scan Duplicates**.
2. Results appear as a list of Load IDs with multiple matching rows.
3. For each group, pick the canonical row to keep.
4. Click **Remove Duplicates** to delete the others.

The system uses the bottom-most row by default as canonical (it's likely the most recent correction). Override if needed.

Scan Driver Mismatches

Finds loads where the driver name doesn't match any name in the Carrier Database. Common cause: typos, abbreviations, alternate spellings.

How to use:

1. Click **Scan Driver Mismatches**.
2. Results show loads with unrecognized driver names.
3. For each, you can:
 - **Edit the load** (Data Manager) to fix the name.
 - **Add the driver** to Carrier Database (if it's a new driver).
 - **Use Fix Driver Name** if it's a common typo affecting many loads.

Scan Orphans

Finds records that point to nothing — e.g., a load assigned to a deleted driver, a truck without a record. Usually safe to clean up.

How to use:

1. Click **Scan Orphans**.
2. Results show orphaned records.
3. Review each before acting — sometimes an "orphan" is intentionally pending (e.g., a load entered before driver assignment).
4. Clean up via Data Manager or the appropriate dedicated page.

Scan Stale Locations

Finds drivers whose GPS reports haven't updated in too long. Usually means their phone is offline or they've closed the app.

How to use:

1. Click **Scan Stale Locations**.
2. Results show drivers with stale GPS.
3. For each, message the driver to verify they're online.
4. If they're truly offline (off duty), no action needed.
5. To clean up stale GPS rows from the `driver_locations` table, use **Fix Stale Locations**.

Fix Stale Locations

Removes very-old GPS records from `driver_locations` to keep the table from growing unbounded. The system already has a background job that purges old locations, so this is rarely needed.

Fix Driver Name

The most powerful single tool. Renames a driver across:

- Carrier Database.
- Job Tracking (all rows referencing this driver).
- SQLite tables (load_responses, load_ratings, driver_locations, etc.).
- User accounts (`driver_name` field).

How to use:

1. Click **Fix Driver Name**.
2. Enter the old name (exact case-insensitive match).
3. Enter the new name (exact spelling).
4. Click **Apply**.

The system shows you how many rows were updated across each table.

This is **destructive** in the sense that you can't easily undo a rename. Double-check the spelling before clicking Apply. Examples of when to use:

- **Typo fix.** "Lesline Jonhson" → "Lesline Johnson" across 86 loads (real historical case).
- **Name change.** Driver got married and changed their last name.
- **Standardization.** Driver was inconsistently entered as "Mike" sometimes and "Michael" others.

Batch Remove Rows

Lets you remove multiple rows from a sheet at once. Use sparingly. Available filters:

- Date range.
- Status (e.g., remove all Cancelled loads older than X).
- Driver.

Confirms before executing. Once executed, deleted rows are gone (Google Sheets doesn't have native undo at this layer).

For Job Tracking specifically, prefer **soft-delete** (per-load Delete action) over batch hard-delete. Soft-delete is reversible.

When to run each tool

Weekly:

- **Scan Duplicates** — catch broker double-sends.
- **Scan Driver Mismatches** — catch typos before they cause invoice issues.

Monthly:

- **Scan Orphans** — clean up stale data.
- **Scan Stale Locations** — verify the fleet's phones are reporting correctly.

As needed:

- **Fix Driver Name** — when a typo or name change is identified.
- **Batch Remove Rows** — when a clearly-bad batch of rows needs to go.

A note on "Scan" results

A "scan" surfaces potential issues. Most surfaced issues are real; some are false positives:

- **A duplicate scan may show same-Load-ID loads that are actually distinct loads** (someone reused an ID by mistake). Don't auto-merge — review.
- **A driver mismatch may be a brand-new driver** who isn't yet in Carrier Database. Add them, don't fix the load.
- **An orphan may be intentionally pending** (e.g., load entered before driver assignment).

Review before acting. Most of these tools have a "review" step between scan and fix.

The audit trail records your actions

Every Admin Tools action writes to the `audit_trail` table:

- What you did.
- When.
- What was affected (row counts, etc.).
- Your user ID.

If a tool's effect looks wrong later, the audit trail shows what was changed and you can reverse manually (if reversible).

What's not in Admin Tools

Some operations aren't here:

- **Approving expenses** — go to Expenses screen.
- **Approving invoices** — go to Invoices screen.
- **Approving applications** — Applications / Investor Applications screens.
- **Cancelling a load** — per-load Cancel action.
- **Adding a user** — Users page.

Admin Tools is for cross-record operations and integrity scans, not single-record workflows.

Limitations

The tools available are pre-defined. If you need a one-off operation that isn't here (e.g., "rename a column", "bulk-update a date field"), you'll need to either:

- Use Data Manager manually.
- Ask technical support to write a one-off script.
- Use Database Admin (Super Admin → DB → query) for SQLite-backed data.

There's no general scripting interface inside the app.

Pro tips

- **Run scans during quiet hours.** Some scans take a few seconds and load the database; running mid-day is fine but off-hours is friendlier.

- **Document tool usage.** When you run a Fix Driver Name, note it somewhere (a Slack message to leadership, an email to ops). The audit trail captures it but a human-readable note helps.
- **Don't batch-delete what you can soft-delete.** Soft-delete is the friend of operations; hard-delete is the enemy of audits.
- **Build a routine.** A weekly 10-minute Admin Tools scan keeps data clean and surfaces issues early.

Loads Management — Cancellation, Soft-Delete, Restoration

Sometimes a load needs to disappear from active operations. This chapter covers the three ways to make that happen and how each affects the audit trail.

The three options

Three actions to "remove" a load, each with different semantics:

ACTION	WHAT HAPPENS	REVERSIBLE?	USE CASE
Cancel	Status → Cancelled . Stays in sheet for record. Excluded from KPIs.	Yes — change status back	Broker withdrew, force majeure, agreed mutual cancellation
Soft-delete	Row in deleted_loads table. Stays in sheet. Excluded from all admin views and KPIs.	Yes — remove from deleted_loads	Errors, duplicates, fraud, internal test loads
Hard-delete	Row removed from sheet entirely.	No (without backup)	Almost never. Reserved for emergencies.

You'll use **Cancel** and **Soft-delete** routinely. **Hard-delete** almost never.

Cancelling a load

A cancellation is a legitimate business event: the broker called and said the load fell through, or you mutually decided to end the run.

How to cancel:

1. **Open the load** from Active Loads (or Job Board).
2. **Click Cancel**.
3. **Confirm**.

The status is set to **Cancelled**. The load:

- **Stays visible** on the dashboard in the completed/all-loads tabs (depending on filters).

- **Drops out of revenue calculations** (excluded by the `excludeDroppedLoads` helper).
- **Drops out of driver pay calculations.**
- **Drops out of investor earnings.**
- **Drops out of financial reports.**

The status is preserved as `Cancelled` so the cancellation is auditable. If you ever need to "undo" the cancellation:

1. Open the load.
2. Change status back to a valid earlier status (Dispatched, In Transit, etc.).
3. Save.

The exclusion is regex-based on `Cancelled` exactly, so case matters. If a load doesn't drop out of KPIs after cancellation, check the status spelling.

Soft-deleting a load

Soft-delete is for loads that should never appear in any operational view — typos, duplicates, test loads, fraudulent entries.

How to soft-delete:

1. **Open the load** from Active Loads.
2. **Click Delete.**
3. **Confirm.**

The load:

- **Stays in the Google Sheet** as a row (audit-friendly).
- **Has a row added** to the `deleted_loads` SQLite table.
- **Drops out of every operational view** — dashboard, financials, investor view, KPIs, search results.

The exclusion is via SQL `LEFT JOIN deleted_loads ... WHERE deleted_loads.load_id IS NULL`. Anything that hits the centralized `excludeDroppedLoads` helper is filtered.

If you ever need to restore a soft-deleted load:

```
DELETE FROM deleted_loads WHERE load_id = ?
```

(Use Database Admin → query, or escalate to technical support.)

Hard-deleting a row

Hard-delete removes the row from the Google Sheet entirely. The audit trail records that you did it, but the row's data is gone.

How:

1. **Data Manager** → Job Tracking.
2. **Find the row.**
3. **Delete Row.**
4. **Confirm.**

Reasons hard-delete is almost never the right choice:

- **Audit problems.** A cancelled load shows the cancellation; a hard-deleted load shows nothing.
- **Recovery is hard.** You'd need a Google Sheet backup or a CSV export from before the delete.
- **Dependencies.** Other systems (status logs, audit trail) reference the load ID. Hard-deleting orphans those references.

When might hard-delete be right:

- **Genuinely garbage rows** that were never legitimate (test loads, accidental n8n parses with no real data).
- **Privacy compliance** if a load contains data that legally must be deleted.

For anything else, soft-delete is the right tool.

When to cancel vs. soft-delete

Cancel when the load was real but ended early:

- Broker withdrew.
- Mutual agreement to stop.
- Driver couldn't complete and no replacement.
- Receiver refused and the freight returned to shipper.

Soft-delete when the load shouldn't have been there at all:

- N8n parsed an email wrong and created a phantom load.
- Duplicate of another load.
- Internal test that escaped to production.
- Fraudulent entry that needs to disappear from views.

The mental test: "would a customer or auditor expect to see this load if they looked?" If yes, cancel. If no, soft-delete.

The dispatcher can't cancel

Per the 2026-04-19 client decision, dispatchers don't have cancel authority. They have to escalate.

When dispatch escalates a cancellation:

1. **Hear them out.** Why does the load need to be cancelled?
2. **Verify the reason** is legit (broker email, recorded call, etc.).
3. **Cancel via the dedicated action.**
4. **Confirm to dispatch** so they can update broker and driver.

Don't auto-approve every escalation. Some cancellations should be reassignments instead. Most should be uncontroversial.

Notifying drivers about cancellations

When you cancel a load that was assigned to a driver:

- **The driver gets a real-time notification** ("load cancelled").
- **The load disappears** from their Loads tab.
- **They should be told why** — message them or have dispatch message them.

A driver who finds out their load was cancelled without explanation is annoyed and confused. A 30-second message fixes it.

Notifying brokers

The broker who originally sent the rate confirmation should be told:

- **Email confirming cancellation.**

- **Note any agreement** about the cancellation (no fees, partial pay, etc.).
- **Update any tracking link** you've shared with them — the public tracker shows the cancelled status.

Cancellations are usually agreed to before you act, so this is more confirmation than news.

Audit trail of cancellations and deletions

Every cancellation and deletion is logged:

- **Action:** `cancel_load`, `soft_delete_load`, `hard_delete_load`.
- **Load ID** affected.
- **User ID** who acted.
- **Timestamp**.
- **Reason** (if you provided one).

To review historical cancellations or deletions, query the `audit_trail` table (Database Admin) filtered to the relevant action.

Patterns and outliers

A few things worth watching:

Same broker cancelling frequently. Could be the broker is taking loads they can't actually deliver. Watch for the pattern; talk to them.

Same driver having loads cancelled mid-trip. Could indicate a problem with the driver (refusing freight, equipment issues). Or could be unlucky. Pattern matters.

Soft-deletes that get questioned later. If someone asks "what happened to load LD-3492?", check `deleted_loads`. The audit trail tells you who deleted and when.

Restoring a soft-deleted load

Sometimes a load was soft-deleted in error and needs to come back.

Steps:

1. **Confirm it should be restored.** Get sign-off from whoever flagged it.
2. **Open Database Admin** → query `deleted_loads`.

3. **Find the row.**

4. **Run:** `DELETE FROM deleted_loads WHERE load_id = '<the-load-id>'`.

5. **Verify** by refreshing the dashboard — the load should reappear.

If you don't have direct SQL access, escalate to technical support.

Restoring a cancelled load

Easier. Open the load, change status back to a valid in-progress status (Dispatched, At Shipper, In Transit, etc.), save.

The status_logs sheet will show the change. The audit trail will too.

Pro tips

- **Always cancel before deleting.** If you're considering hard-delete, ask whether soft-delete or cancel solves the same problem with less risk.
- **Document the reason.** Especially for unusual cancellations. The audit trail captures what but not why.
- **Don't make cancellations look like deletions.** Cancellations are records of what happened; deletions are records of what shouldn't have happened. Use the right one.
- **Verify exclusion after acting.** After cancelling or soft-deleting, check the dashboard. If the load still shows, the exclusion didn't work — investigate why.

Archive

The Archive is a read-only view of historical data — loads, drivers, financial records — that predates the current production sheet or has rolled off the active dashboard. This chapter is how to use it.

What's in the Archive

A separate Google Sheets workbook holds the archive. It contains:

- **Old Job Tracking entries** from before the current production sheet started.
- **Historical driver records.**
- **Old expense records.**
- **Other historical data.**

The exact contents vary depending on when the archive was populated. As of this writing, it's primarily older Job Tracking data.

Opening the Archive

Sidebar → **Archive** (or navigate to `/archive`). Super Admin only.

You'll see tabs corresponding to archive spreadsheet tabs. Click any to view the data.

What you can do

View only. The Archive UI is read-only. You can browse, search, and filter, but you can't edit.

To export a slice of archive data, you can:

- **Copy from the UI** — select cells and copy.
- **Download from Google Sheets directly** — the archive spreadsheet is in the same Google account; open it directly in Sheets.

What you can't do

- **Edit** archive rows.

- **Delete** archive rows.
- **Move data** between archive and production (no UI for this).

If you need to operate on archive data — restore something to production, edit a historical record — escalate to technical support. They have direct access to the archive spreadsheet.

When to use the Archive

Common scenarios:

Researching a historical load. Broker asks about a load from a year ago that's no longer in the active dashboard. Look in the archive.

Verifying historical driver activity. A driver disputes a claim about their past work. Pull their archive records.

Audit research. Leadership asks about a financial pattern from 18 months ago. The archive may have the underlying data.

Reference lookups. "When was the last time we ran for this broker?" Search the archive.

Searching the archive

Each tab has a search bar. Type a Load ID, driver name, broker, city — results filter as you type.

Archive's relationship to production

The current production sheet (`1ey1n0AAG0k8k...`) is where current operations live. The archive (`1WCiMmcI7GuS4eFaG9PAop5CFtMKKtfla1s0AKxcEduI`) is the historical reference.

Operationally:

- **Production** is read AND written constantly. Driver assignments, status updates, n8n ingestion, customer trackers — all hit production.
- **Archive** is read occasionally for reference. Nothing writes to it day-to-day.

The system uses the production sheet ID for all live operations. The archive viewer reads from the archive sheet ID. They're separate logical stores.

Archive memory

A user memory in your `MEMORY.md` reminds you that the production sheet ID is `1ey1n0AAG0k8k...`, NOT `1WCiMmcI7GuS4eFaG9PAop5CFtMKKtfla1s0AKxcEduI` (which is the archive). When troubleshooting or running scripts that need the sheet ID, use the production one. Mixing them up causes confusion.

Growing the archive

The archive doesn't grow automatically. To move old data from production to archive (e.g., to prune the production sheet for performance):

1. **Decide on a cutoff** — e.g., "loads older than 2 years."
2. **Export those rows** from production.
3. **Import them into the archive** — append to the appropriate sheet tab.
4. **Delete the rows** from production after verifying the archive copy.

This is a manual process, not automated. Schedule it periodically (maybe annually).

Archiving is not deletion

A load moved to archive **still exists** in the system, just in a different sheet. Some implications:

- The load isn't visible on the operational dashboard (because the dashboard reads production only).
- The load isn't included in current-period KPIs.
- The load is still available for reference via the Archive viewer.

This is different from soft-delete (which keeps the load in the production sheet but hides it from views) and from hard-delete (which removes the row entirely).

When to archive vs. delete

Archive when:

- The load is real and historical.
- You want to keep it for reference but not have it clutter the active view.
- Auditors might need to see it later.

Delete when:

- The row was never legitimate (typo, duplicate, test, fraud).
- Removing it is the right answer.

In practice, almost everything older than a year or two could be archived. Almost nothing should be hard-deleted.

Backup strategy

The archive functions as a kind of long-term backup. Combined with:

- **Google Drive auto-versioning** of the sheet (you can see prior versions).
- **The audit trail** in SQLite.
- **Manual backups** of `app.db`.

You have multiple layers of historical record. The archive is the easiest to access for non-technical staff.

The Pending Google Cloud reminder

A memory item notes that the Maps API key needs HTTP referrer restriction in Google Cloud Console, parked until developer access is available. This is unrelated to the archive but it's a similar "deferred admin task" — track it somewhere so it doesn't get forgotten.

If you periodically check the Archive, also check whether the Google Cloud key restriction has been done. Both are eventually-needed tasks.

Pro tips

- **Use the Archive for context, not action.** Looking up history is fine; trying to operate on archive data is friction.
- **If you find yourself needing to edit the archive often**, that's a sign the archive process needs to be revisited (maybe data shouldn't have been archived).
- **Bookmark direct Google Sheets links** to the archive workbook for power users. The in-app Archive viewer is convenient; direct Sheets is faster for deep work.
- **Don't move active loads to archive.** A load that's still relevant to current operations belongs in production.

Audit Trail

The audit trail records every administrator action in the system. It's how you (and anyone else with audit access) reconstruct what happened and who did it. This chapter is how to use it.

What's logged

The `audit_trail` SQLite table records administrator-significant actions:

- **User CRUD** — created, edited, deleted, role changed, password reset.
- **Driver renames** — old name and new name.
- **Load cancellations.**
- **Load soft-deletes.**
- **Invoice approvals and rejections.**
- **Expense approvals and rejections.**
- **Application approvals and rejections** (driver and investor).
- **Routemate syncs.**
- **Admin Tools operations** (scans, fixes, batch removes).
- **Several other less-frequent actions.**

Each entry includes:

- `action` — a short slug describing what happened (e.g., `user_created`, `driver_renamed`, `load_soft_deleted`).
- `user_id` — who did it.
- `target` — what was affected (load ID, user ID, "all" for bulk operations).
- `details` — JSON blob with before/after where applicable.
- `created_at` — UTC timestamp.

Opening the audit trail

Sidebar → **Admin** → **Audit Trail** (path may vary). Super Admin only.

You'll see entries sorted newest first. Filters typically include:

- **Date range.**
- **Action type** (one of the slugs above).
- **User** (who did it).
- **Target** (what was affected).

When to use it

A few common scenarios:

"Who approved this invoice?" Filter by action = `invoice_approved`, target = invoice ID.

"When was this user deleted?" Filter by action = `user_deleted`, target = the username.

"What happened to this load?" Filter by target = Load ID. Multiple entries show the load's history (status changes, reassignments, cancellation, etc.).

"What did Super Admin X do this week?" Filter by user = their user ID, date range = the week.

"Are there any suspicious actions in the last 24 hours?" Filter by date range = last 24 hours, scan for unusual entries (multiple deletes, after-hours password changes, etc.).

Reading entries

Each entry has the columns described above. The `details` JSON varies by action:

For `user_created`:

```
{
  "username": "newuser",
  "role": "Driver",
  "linked_driver": "John Smith"
}
```

For `driver_renamed`:


```
{
  "old_name": "Lesline Jonhson",
  "new_name": "Lesline Johnson",
  "rows_updated": {
    "job_tracking": 86,
    "carrier_database": 1,
    "load_responses": 12,
    "load_ratings": 4
  }
}
```

For `load_soft_deleted`:

```
{
  "load_id": "LD-3492",
  "reason": "Duplicate from re-sent rate confirmation"
}
```

Reading the JSON gives you the full picture of what changed.

Audit retention

There's no scheduled retention or purge. Entries accumulate indefinitely. Over years, the table will grow but it's small (a few KB per entry); the storage cost is negligible.

If you ever need to prune (regulatory compliance, performance), it's a manual operation — but rare.

Audit trail vs. notifications

Both record events but for different audiences:

- **Notifications** are user-facing summaries. Real-time, conversational ("a new load arrived").
- **Audit trail** is administrator-facing detail. Historical, technical ("user X with ID Y created user Z with role W at timestamp T").

For most diagnostic work, audit trail is more useful. For real-time awareness, notifications.

Audit trail vs. status logs

Two different logs:

- **Status Logs sheet** records every load's status change, including who changed it.
- **Audit trail** records administrator actions, including some that touch loads (cancellation, soft-delete) and many that don't.

Some events appear in both. A load cancellation, for example, writes to both:

- **Status Logs** records the status transition to `Cancelled`.
- **Audit trail** records the admin action `load_cancelled` with the user and reason.

When investigating a load's history, look at both.

Cross-referencing with other data

A few common joins:

- **User ID to username.** The `user_id` in audit trail is the database ID. Join to the users table to get the username and full name.
- **Load ID to current state.** The audit trail says "load LD-3492 was cancelled at time T." Look at the current Job Tracking row to see the load's state now.
- **Timestamps across systems.** Audit trail is UTC. Other systems may be in local time. Convert when comparing.

Privacy

The audit trail is sensitive:

- It reveals who did what — potentially embarrassing if reviewed in the wrong context.
- It contains user information.
- It may contain financial events (invoice approvals, expense decisions).

Treat audit trail data with care. Don't export and share broadly. Don't expose to non-Super-Admin users.

When to actively review

Daily: No. The dashboard's notifications surface what needs immediate attention.

Weekly: Optional. A 5-minute scan of significant actions (cancellations, role changes, large invoice approvals) catches surprises.

Monthly: Recommended. A more thorough review for unusual patterns.

On demand: When something specific needs investigation.

Outputs of audit review

Audit reviews typically result in:

- **No action.** Most reviews find nothing surprising.
- **Conversation.** "Hey [other Super Admin], can you walk me through this driver rename?" Usually clarifies quickly.
- **Documentation.** A small write-up of what was found, for record.
- **Process change.** If audit reveals a recurring issue (e.g., dispatchers escalating cancellations vs. you forgetting), adjust the workflow.

Audits are a safety net, not a witch-hunt. Frame them constructively.

Querying the table directly

For complex queries, use Database Admin → query audit_trail:

```
SELECT action, target, created_at, details
FROM audit_trail
WHERE user_id = 5
      AND created_at > datetime('now', '-7 days')
ORDER BY created_at DESC;
```

(Note: SQLite `CURRENT_TIMESTAMP` returns UTC; comparisons should account for that.)

Direct SQL gives more flexibility than the UI filters. Use for ad-hoc analysis.

Audit trail integrity

The audit trail itself is database data. In theory, someone with database access could edit or delete entries. Mitigations:

- **Super Admin is a small role** — few people have direct database access.

- **The audit trail records edits to itself** (if someone tries to alter it, the alteration is logged).
- **Database backups** exist independent of the audit trail.

In practice, the audit trail is reliable for LogisX's scale. For a regulated industry needing tamper-evidence, you'd need an immutable log or signed entries — overkill for current operations.

Pro tips

- **Bookmark the audit trail page.** You'll visit it more than you expect.
- **Train yourself to look at audit before asking.** "Did anyone delete this user?" is faster to answer via audit than via Slack message.
- **Use audit to validate suspicions.** When something feels off, audit trail confirms or denies.
- **Don't share specific audit entries casually.** They're often sensitive. Summarize when discussing externally.

Super Admin Best Practices

The patterns that separate effective Super Admins from those who create more problems than they solve.

Discipline with destructive operations

Pause before deletions. Hard-delete is rarely the answer. Cancel or soft-delete first when possible.

Verify before approving large items. A \$10K invoice or a \$50K investor approval deserves more than 30 seconds of attention.

Read before editing. Open a record. Look at its current state. Only then make changes.

Confirm dialogs are not obstacles, they're gates. When the system asks "are you sure?", actually be sure.

Consistency

Use the dedicated workflows when they exist. Users page for user CRUD. Expenses page for expense approvals. Invoices page for invoice approvals. Data Manager is the escape hatch, not the default.

Don't shortcut around the audit trail. Direct database edits bypass the trail. They should be rare and documented.

Follow the role conventions. Drivers in the Drivers role, Investors in the Investors role, Dispatchers in the Dispatcher role. Don't create cross-role accounts unless there's a clear reason.

Username patterns. Keep them predictable. Future-you will appreciate consistency.

Communication

Document decisions. When you make an unusual call (custom investor split, expense exception, application reconsideration), note it somewhere visible (record notes, internal Slack, email log). Future-you forgets.

Tell people when their work is approved or rejected. Don't make drivers wonder about expense status. Don't make investors guess about onboarding. Send the message.

Be specific in feedback. "Application rejected" is unhelpful. "Application rejected — accident history within the last 12 months exceeds our risk tolerance" is actionable.

Don't blindside dispatchers. If you cancel a load they were managing, message them first or at least immediately after. They'll lose trust if loads disappear from under them.

Working with the team

Trust dispatchers' operational judgment. They live in the day-to-day. When they say "this driver can run that load," they're probably right.

Don't second-guess every decision. Dispatchers make hundreds of micro-decisions a day. Mind the patterns, not each instance.

Escalations are signals, not nuisances. When a dispatcher escalates a cancellation, that's their job working right. Respond promptly.

Use the chain of command appropriately. Drivers escalate to dispatchers; dispatchers escalate to you; you escalate to leadership when needed. Don't skip layers.

Working with drivers (when you do)

You're not their primary interface. Drivers should talk to dispatch by default. If you find yourself communicating with drivers regularly, dispatch may not be doing their job — or you're micromanaging.

When you do communicate, be calibrated. A note from a Super Admin carries more weight than one from dispatch. Use that weight sparingly.

Don't override dispatch in front of the driver. If you disagree with dispatch's decision, take it up with dispatch directly. The driver shouldn't see the disagreement.

Working with investors

You're often their main interface. Investors talk to you about earnings, dashboards, contracts. Be available.

Be transparent about numbers. If an investor questions a calculation, walk them through it. Don't be defensive.

Honor the contract terms. The Master Participation Agreement is the source of truth for profit splits, responsibilities, and expectations. When in doubt, refer to it.

Respect investor time. They're not employees; they're partners. Don't waste their time with status updates that don't need their input.

Data integrity

Run scanners weekly. Duplicate checks, mismatch checks, orphan checks. 10 minutes a week prevents hours of cleanup later.

Fix typos at the source. A wrong driver name on a load isn't fixed by editing each load — it's fixed by Fix Driver Name in Admin Tools.

Don't tolerate stale data. A truck assignment from a year ago that's still in the system, a driver who left months ago but is still in the user list, an expense category that's no longer used — clean up periodically.

Verify exclusions work. When you cancel a load, verify it dropped out of the dashboard. When you soft-delete, verify the same. Trust but check.

Financial discipline

Invoice approvals are a real decision. Don't auto-approve. Don't bulk-approve without looking. Each represents someone's pay.

Don't backdate approvals. If an invoice should have been approved last week and you're approving it today, mark it with today's date. Backdating distorts the audit trail.

Reconcile periodically. Compare LogisX financials to your bookkeeping. They should be close — gaps are signals.

Document special adjustments. A bonus, a deduction, a layover pay — note the reason in the invoice. Future-you reading the audit trail will need it.

Decision-making

Reversible decisions get faster yeses. Cancelling a load is reversible — say yes when in doubt. Hard-deleting is not — say no when in doubt.

Defer ambiguous calls. "Let me check on that and get back to you" is fine. Pretending to know is worse than admitting uncertainty.

Sleep on hard decisions. A driver-firing decision, a major investor decision, a structural change to the pay model — don't decide in heat. Sleep on it.

Use the data when you can. Audit trail, financial reports, historical patterns — let them inform decisions rather than gut feelings alone.

Security

Don't share Super Admin credentials. Each Super Admin has their own account. The audit trail relies on individual accountability.

Strong passwords. 16+ characters. Unique to LogisX. Use a password manager.

Sign out on shared devices. If you sign in on a kiosk or someone else's machine, sign out before leaving.

Be skeptical of unexpected resets. If you get a "password reset" email you didn't request, contact technical support immediately. It might be social engineering.

Audit user accounts periodically. Old accounts are attack surface. Disable or remove the inactive ones.

When things go wrong

Stay calm. Operational problems in trucking can feel urgent, but rare are truly emergent within the LogisX app. Most things can wait 5 minutes.

Triage. Which problems need to be addressed in the next hour? Which can wait until tomorrow?

Communicate. Tell affected parties what you know and what you're doing about it. Silence breeds anxiety.

Document. Even in the middle of a problem, write down key facts. Memory is unreliable; written records aren't.

Don't blame. A retrospective focused on "what happened and how do we prevent it" beats one focused on "whose fault is this."

Escalate appropriately. A bug in the app? Technical support. A legal question? Counsel. A leadership decision? Leadership.

Career

Build operational instinct. The more time you spend with the data, the better your judgment gets. Look at the dashboard daily even when nothing demands it.

Learn from dispatchers. The dispatcher view is the operational ground truth. Spend time there occasionally.

Stay curious about the business. Understand why investors are investing, why drivers are driving, why the system is structured as it is. Context informs decisions.

Develop relationships with the team. Dispatchers, drivers, investors — they all see things you don't. Listen.

Cross-train. Make sure at least one other person can do critical Super Admin tasks. Single points of failure are bad.

A note on speed

Super Admin work is slower than dispatcher work, and that's correct.

A dispatcher response in 5 minutes is good; a Super Admin decision in 5 minutes is often hasty. The dispatcher operates in immediate operational urgency; you operate in structural decisions that affect many things downstream.

Take the time. The system rewards careful work.

Troubleshooting

The most common Super Admin issues and how to resolve them.

"I can't sign in."

Standard checks — caps lock, exact username spelling, recent password changes. After multiple failed attempts, wait 15 minutes for brute-force protection to reset.

If you've never been able to sign in (newly created account), have another Super Admin reset your password.

If you used to sign in but suddenly can't, the password was either changed or your account was disabled. Contact other Super Admins.

"I see the dispatcher view, not the admin sidebar."

Your role may have been demoted. Check your profile or have another Super Admin verify. Re-elevate if appropriate.

Application issues

"A driver application is missing." Check the Applications tab filter — make sure you're not filtered to only Approved or only Rejected. Search by name.

"I approved an application but no user account was created." Refresh the Applications screen and the Users screen. Sometimes the create lags by a few seconds. If still no account, look in the audit trail for the approval action — the creation may have failed silently. Recreate the user manually if needed.

"The welcome email didn't arrive." Two things to verify: the applicant's email is correct, and Gmail credentials (`EMAIL_USER` and `EMAIL_APP_PASSWORD`) are configured. Check the server logs for email errors.

Invoice approval issues

"The invoice math looks wrong." Open the invoice detail. Check the loads listed, the dates, and the pay structure. The most common causes are wrong load dates (affecting active-day count) or wrong pay_type for the driver. Fix the underlying data and regenerate.

"A load that should be on an invoice is missing." Check the load's driver assignment in Data Manager — it may be attributed to the wrong driver. Or it may be cancelled. Or it may be still in progress.

"A load that shouldn't be on an invoice is there." Inverse — wrong attribution. Fix in Data Manager.

"I approved an invoice but it doesn't show as Paid." Approval and Payment are separate steps. Your team's payment processor (Bill.com, ACH, etc.) handles the actual disbursement. Once paid, someone needs to mark the invoice as Paid in the system.

Financials issues

"Revenue is lower than expected." Common causes: a load was cancelled or soft-deleted that you didn't expect, an Owner ID is wrong on a high-revenue load, or the date attribution is off. Drill into specific loads to verify.

"Expenses look high." Filter the expenses list by date and category. Look for outliers. A single very-large repair or an unusual fuel pattern might explain it.

"Per-truck profitability is wrong." Check the truck's Owner ID, its fixed costs (insurance, ELD, IRP, HVUT, maintenance), and which loads are attributed to it. One wrong Owner ID can shift a lot of revenue.

"Investor dashboard doesn't match financials view." Both should agree if they use the same exclusion logic. If they disagree, one of them is using stale data — refresh both. If still off, escalate.

User management issues

"I created a user but they can't sign in." Verify the password you set (case-sensitive). Re-reset if unclear. Confirm the user knows the correct URL (app.logisx.com, not the marketing site).

"I deleted a user by accident." Recreate them with the same username, role, and links. Historical data they generated (messages, status updates) is preserved. They'll have a new session ID but the same operational identity.

"A driver's linked name doesn't match the loads." Update the `driver_name` field on the user record to match how the driver appears in Job Tracking. Or use Fix Driver Name to update both.

"An investor's company name doesn't link to their fleet." Update the `company_name` field on the user record to match the carrier name on the Carrier Database. Both should match exactly (case-insensitive).

Data Manager issues

"My edit didn't save." Check the cell — the save indicator should confirm. If not, network may have dropped. Try again.

"I made an edit and now the dashboard is wrong." Sometimes edits propagate slowly (60-second cache). Wait, refresh. If still wrong, the edit may have been invalid (e.g., wrong format for a date field).

"I deleted a row I needed." If it's a Job Tracking row, restore from the Google Sheets version history (Sheets natively versions). For SQLite-backed tables, restore from your backup or escalate to technical support.

Admin Tools issues

"Scan duplicates found false positives." Two loads with the same Load ID may genuinely be different (someone reused an ID by mistake). Don't auto-merge — investigate each.

"Fix Driver Name didn't update everything." The tool updates the major tables but a few obscure ones may not be covered. Verify after running. Escalate any holdouts.

"A scan timed out." Some scans (especially on large datasets) take time. Try again or escalate if persistent.

Load cancellation issues

"I cancelled a load but it's still showing on the dashboard." Verify the status is exactly "Cancelled" (not "Cancellation Pending" or some variant). The exclusion regex matches

`^(cancel|cancelled|cancelled)$` case-insensitively.

"A cancelled load is still in financials." Same root cause — status spelling. Fix the status to exact `Cancelled`.

"I want to undo a cancellation." Open the load, change status back to a valid earlier status, save.

Soft-delete issues

"I soft-deleted a load but it's still showing." Check the dashboard cache — refresh. If still showing, the load may not have actually been added to `deleted_loads`. Verify via Database Admin.

"I want to restore a soft-deleted load." Database Admin → run `DELETE FROM deleted_loads WHERE load_id = '<load-id>'`. Refresh dashboards.

Audit trail issues

"I see an audit entry I don't recognize." Click into it for details. The user ID and timestamp give you context. If the action is suspicious, escalate.

"An audit entry is missing for an action I took." Either the action wasn't actually logged (some are not), or the database write failed. Look at the relevant table directly to verify the action's effect.

"I can't query the audit trail effectively." The UI filters cover common cases. For complex queries, use Database Admin → SQL.

Routemate issues

"Routemate sync isn't running." Check `ROUTEMATE_ENABLED` in `.env`. If false, the master switch is off — flip to true if appropriate.

"Routemate API is returning errors." Check `ROUTEMATE_API_KEY` validity. Test with `/api/admin/routemate/sync-now`. Check Routemate's status page.

"I don't see Routemate data anywhere." Phase 1 is the foundation; data appears only after sync-now is run and vehicles are present.

n8n / email ingestion issues

"New loads aren't appearing on the Job Board." Check n8n's workflow status. The Gmail trigger may have failed silently. Check the n8n execution logs (separate system).

"A broker email created a wrong load." The parsing failed. Fix the load via Data Manager or manually re-run the email through the replay script.

"The webhook secret is failing." Verify `N8N_WEBHOOK_SECRET` in `.env` matches what n8n is sending. Rotate if needed.

System-wide issues

"The dashboard is very slow." Sheets API rate limit may be hit (300/min). Wait, refresh. The 60-second cache absorbs bursts; sustained traffic eventually hits the limit.

"Sessions are getting reset randomly." Check `SESSION_SECRET` in `.env`. If it changed (or rolled back to default), all existing sessions are invalidated.

"Real-time updates aren't arriving." Socket.IO may be disconnected. Refresh the browser. Check for browser extensions that block WebSockets.

When all else fails

Escalate to technical support with:

- **What you were doing.**
- **What you saw instead.**
- **Screenshot if relevant.**
- **Affected user, load, or other identifier.**
- **Time it happened.**
- **Whether it's blocking your work right now.**

The audit trail and server logs can be searched on your behalf to find what actually happened.

Frequently Asked Questions

Authority and access

Q. What can Super Admin do that Dispatchers can't? Approve invoices, approve/reject expenses, approve/reject applications, cancel loads, soft-delete loads, manage user accounts, see the company financials dashboard, edit truck records fully, access Data Manager and Admin Tools, view the archive, view the audit trail.

Q. Can I demote myself to Dispatcher? Yes — you can change your own role. But then you can't change it back without another Super Admin's help. Don't do this casually.

Q. Are there multiple Super Admins? Typically yes — companies usually have at least two for redundancy. Check the Users page for the current count.

Q. Do I need 2FA? LogisX doesn't currently require 2FA. If your company adopts it, it would be added system-wide.

User management

Q. What happens when I delete a user? They can no longer sign in. Their historical activity (messages, status updates, etc.) remains. To restore, recreate the user with the same username; history reconnects.

Q. Can I change a username? Edit the user record. Note: this can break historical connections if the old username is referenced elsewhere. Usually safer to delete and recreate with the new username.

Q. Why does the system force re-login after a role change? Sessions cache the role. Changing the role requires a fresh session to pick up the new permissions.

Q. Can I have a user with no role? No. Every user has exactly one of the four roles.

Applications

Q. Can I approve an application provisionally? No formal "provisional" state. You can approve and then immediately start the onboarding process, which acts as a gating step (driver can't run loads until onboarding completes).

Q. What if I rejected the wrong application? The application status changes to Rejected but the row remains. You can technically revert by changing the status back (via Data Manager), but the better workflow is to call the applicant and ask them to reapply.

Q. Why don't approved applications create users automatically sometimes? Edge cases where the approval succeeded but the user creation failed silently. Re-run the user creation manually.

Invoices

Q. How are invoices generated? A scheduled background job runs weekly and creates an invoice per driver for the prior period. It includes all loads delivered in the period, calculates active days (for daily-rate) or revenue × percentage (for owner-op), and saves the invoice with status Pending.

Q. Can I generate an invoice manually? Yes — the `POST /api/invoices/generate` endpoint. The UI may surface this as a button on the Invoices page.

Q. Why is an invoice's pay type wrong? Check the driver's user record. The `pay_type` field is what the invoice generator uses. Edit if needed and regenerate.

Q. Can I issue a corrective invoice for a past period? Yes. Generate a special invoice with adjustments to fix the prior period. Don't try to retroactively edit a Paid invoice.

Financials

Q. Why don't the financials match QuickBooks? LogisX shows operational P&L (revenue earned, expenses logged). QuickBooks shows cash flow (money in, money out). They use different timing.

Q. Are the per-truck numbers accurate? Yes if the underlying data is right. Check Owner ID on loads, truck fixed costs, expense attribution.

Q. How is revenue recognized? In the month the load was assigned (not delivered). Per a CEO decision. Matches how the dispatcher dashboard reports revenue.

Q. Can I see year-over-year comparisons? Not in the built-in dashboard. Pull data from Job Tracking via Data Manager or Database Admin for custom analysis.

Data Manager

Q. Can I bulk-edit cells? Limited bulk via the Data Manager UI. For real bulk operations, edit directly in Google Sheets or use Database Admin SQL.

Q. Will dispatchers see my Data Manager edits? Yes, in real time. Any edit affects the live dispatcher view.

Q. Are there protected cells? The UI doesn't enforce protection at the cell level. Be careful.

Q. Should I edit the archive sheet? Generally no. The archive is historical reference. Edits there can confuse audits.

Admin Tools

Q. How often should I run scanners? Weekly for duplicates and mismatches. Monthly for orphans. As-needed for everything else.

Q. Can I run a custom scan? Not via Admin Tools. Use Database Admin SQL for custom queries.

Q. Fix Driver Name didn't update all rows. Verify which tables are affected. The tool updates the main ones; obscure tables may need manual update. Escalate if you see gaps.

Q. Is there an "undo" for Admin Tools actions? No native undo. Some actions (Fix Driver Name) can be reversed by running again with old and new swapped, but it's not automatic. Verify before clicking.

Cancellation and deletion

Q. Can I un-cancel a load? Yes. Change the status from **Cancelled** back to a valid earlier status.

Q. Can I restore a soft-deleted load? Yes. Database Admin → **DELETE FROM deleted_loads WHERE load_id = '<id>'**.

Q. Why can dispatchers not cancel? Per a 2026-04-19 client decision. The CEO wanted cancellation authority restricted to Super Admin to reduce accidental cancellations. Dispatchers escalate.

Q. What if I need to hard-delete? Almost never. If you think you need to, ask: would soft-delete or cancel solve the same problem? Usually yes.

Audit trail

Q. How long is audit data kept? Indefinitely. There's no scheduled purge.

Q. Can audit entries be deleted? Technically yes (someone with database access could). In practice, the audit trail is treated as append-only.

Q. Do all admin actions log? Most do. A few less-frequent actions don't. Use the audit trail as your primary record but verify with the underlying data when something's important.

Q. Are dispatcher actions in the audit trail? Some. Dispatcher actions that affect operational data (assignments, status updates) typically log to the relevant operational table (load_responses, status_logs sheet) rather than the audit_trail. Audit trail focuses on admin-significant changes.

Investors

Q. Can investors see each other's data? No. Each investor sees only their own fleet's performance.

Q. Can investors message each other? No. Investor messaging is only with operations.

Q. What if an investor wants to add a truck? Manual process: confirm the addition, sign new Vehicle Lease, register the truck in Trucks page with the investor as Owner ID.

Q. What if an investor wants to exit? Outside the app. Coordinate with leadership and legal. Disable the investor's user account and reattribute their trucks (or sell them) when ready.

Data integrity

Q. The dashboard shows weird numbers — what do I check?

1. Cancelled loads with wrong status spelling.
2. Wrong Owner ID on high-revenue loads.
3. Wrong load dates affecting active-day counts.
4. Excluded loads not actually excluded.
5. Recent Data Manager edits.

Q. How do I know if a Routemate position is real or stale? The response from `/api/locations/latest` includes `source: 'routemate' | 'phone'` and a timestamp. Older than ~5 minutes for Routemate, ~2 hours for phone — treat as stale.

Technical questions

Q. Where is the production database? SQLite file at `/var/www/logistics-app/app.db` on the production VPS (76.13.22.110).

Q. Where is the production Google Sheet? Spreadsheet ID `1ey1n0AAG0k8k-qwkWh2T_C8VqqY1290Qqr7D5wNL7Mo` (NOT the archive at `1WCiMmcI7GuS4eFaG9PAop5CFtMKKtf1a1s0AKxcEduI`).

Q. Can I run scripts against production? Direct SSH to the VPS lets you run scripts. Be careful. The scripts directory includes utilities for password resets, geocode backfill, etc. Document any production script runs.

Q. How do I back up the database? `GET /api/db/download` returns the SQLite file. Or `scp` it from the VPS directly. Schedule periodic backups.

Q. What about backing up the Google Sheet? Google Sheets has native version history. For deeper backup, export to CSV periodically.

Career and growth

Q. Where can I learn more about LogisX architecture? The Technical Documentation PDF covers backend, frontend, integrations, deployment, and operations in detail.

Q. Can I propose new features? Yes. Talk to leadership. Feature requests are welcomed.

Q. Can I see source code? Internal source code access depends on your role. Ask leadership. That's the standard list. Anything more specific, escalate to your operations lead or technical support.