

Event Board — Run & Verification Guide

Sprint 3 Refactoring · CS326 Team Project

1. Prerequisites

- Node.js ≥ 18 and npm
- A terminal in the project root (CS326-project-event-board/)

2. First-Time Setup

```
npm install

npx prisma generate

npx prisma migrate deploy
```

`migrate deploy` applies the three existing migrations and creates `prisma/dev.db`. If the DB already exists and has all tables, you can skip this step.

3. Running the App

In-memory mode (default — data resets on restart)

```
npm run dev
```

Prisma mode (persistent SQLite)

```
MODE=prisma npm run dev
```

The app starts at **https://localhost:3443** (HTTP on 3000 redirects to HTTPS). A self-signed certificate warning will appear in the browser — accept it to proceed.

Note: In Prisma mode the database starts empty — there are no seed events. You will need to create and publish at least one event to test most features.

4. Demo Users

These users are seeded in-memory on startup (both modes). Password for all accounts: `password123`

Email		Capabilities
admin@appt.es	admin	Full access — manage users, create/edit/publish/cancel any event
staff@appt.es	staff	Create, edit, publish, and cancel events they own

es	f	
t		
us		
er	u	
@	s	Browse events, RSVP, save for
ap	e	later, view dashboard
p.t	r	
es		
t		

5. Feature Verification Checklist

Feature 1 — Create Event

1. Log in as **staff@app.test**.
2. Navigate to </events/new>.
3. Fill in all required fields (Title, Description, Location, Start/End datetime). Submit.
4. **Expected:** Redirected to the new event's detail page. Status badge shows *draft*.
5. Try submitting with an empty title — **Expected:** validation error shown inline.

Feature 2 — Event Detail Page

1. From the event list (</events>) or directly via URL, open any event.
2. **Expected:** Title, description, location, category, start/end times, organizer, and attendee count are all displayed.
3. As **admin** viewing a draft event: Edit, Publish, and Cancel controls appear in the sidebar.
4. As **user@app.test** viewing a published event: RSVP button and Save button appear.

Feature 3 — Event Editing

1. Log in as **staff@app.test** (or admin). Open a draft or published

event you own.

2. Click *Edit*. The edit form pre-fills with current values.
3. Change the title and click *Save Changes*.
4. **Expected:** Redirected to the updated event detail page with the new title.
5. Try submitting with an empty location — **Expected:** error shown, form retains other values (HTMX inline update).

Feature 4 — RSVP Toggle

1. Log in as **user@app.test**. Open a *published* event.
2. Click *RSVP* — **Expected:** button changes to *Cancel RSVP*.
3. Click *Cancel RSVP* — **Expected:** button reverts to *RSVP*.
4. As **admin** or **staff**: RSVP button should not appear (roles cannot RSVP).

Feature 5 — Event Publishing

1. Log in as **staff@app.test**. Open a draft event you created.
2. Click *Publish* — **Expected:** status badge changes to *published*; Publish button disappears, Cancel button appears.
3. Click *Cancel Event* — **Expected:** status changes to *cancelled*. A cancellation notice is shown.

Feature 6 — Category / Date Filter (Event List)

1. Navigate to </events>.
2. Select a category from the dropdown (e.g., *Tech*) and click *Filter*.
3. **Expected:** Only events in that category are shown (HTMX partial update, URL updates).
4. Select a Timeframe (e.g., *This week*) — **Expected:** events filtered to the current week.
5. Type a search term in the Search field — **Expected:** matching events shown by title/description/location.
6. Click *Clear* to reset — **Expected:** all upcoming published events shown.

Feature 7 — RSVP Dashboard

1. Log in as **user@app.test**. RSVP to at least one published event.
2. Navigate to </rsvps/dashboard>.
3. **Expected:** *Upcoming* section shows events with "Going" or "Waitlisted" status. *Past & Cancelled* section shows older RSVPs.
4. Click *Cancel RSVP* on an upcoming entry — **Expected:** row updates in place (HTMX) to show Cancelled status.
5. Log in as **admin** and try to access the dashboard — **Expected:** 403 Forbidden.

Feature 9 — Waitlist Promotion

1. Create a published event with *Capacity* = 1 as staff.
2. Log in as **user@app.test** and RSVP — **Expected:** status is *Going*.
3. Create a second user account via </admin/users> (role: user).
4. Log in as the second user and RSVP to the same event — **Expected:** status is *Waitlisted*. Waitlist position (#1) appears on the detail page.
5. Cancel the first user's RSVP — **Expected:** second user is automatically promoted to *Going*.

Feature 10 — Event Search

1. Navigate to </events>.
2. Type a keyword in the Search box (e.g., part of an event title).
Press Enter or click *Filter*.
3. **Expected:** Matching events appear. URL updates to </events?q=keyword>.
4. Clear the search — **Expected:** full list restored.

Feature 11 — Past Event Archiving

1. Navigate to </events/archive>.
2. **Expected:** Events with status *past* or a past end datetime are listed. In memory mode, two seed events appear here.
3. In Prisma mode: manually set an event's end datetime to the past via the edit form, or use the PastEventArchiving service to trigger

archiving.

Feature 14 — Save for Later

1. Log in as **user@app.test**. Open any published event.
2. Click *Save* in the sidebar — **Expected:** button changes to *Saved* ✓ (HTMX partial update).
3. Navigate to </saved> — **Expected:** saved event appears in the list.
4. Click *Remove* on the saved event — **Expected:** event disappears from the saved list.
5. Confirm toggling save from the event detail page also works.

6. Key URLs at a Glance

URL	Who can access	Feature
/events	All authenticated	Event list, search, filter
/events/new	admin, staff	Create event
/events/archived	All authenticated	Past events
/events/:id	All authenticated	Event detail
/events	admin, staff	Edit event

/:id/ edit	(owner)	
/		
rsvps/ dashb oard	user only	RSVP dashboard
/saved	user only	Saved events
/		
admin/ users	admin only	User managemen t

7. Running Tests

```
npm test # all 186 tests across 21 suites

npx jest path/to/file # single test file
```

Tests always run in **memory** mode (no DB required).

8. Resetting the Database

To wipe all data and start fresh in Prisma mode:

```
rm prisma/dev.db
```

```
| npx prisma migrate deploy
```