

Symbol List

Project information

Product: Countbeat system Manufacturer: SPAN inspection system.

Customer name:

Machine: Countbeat Machine

Revision History

Revision	Date	Prepared By	Revision Summary



CUSTOMER APPROVAL BEFORE IMPLEMENTATION


Changes Approved by:

Name:	
Title:	
-	
Signature:	
Date:	



Home Page:


Image toolbar button :- It consists of Toggle 1, toggle 2 and Toggle 3 buttons. User can access the Toggle buttons using image toolbar button.





Toggle 1 :- Toggle 1 consists of Shape button, Binary view, Center Line

button, Zoom-Out button, Zoom-In button and Pin/Unpin button.



Toggle 2:- Toggle 2 consists of X-axis, Y-axis, RGB and CPW values.








Image Caption Bar button :- Image Caption Bar button consists of two toggle buttons, i.e. Toggle 1 and Toggle 2.



Toggle 1 :- Toggle 1 shows Total and fail counts of the inspected images.











Toggle 2 :- Toggle 2 shows the Process time of the inspected image.






Toggle button: - There are 3 toggle buttons from which only two of them are used in Countbeat.






Toggle 2:- Toggle 2 consists of X-axis, Y-axis, RGB value and CPW value.




Toggle 3 :- Toggle 3 consists of Right Arrow, Left Arrow, Clock wise rotation and anticlosk wise rotation.





I/O Troubleshoot :-



- BT- BLOWER TRACK / CHANNEL (FOR REJECTION)
- EM- EMERGENCY (FOR HOOD UP/DOWN & MACHINE VIBRATION INTERLOCK)
- LB- LIGHT FOR BOTTOM IMAGE / BOTTOM LIGHT
- LS- LIGHT FOR SIDE IMAGE / SIDE LIGHT