



why would changing `const response = await fetch("data/posts.json");` to `const response = await fetch("/data");` make the code able to pull a post



Changing the `fetch` target from a specific file (`data/posts.json`) to a generic path (`/data`) likely shifts the operation from fetching a **static asset** to hitting a **dynamic API endpoint**. YouTube · Web Dev Tutorials +1

Here is why this change makes the code more capable:

- **Dynamic Data vs. Static Files:** Fetching `data/posts.json` only retrieves the contents of that specific file. Changing it to `/data` typically connects to a server-side route or API handler that can query a database and return specific posts based on parameters (like an ID) or the current user context.
- **Routing Logic:** Web frameworks (like Express or Next.js) use routes like `/data` to execute server-side functions. This allows the server to perform complex logic—such as searching, filtering, or combining multiple data sources—before sending a single JSON response back to the client.
- **Path Resolution:**
 - `data/posts.json` is a **relative path** that depends on the current page's location.
 - `/data` is an **absolute path** (starting from the root domain), which is often more reliable across different pages of an application.
- **Backend Interactivity:** While a `.json` file is read-only for the client, an API endpoint like `/data` can support various HTTP methods (GET, POST, etc.), enabling the code to not just "pull" a post but also create or update one in the

Ask anything



