

A modern recruitment platform built with React 19 + Vite + Supabase

Version: 0.0.0 | **Live URL:** <https://akranthi113.github.io/placeio/> | **Local Dev:** <http://localhost:5173>

Repository: HirePinnacle50 | **Author:** Akranthi | **License:** Private

1. Application Overview

PlacelO is a full-stack recruitment and talent management platform designed to streamline the hiring process. It connects job seekers with opportunities and provides recruiters with powerful tools to manage candidates, post jobs, and publish recruitment insights through a built-in blog system. The application is deployed via GitHub Pages (static build) with Supabase as the cloud backend.

2. Tech Stack

Layer	Technology	Version	Purpose
Frontend Framework	React	19.2.6	UI component rendering
Build Tool	Vite	8.0.12	Dev server + production bundling
CSS Framework	Tailwind CSS	3.4.19	Utility-first styling
CSS Processor	PostCSS	8.5.15	CSS transformation pipeline
Backend / BaaS	Supabase	2.107.0	Database, Auth, Storage
Routing	React Router DOM	7.17.0	Client-side navigation
Icons	Lucide React	0.469.0	Consistent iconography
Linting	ESLint	10.3.0	Code quality enforcement
Deployment	gh-pages	6.3.0	GitHub Pages auto-deploy

3. Application Routes

Route	Page Component	Access	Description
/	Home	Public	Landing page with hero, stats, features
/jobs	Jobs	Public	Browse all available job listings
/jobs/:jobId	JobDetails	Public	View full job description & apply
/apply	Apply	Public	Generic candidate application form
/apply/:jobId	Apply	Public	Job-specific application form
/blog	BlogList	Public	Browse all recruitment blog posts
/blog/:slug	BlogPost	Public	Read single blog post
/dashboard	Dashboard	Recruiter	View & manage candidate applications
/admin	Admin	Admin	Verify recruiters, manage platform
/login	Login	Public	User authentication page
/privacy-policy	PrivacyPolicy	Public	Privacy & data handling policy
/dashboard/blog/new	BlogForm	Recruiter+	Create a new blog post

4. Key Features



Public Homepage

Modern landing page with animated hero section, key statistics (5k+ placements, 200+ recruiters, 98% success rate), feature showcase, and call-to-action buttons.



Job Listings & Search

Public job board with search and filter functionality. Filter by title, location, work mode, salary range, and job type. Real-time results with loading states.



Candidate Application System

Candidates submit applications through a structured form capturing personal details, education, experience, and uploaded resumes. Applications are stored in Supabase and

visible to recruiters.

Authentication & Role-Based Access

Supabase Auth powers secure login. Role-based access control: **Candidate** **Recruiter** **Admin**. Recruiters can post jobs and manage applicants. Admins can verify recruiters and oversee the platform.

Recruiter Dashboard

Recruiters view all candidate applications, filter by job role or name, access resume links, and manage their recruitment pipeline efficiently.

Admin Panel

Administrators manage the recruiter ecosystem: approve/decline recruiter registrations, view platform statistics, and maintain data integrity.

Blog / Recruitment Insights

Full blog management system. Authenticated recruiters/admins can create, read, and delete blog posts. Public users can browse and read articles about industry insights and career tips.

Security & Privacy

Row-Level Security (RLS) enforced at the Supabase database level. Content deletion requires explicit confirmation. Privacy policy page outlines data handling practices.

5. Database Schema (Supabase)

Core Tables

Table	Key Columns	Used By
profiles	id, email, full_name, role, verified, organization	AuthContext, Admin, Dashboard
jobs	id, title, company, location, salary, type, description, created_by	Home, Jobs, JobDetails, Dashboard
candidates	id, job_id, name, email, phone, qualification, experience, resume_url	Apply.jsx, Dashboard
blogs	id, title, slug, content, author_id, thumbnail_url, created_at	BlogList, BlogPost, BlogForm

Authentication Policies

- All candidates can browse jobs and submit applications.
- Recruiters must be **verified by an admin** before accessing the dashboard.
- Admins have unrestricted access to all management features.
- Public read access for both jobs and blogs.

6. Project Structure

```
HirePinnacle50/
├─ public/
│   ├── favicon.svg
│   ├── robots.txt      ← SEO: crawler instructions
│   └─ sitemap.xml      ← SEO: page index
├─ src/
│   ├── main.jsx        ← App entry point
│   ├── App.jsx         ← Router + layout shell
│   ├── index.css       ← Global styles + animations
│   ├── context/
│   │   └─ AuthContext.jsx ← Auth state, role management
│   ├── components/
│   │   ├── NavBar/Footer ← Site header/footer
│   │   ├── HeroSection.jsx ← Animated hero banner
│   │   ├── JobCard.jsx    ← Job listing card
│   │   ├── CandidateForm.jsx ← Application form
│   │   ├── Dashboard.jsx  ← Recruiter applicant view
│   │   └─ AdminPanel.jsx  ← Admin verification view
```

```

| | | └─ BlogForm.jsx      ← Blog creation form
| | | └─ RecruiterJobsSection.jsx
| | └─ pages/
| | | └─ Home.jsx          ← Landing page
| | | └─ Jobs.jsx           ← Job listings + filters
| | | └─ JobDetails.jsx     ← Single job view
| | | └─ Apply.jsx          ← Application form page
| | | └─ Login.jsx          ← Sign in / sign up
| | | └─ Dashboard.jsx      ← Recruiter dashboard
| | | └─ Admin.jsx          ← Admin panel
| | | └─ BlogList.jsx        ← Blog post list
| | | └─ BlogPost.jsx       ← Single blog post view
| | └─ firebase/
| | | └─ config.js          ← Supabase client init
| | | └─ blogs.js           ← Blog CRUD operations
| | | └─ jobs.js            ← Job CRUD operations
└─ index.html               ← HTML shell + SEO meta tags
└─ vite.config.js           ← Vite config (base: /HirePinnacle50/)
└─ package.json             ← Dependencies & scripts

```

7. Build & Deployment Workflow

Local Development

1. Run `npm install` to install dependencies.
2. Ensure `.env` contains valid Supabase credentials.
3. Run `npm run dev` — dev server starts at `localhost:5173`.
4. Hot Module Replacement (HMR) enabled via Vite.

Production Build

1. `npm run build` compiles and minifies into the `docs/` folder.
2. `npm run postbuild` copies `docs/index.html` → `docs/404.html` for SPA fallback on GitHub Pages.
3. `npm run deploy` pushes `docs/` to the `gh-pages` branch via `gh-pages` package.

GitHub Pages Configuration

- **Base path:** `/HirePinnacle50/` (`vite.config.js`)
- **Deploy branch:** `main` → `/docs` folder
- **Live URL:** `https://akranthi113.github.io/placeio/`

8. SEO & Accessibility Features

Implemented SEO

- Open Graph meta tags (title, description, image, URL) in `index.html` .
- Twitter Card meta tags for social sharing.
- JSON-LD structured data (Organization schema) in `index.html` .
- Dynamic page titles per route (Jobs, Blog, Blog Post, Apply).
- `sitemap.xml` with page priorities and change frequencies.
- `robots.txt` with allow-all policy and sitemap reference.
- Scroll-to-top behavior on every route change (`ScrollToTop` component).

Accessibility

- `prefers-reduced-motion` CSS media query to disable animations for sensitive users.
- Semantic HTML elements (`article` , `main` , `nav`).
- Alt text on blog thumbnail images.
- Keyboard-accessible buttons and form elements.

9. Recent Improvements

Category	Change	File
UI Fix	HeroSection group-hover animation bug	HeroSection.jsx
UI Fix	Home.jsx stats numbers inconsistencies (5k+, 200+, 98%, 24/7)	Home.jsx
UI Fix	Logout ReferenceError — function now declared before useEffect	AuthContext.jsx
UI Fix	Inconsistent React.useMemo → useMemo	Jobs.jsx
UX	All <code>window.confirm()</code> replaced with custom modals (5 files)	JobCard.jsx, BlogList.jsx, etc.
UX	Loading spinners added to JobDetails, Apply, BlogList, BlogPost	4 page components
UX	Error states added for load failures	BlogPost.jsx
UX	Dynamic page titles based on content	Multiple pages
Accessibility	prefers-reduced-motion CSS support	index.css
SEO	Scroll-to-top on route change	App.jsx

SEO	Open Graph + Twitter Card meta tags	index.html
SEO	Sitemap.xml + robots.txt created	public/

10. Development Scripts

Script	Command	Purpose
Dev server	<code>npm run dev</code>	Start Vite dev server on localhost:5173
Build	<code>npm run build</code>	Bundle for production → docs/ folder
Lint	<code>npm run lint</code>	ESLint code quality check
Preview	<code>npm run preview</code>	Preview production build locally
Deploy	<code>npm run deploy</code>	Push docs/ to gh-pages branch

11. System Architecture Diagram

The app is deployed as a **static site on GitHub Pages**. All pages are pre-built. Data operations go to Supabase (PostgreSQL) via REST API.



