

```
use SheArise;
create table candidate(userName varchar(30),candEnrollId varchar(10) ,party_Affiliation
varchar(30),voter_id varchar(10),aadhar_Number varchar(12),gender varchar(10),dob
varchar(10) ,mobile_No varchar(10) ,email_Id varchar(30) ,
user_Password varchar(10), address varchar(50), primary key(candEnrollId ));
show databases;
show databases;
```

```
show tables;
create table candidate(userName varchar(30),candEnrollId varchar(10) ,party_Affiliation
varchar(30),
aadhar_Number varchar(12),gender varchar(10),dob varchar(10) ,
mobile_No varchar(10) ,email_Id varchar(30) ,
user_Password varchar(10), address varchar(50), primary key(candEnrollId ));
```

```
drop table candidate;
```

```
create table validate_voter(userName varchar(30), voter_Id varchar(10),aadhar_Number
varchar(12)
,Primary Key(voter_id,aadhar_Number));
```

```
use SheArise;
create table validate_candidate(userName varchar(30), candEnrollId
varchar(10),party_Affiliation varchar(30),
aadhar_Number varchar(12),Primary Key(candEnrollId,aadhar_Number));
```

```
Create table result(Narendra_Modi int, Sonia_Gandhi int, Arvind_Kejriwal int, Mayawati int,
Lalu_Prasad_Yadav int);
```

```
show tables;
```

```
select * from voter;
```

```
Create table admin(aname varchar (30), apass int);
insert into admin values('Manisha',12345);
```

```
insert into admin values('akrati',098765);
insert into admin values('Vandana',98765);
insert into admin values('Madhuri',98765);
select * from validate_voter;
```

```
insert into validate_voter values('Manisha Mishra', '1234567890' , '222233334444');
```

```
insert into validate_voter values('Vandana singh', '1111222333', '111122223333');
```

```
select * from validate_candidate;
```

```
insert into candidate values('Narendra  
Modi','0000000000','bjp','111122223333','Male','1940-11-20','9898989898','narendra@gmail.com  
, 'abc123','Gujrat');
```

```
insert into candidate values('Narendra Modi','0000000000','bjp','111122223333');
```

```
use shearise;
```

```
create table emp(eno int,ename varchar(30),esal int);
```

```
select * from admin;
```

```
select * from candidate;
```

```
insert into validate_candidate values('Narendra Modi','0000000000','bjp','111122223333');
```

```
insert into validate_candidate values('Akrati Singh','1231231231','Aam','987654321012');
```

```
select * from voter;
```

```
select * from candidate;
```

```
select * from candidate;
```

```
select * from validate_candidate;
```

```
select * from voter;
```

```
select * from result;
```

```
truncate table voter;
```

```
select * from voter;
```

```
ALTER TABLE result change COLUMN Soniya_Gandhi Sonia_Gandhi int ;
```

```
select * from admin;
```

```
update voter set count=0 where voter_id="1234567890";
```

```
drop table result;
```

```
create table result(Narendra_Modi int,Soniya_Gandhi int ,Arvind_Kejarival int ,Mayavati int,  
Lalu_Prasad_Yadav int);
```

```
select * from result;
```

```
use SheArise;
```

