ES6

Internationalization & Localization



Collation: Podemos modificar el método sort() sobre los diferentes idiomas:

```
// En alemán "ä" se ordena junto a "a"

// En Sueco, "ä" se ordena después de a "z"

var lista = [ "ä", "a", "z" ];

var l10nDE = new Intl.Collator("de");

var l10nSV = new Intl.Collator("sv");

l10nDE.compare("ä", "z") === -1;

l10nSV.compare("ä", "z") === +1;

console.log(lista.sort(l10nDE.compare)); // [ "a", "ä", "z" ]

console.log(lista.sort(l10nSV.compare)); // [ "a", "z", "ä" ]
```

Formateo de números según su zona:

```
var I10nEN = new Intl.NumberFormat("en-US");
var I10nDE = new Intl.NumberFormat("de-DE");
I10nEN.format(1234567.89) === "1,234,567.89";
I10nDE.format(1234567.89) === "1.234.567,89";
```

Formateo de monedas:

```
var I10nUSD = new Intl.NumberFormat("en-US", { style: "currency", currency: "USD" }); var I10nGBP = new Intl.NumberFormat("en-GB", { style: "currency", currency: "GBP" }); var I10nEUR = new Intl.NumberFormat("de-DE", { style: "currency", currency: "EUR" }); I10nUSD.format(100200300.40) === "$100,200,300.40"; I10nGBP.format(100200300.40) === "£100,200,300.40"; I10nEUR.format(100200300.40) === "100.200.300,40 €";
```

Formateo de fechas:

```
var l10nEN = new Intl.DateTimeFormat("en-US");
var l10nDE = new Intl.DateTimeFormat("de-DE");
l10nEN.format(new Date("2015-01-02")) === "1/2/2015";
l10nDE.format(new Date("2015-01-02")) === "2.1.2015";
```

Referencias

http://es6-features.org/#DateTimeFormatting

https://developer.mozilla.org/es/docs/Web/JavaScript/Referencia/Objetos_globales/Intl

http://www.ecma-international.org/ecma-402/1.0/#sec-8