```
class Receipt
   private String receiptId;//admin
   private Payment payment;
   private Order order;
   private Customer customer;
   private String timeCreated;//system
   private Administrator admin;
   public Receipt(String receiptId, Payment payment, Order order, Customer customer,
String timeCreated, Administrator admin)
       this.receiptId = receiptId;
       this.payment = payment;
       this.order = order;
       this.customer = customer;
       this.timeCreated = timeCreated;
       this.admin = admin;
   public Receipt(Receipt c)
       receiptId = c.receiptId;
       payment = c.payment;
       order = c.order;
       customer = c.customer;
       timeCreated = c.timeCreated;
       admin = c.admin;
   public void setReceiptId (String receiptId)
       this.receiptId = receiptId;
   public void setPayment(Payment payment)
       this.payment = payment;
   public void setOrder( Order order)
       this.order = order;
   public void setCustomer( Customer customer)
       this.customer = customer;
   public void setTimeCreated(String timeCreated)
       this.timeCreated = timeCreated;
   public void setAdmin(Administrator admin)
```

Receipt

```
this.admin = admin;
    public String getReceiptId()
        return receiptId;
    public Payment getPayment()
        return payment;
    public Order getOrder()
        return order;
    public Customer getCustomer()
        return customer;
    public String getTimeCreated()
        return timeCreated;
    public Administrator getAdmin()
        return admin;
    public String toString()
        String receipt = "\nCustomer Name : " + customer.getCustomerName() +
"\nL<mark>ocat</mark>ion : " + customer.getLocation() + "\nReceipt Id : " + receiptId + "\nTotal
Amou<mark>nt :</mark> " + payment.totalAmount() + "\nTime Created : "
        + timeCreated + "\nPayment Method : " + payment.getPaymentMethod() +
"\nP<mark>ayme</mark>nt Status : " + payment.getPaymentStatus() + "\nPayment Id : " +
payment.getPaymentId()
        + "\nOrder Name : " + order.getOrderName() + "\nQuantity : " +
orde<mark>r.ge</mark>tQuantity() + "\nAdmin Id : " + admin.getAdminId();
       return receipt;
```