

Student Modeling

Group 48

PES University, Electronic City

Rahul Yedida, Ankush Kumar, Vima Rai, Srihari Joshi

Under the guidance of Ms. Kundhavai K R

Brief Outline

- 1 Introduction
- 2 Algorithm
- 3 Status of Project

Abstract

- **Domain:** Educational data mining, statistical learning

Abstract

- **Domain:** Educational data mining, statistical learning
- **What:** An Intelligent Tutoring System (ITS)

Abstract

- **Domain:** Educational data mining, statistical learning
- **What:** An Intelligent Tutoring System (ITS)
- **How:** Several algorithms proposed in literature, based on BKT

Abstract

- **Domain:** Educational data mining, statistical learning
- **What:** An Intelligent Tutoring System (ITS)
- **How:** Several algorithms proposed in literature, based on BKT
- **Data:** 2009-10 Skill-builder ASSISTments data

Abstract

- **Domain:** Educational data mining, statistical learning
- **What:** An Intelligent Tutoring System (ITS)
- **How:** Several algorithms proposed in literature, based on BKT
- **Data:** 2009-10 Skill-builder ASSISTments data
- **Metrics:** RMSE, MAE

Intelligent Tutoring Systems

- Adaptive teaching systems for elucidating concepts

Intelligent Tutoring Systems

- Adaptive teaching systems for elucidating concepts
- Primarily based on Hidden Markov Models (HMMs)

Intelligent Tutoring Systems

- Adaptive teaching systems for elucidating concepts
- Primarily based on Hidden Markov Models (HMMs)
- Generated interest after Corbett & Anderson, 1994.

Bayesian Knowledge Tracing (BKT)

- Proposed by Corbett & Anderson, 1994.

Bayesian Knowledge Tracing (BKT)

- Proposed by Corbett & Anderson, 1994.
- Fundamentally, a two-state HMM—*learned* and *unlearned*.

Bayesian Knowledge Tracing (BKT)

- Proposed by Corbett & Anderson, 1994.
- Fundamentally, a two-state HMM—*learned* and *unlearned*.
- Viterbi algorithm can be used to solve for the hidden state sequence.

BKT Extensions

- Pardos and Heffernan, 2011. Incorporated problem difficulty.
- Yudelson et al., 2013. Incorporated student learning speed.
- Schultz and Arroyo, 2014. Combined BKT with HMM-IRT, called Knowledge and Affect Tracing (KAT) model.
- Lin and Chi, 2016. Added student response time directly into the model, creating the Intervention-BKT (I-BKT).
- Spaulding, Gordon, Brezeal, 2016. Used commercial affect-analysis tool called Affdex.

Why not Deep Neural Networks?

- RNNs, LSTMs successfully applied (Piech et al., 2015; Lin and Chi, 2017)

Why not Deep Neural Networks?

- RNNs, LSTMs successfully applied (Piech et al., 2015; Lin and Chi, 2017)
- Difficult to interpret!

Why not Deep Neural Networks?

- RNNs, LSTMs successfully applied (Piech et al., 2015; Lin and Chi, 2017)
- Difficult to interpret!
- With HMMs, can identify "most likely" hidden state sequence, and can also find HMM parameters (EM algorithm)

So what are we doing?

- Implement a web-based ITS solution

So what are we doing?

- Implement a web-based ITS solution
- Individual models for each user

So what are we doing?

- Implement a web-based ITS solution
- Individual models for each user
- Idea: start with simple models (single concept, basic BKT), go increasingly complex, hopefully implement KAT.

Technologies

- Python + Flask back end
- MongoDB database, passwords hashed with bcrypt
- Authentication implemented with JSON Web Tokens (JWTs)
- Front end with Angular
- Code quality ensured with *pycodestyle*

Work completed

- User registration and login (back end and database)

Work completed

- User registration and login (back end and database)
- Literature review, introduction

Work completed

- User registration and login (back end and database)
- Literature review, introduction
- Implemented basic BKT model

Work left

- Analyze data, plan architecture, \approx 3 weeks

Work left

- Analyze data, plan architecture, ≈ 3 weeks
- Integrate BKT model into application $\approx 2-3$ weeks

Work left

- Analyze data, plan architecture, ≈ 3 weeks
- Integrate BKT model into application $\approx 2-3$ weeks
- Find metrics on the model, ≈ 1 week

Work left

- Analyze data, plan architecture, ≈ 3 weeks
- Integrate BKT model into application $\approx 2-3$ weeks
- Find metrics on the model, ≈ 1 week
- Implement extensions and KAT (ideal) $\approx 2-3$ months

Thank you!

Any questions?