

Capturing from Wi-Fi

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

Apply a display filter ... <Ctrl>/>

No.	Time	Source	Destination	Protocol	Length	Info
3873	57.346928	2401:4900:e849:bb4d...	2404:6800:4007:830:...	TCP	74	55641 → 443 [ACK] Seq=6454 Ack=7995 Win=131072 Len=0
3874	57.347609	2401:4900:e849:bb4d...	2404:6800:4007:830:...	TLSv1.3	109	Application Data
3875	57.347650	2401:4900:e849:bb4d...	2404:6800:4007:830:...	TLSv1.3	113	Application Data
3876	57.551414	2404:6800:4007:830:...	2401:4900:e849:bb4d...	TCP	74	443 → 55641 [ACK] Seq=7995 Ack=6489 Win=263424 Len=0
3877	57.551415	2404:6800:4007:830:...	2401:4900:e849:bb4d...	TCP	74	443 → 55641 [ACK] Seq=7995 Ack=6528 Win=263424 Len=0

> Frame 1: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{28EA2794-4078-488E-92D1-66CC4C5CE2B3}, Id 0

> Ethernet II, Src: da:7c:41:2c:7e:27 (da:7c:41:2c:7e:27), Dst: 58:cd:c9:8e:9b:35 (58:cd:c9:8e:9b:35)

> Internet Protocol Version 6, Src: 2603:1063:2001:193e::365:ff1, Dst: 2401:4900:e849:bb4d:3529:d0f4:6751:976f

> Transmission Control Protocol, Src Port: 443, Dst Port: 49686, Seq: 1, Len: 0

0000	58 cd c9 8e 9b 35	Ma Zc 41	2c 7e 27 86 dd 6b 87	X ---S- A ~' - k
0010	fe 06 00 14 06 74	26 03 10 63 20 01	19 3e 00 00	--- t& - c -> -
0020	00 00 03 65 0f f1	24 01 49 00 e8 49	bb 4d 35 29	---e-\$ I - I (M5)
0030	d0 f4 67 51 97 6f	01 bb c2 16 ee a1	c5 91 69 a6	---gQ-o- - - - - i
0040	c4 f7 50 04 00 00	70 ca 00 00		---P---p- - -

Wi-Fi: <live capture in progress>

Packets: 3877 - Displayed: 3877 (100.0%)

Profile: Default

34°C Partly sunny

Search

ENG IN

10:38 13-08-2026

httpbin.org/forms/post x + Ask Gemini

Not secure httpbin.org/forms/post

Customer name: test

Telephone: 1234567890

E-mail address: test@example.com

Pizza Size

☐ Small

☒ Medium

☐ Large

Pizza Toppings

☐ Bacon

☒ Extra Cheese

☐ Onion

☐ Mushroom

Preferred delivery time: 13:40

Delivery instructions:

34°C Partly sunny Search 10:40 13-08-2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
294	3.638784	10.190.42.76	204.79.197.203	HTTP	299	GET /ocsp/MFQwUjBQME4wTDAjBgUrDgMCgGUA8BR0TBEVYkIX7A9yLoLD9hqxCMDxFgQU3pGGSLeHjMkx8UfB6nciHnaqHYCEzMAAAADQpOPJdxRqZsAAAAAAZ%3E
333	4.089251	204.79.197.203	10.190.42.76	OCSP	953	Response
1691	16.449501	2401:4900:e849:bb4d::	2404:6800:4007:821::	HTTP	486	GET /time/1/current?cup2key=10:A13N1YR- -GU7H8PLWCTyvLLnd65BvbhodHbcYZ5Zxo&cup2hreq=e3b0c44298fc1c149afb4c8996fb92427ae41e4649f
1773	17.202631	2404:6800:4007:821::	2401:4900:e849:bb4d::	HTTP	94	HTTP/1.1 200 OK (application/json)

> Frame 294: 299 bytes on wire (2392 bits), 299 bytes captured (2392 bits) on interface \Device\NPF_{28EA2794-4078-488E-92D1-66CC4C5CE2B3}, id 0

> Ethernet II, Src: 58:cd:c9:8e:9b:35 (58:cd:c9:8e:9b:35), Dst: da:7c:41:2c:7e:27 (da:7c:41:2c:7e:27)

> Internet Protocol Version 4, Src: 10.190.42.76, Dst: 204.79.197.203

> Transmission Control Protocol, Src Port: 58709, Dst Port: 80, Seq: 1, Ack: 1, Len: 245

> Hypertext Transfer Protocol

0000 da 7c 41 2c 7e 27 58 cd c9 8e 9b 35 08 00 45 00 - |A,~*X- ---S---E-
0010 01 1d 9f bc 40 00 00 06 92 f9 0a be 2a 4c cc 4f --- @ --- *L O
0020 c5 cb e5 55 00 50 34 65 98 4d 94 59 ac 0b 50 18 --- U P4e -M Y -P
0030 02 00 45 b1 00 00 47 45 54 20 2f 6f 63 73 70 2f -- E ---GE T /ocsp/
0040 4d 46 51 77 55 6a 42 51 4d 45 34 77 54 44 41 4a MFQwUjBQ ME4wTDAj
0050 42 67 55 72 44 67 4d 43 47 67 55 41 42 42 52 30 BgUrDgMC GgUA8BR0
0060 54 42 45 56 59 6b 6c 58 37 41 39 79 4c 6f 4c 44 TBEVYkIX 7A9yLoLD
0070 39 68 71 6d 43 57 44 78 46 67 51 55 33 70 47 47 9hqxCMDx FgQU3pGG
0080 53 4c 65 68 4d 56 6b 78 38 55 74 66 42 36 6e 63 SLHjMkx 8UfB6nc
0090 69 48 6e 61 71 48 59 43 45 7a 4d 41 41 41 41 4f iHnaqHYC EzMAAAAD
00a0 51 70 4f 50 4a 64 78 52 71 5a 73 41 41 41 41 41 QpOPJdxR qZsAAAAA
00b0 41 41 34 25 33 44 20 48 54 54 50 2f 31 2e 31 0d AA433D H TTP/1.1
00c0 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 4b 65 65 -Connect ion: Kee
00d0 70 2d 41 6c 69 76 65 0d 0a 41 63 63 65 70 74 3a p-Alive: -Accept:
00e0 20 2a 2f 2a 0d 0a 55 73 65 72 2d 41 67 65 6e 74 */*--Us er-Agent
00f0 3a 20 4d 69 63 72 6f 73 6f 66 74 2d 43 72 79 70 : Micros oft-Cryp
0100 74 6f 41 50 49 2f 31 30 2e 30 0d 0a 48 6f 73 74 toAPI/10 .0 -Host
0110 3a 20 6f 6e 65 6f 63 73 70 2e 6d 69 63 72 6f 73 : oneocs p.micros
0120 6f 66 74 2e 63 6f 6d 0d 0a 0d 0a oft.com: ---

Hypertext Transfer Protocol: Protocol

Packets: 18183 · Displayed: 18 (0.1%) · Dropped: 0 (0.0%)

Profile: Default

34°C Partly sunny

Search

ENG IN

10:41 13-08-2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
17853	204.605515	10.190.42.76	100.58.6.74	HTTP	776 POST	/post HTTP/1.1 (application/x-www-form-urlencoded)
18167	213.461488	10.190.42.76	100.58.6.74	HTTP	776 POST	/post HTTP/1.1 (application/x-www-form-urlencoded)
18437	224.532842	10.190.42.76	100.58.6.74	HTTP	776 POST	/post HTTP/1.1 (application/x-www-form-urlencoded)

> Frame 17853: 776 bytes on wire (6208 bits), 776 bytes captured (6208 bits) on interface \Device\NPF_{28EA2794-4078-488E-92D1-66CCAC5CE2B3}, id 0

> Ethernet II, Src: 58:cd:c9:8e:9b:35 (58:cd:c9:8e:9b:35), Dst: da:7c:41:2c:7e:27 (da:7c:41:2c:7e:27)

> Internet Protocol Version 4, Src: 10.190.42.76, Dst: 100.58.6.74

> Transmission Control Protocol, Src Port: 52731, Dst Port: 80, Seq: 1, Ack: 1, Len: 722

> Hypertext Transfer Protocol

HTML Form URL Encoded: application/x-www-form-urlencoded

- Form item: "custname" = "test"
- Form item: "custtel" = "1234567890"
- Form item: "custemail" = "test@example.com"
- Form item: "size" = "medium"
- Form item: "topping" = "cheese"
- Form item: "delivery" = "12:00"
- Form item: "comments" = ""

0070 6c 69 76 65 0d 0a 43 6f 6e 74 65 6e 74 2d 4c 65 live..Content-Length: 115..Cache

0080 2d 43 6f 6e 74 72 6f 6c 3a 20 6d 61 78 2d 61 67 -Control: max-age=0..Upgrade-Insecure-Requests: 1..Content-Type: application/x-www-form-urlencoded..User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36..Origin: http://httpbin.org..Accept: text/html,a

HTTP Content-Length header (http.content_length_header), 21 bytes

Packets: 18183 · Displayed: 3 (0.0%) · Dropped: 0 (0.0%) Profile: Default

34°C Partly sunny

Search

ENG IN 10:43 13-08-2026