CREATE TABLE Customer_12 (CustomerID INT PRIMARY KEY, CustomerName VARCHAR2(40) NOT NULL, ContactNo VARCHAR2(15), Address VARCHAR2(100), City VARCHAR2(20), PostalCode INT, Country VARCHAR2(30));

INSERT INTO Customer_12 VALUES (1, 'akhil', '9876543210', 'sky palace', 'Kochi', 682016, 'India');
INSERT INTO Customer_12 VALUES (2, 'annu', '9123456780', 'kattakada', 'ernakulam', 682031, 'USA');
INSERT INTO Customer_12 VALUES (3, 'ammu', '9988776655', 'riyadh', ' riyadh', 686001, 'saudi');
INSERT INTO Customer_12 VALUES (4, 'rony', '9090909090', 'changanassery', 'kottayam', 682020, 'India');
INSERT INTO Customer_12 VALUES (5, 'nimy', '9012345678', 'ettumanoor', 'kottayam', 680001, 'India');

	CUSTOMERID	CUSTOMERNAME	CONTACTNO	ADDRESS	CITY	POSTALCODE	COUNTRY
1	1	akhil	9876543210	sky palace	Kochi	682016	India
2	2	annu	9123456780	kattakada	newyork	682031	USA
3	3	ammu	9988776655	riyadh	riyadh	686001	saudi
4	4	rony	9090909090	changanassery	kottayam	682020	India
5	5	nimy	9012345678	ettumanoor	kottayam	680001	India

CREATE TABLE Employees_12 (EmployeeID INT PRIMARY KEY, LastName VARCHAR2(100) NOT NULL, FirstName VARCHAR2(100) NOT NULL, BirthDate DATE, Photo varchar2(20));
INSERT INTO Employees_12 VALUES (101, 'kovilakom', 'achu', DATE '1985-05-12', 'photo1.jpg');
INSERT INTO Employees_12 VALUES (102, 'kuttunad', 'Rayan', DATE '1990-08-11', 'photo2.jpg');
INSERT INTO Employees_12 VALUES (103, 'ouseph', 'zera', DATE '1982-02-14', 'photo3.jpg');
INSERT INTO Employees_12 VALUES (104, 'Varghese', 'ashin', DATE '1995-11-24', 'photo4.jpg');
INSERT INTO Employees_12 VALUES (105, 'kakkkalil', 'maria', DATE '1995-07-19', 'photo5.jpg');

	EMPLOYEEID	LASTNAME	FIRSTNAME	BIRTHDATE	PHOTO
1	101	kovilakom	achu	12-05-85	photo1.jpg
2	102	kuttunad	Rayan	01-02-77	photo2.jpg
3	103	ouseph	zera	14-02-82	photo3.jpg
4	104	Varghese	ashin	24-11-95	photo4.jpg
5	105	kakkkalil	maria	19-07-95	photo5.jpg

CREATE TABLE Orders_12 (OrderID INT PRIMARY KEY,CustomerID INT,EmployeeID INT,OrderDate DATE, ShipperID INT,FOREIGN KEY (CustomerID)REFERENCES Customer_12(CustomerID),FOREIGN KEY (EmployeeID)REFERENCES Employees_12(EmployeeID));

INSERT INTO Orders_12 VALUES (201, 1, 101, DATE '2024-01-12', 3);
INSERT INTO Orders_12 VALUES (202, 2, 102, DATE '2024-01-15', 1);
INSERT INTO Orders_12 VALUES (203, 3, 103, DATE '2024-02-25', 3);
INSERT INTO Orders_12 VALUES (204, 4, 104, DATE '2024-02-17', 2);
INSERT INTO Orders_12 VALUES (205, 5, 105, DATE '2024-03-24', 1);

	ORDERID	CUSTOMERID	EMPLOYEEID	ORDERDATE	SHIPPERID
1	201	1	101	12-01-24	3
2	202	2	102	15-01-24	1
3	203	3	103	25-02-24	3
4	204	4	104	17-02-24	2
5	205	5	105	24-03-24	1

1.SELECT *FROM Customer_12 ORDER BY CustomerName;

	CUSTOMERID	CUSTOMERNAME	CONTACTNO	ADDRESS	CITY	POSTALCODE	COUNTRY
1	1	akhil	9876543210	sky palace	Kochi	682016	India
2	3	ammu	9988776655	riyadh	riyadh	686001	saudi
3	2	annu	9123456780	kattakada	ernakulam	682031	India
4	5	nimy	9012345678	ettumanoor	kottayam	680001	India
5	4	rony	9090909090	changanassery	kottayam	682020	India

2.SELECT *FROM Orders_12 ORDER BY OrderDate ASC;

	ORDERID	CUSTOMERID	EMPLOYEEID	ORDERDATE	SHIPPERID
1	201	1	101	12-01-24	3
2	202	2	102	15-01-24	1
3	204	4	104	17-02-24	2
4	203	3	103	25-02-24	3
5	205	5	105	24-03-24	1

3.SELECT *.FROM Employees_12 WHERE BirthDate > DATE '1980-01-01' ORDER BY BirthDate DESC;

	EMPLOYEEID	LASTNAME	FIRSTNAME	BIRTHDATE	PHOTO
1	104	Varghese	ashin	24-11-95	photo4.jpg
2	105	kakkkalil	maria	19-07-95	photo5.jpg
3	102	kuttunad	Rayan	11-08-90	photo2.jpg
4	101	kovilakom	achu	12-05-85	photo1.jpg
5	103	ouseph	zera	14-02-82	photo3.jpg

4.SELECT o.OrderID,c.CustomerName,c.Country,o.OrderDate,o.ShipperIDFROM Orders_12 o
JOIN Customer_12 c
ON o.CustomerID = c.CustomerID
WHERE c.Country = 'USA'
ORDER BY o.OrderDate DESC;

	ORDERID	CUSTOMERNAME	COUNTRY	ORDERDATE	SHIPPERID
1	202	annu	USA	15-01-24	1

5.SELECT CustomerId, COUNT(OrderID) AS TotalOrders FROM Orders_12 GROUP BY CustomerID;

	CUSTOMERID	TOTALORDERS
1	1	1
2	2	1
3	4	1
4	5	1
5	3	1

6.SELECT City, COUNT(CustomerID) AS Total_Customers

```
FROM Customer_12
GROUP BY City;
```

	CITY	TOTAL_CUSTOMERS
1	ernakulam	1
2	kottayam	2
3	Kochi	1
4	riyadh	1

```
SELECT
   c.CustomerID,
   c.CustomerName,
   COUNT(o.OrderID) AS Total_Orders
FROM Customer_12 c
JOIN Orders_12 o
ON c.CustomerID = o.CustomerID
GROUP BY c.CustomerID, c.CustomerName
HAVING COUNT(o.OrderID) > 0;
```

	CUSTOMERID	CUSTOMERNAME	TOTAL_ORDERS
1	2	annu	1
2	5	nimy	1
3	3	ammu	1
4	4	rony	1
5	1	akhil	1

8.select count(CustomerID),City from Customer_12 group by City having count(customerid)>1 ;

	COUNT(CUSTOMERID)	CITY
1	2	kottayam