

Documentation Theme for Jekyll

This is a demonstration of {library}. And this is the preamble of this document.

Purpose

This document exercises many of the features of AsciiDoc to test the {library} implementation.



If you want the output to look familiar, copy (or link) the AsciiDoc stylesheet, `asciidoc.css`, to the output directory.



Items marked with TODO are either not yet supported or a work in progress.

First Steps with AsciiDoc

Inline markup

- single quotes around a phrase place 'emphasis'
- astericks around a phrase make the text **bold**
- double astericks around one or more letters in a word make those letters bold
- double underscore around a *substring* in a word emphasize that substring
- use carrots around characters to make them ^{super}script
- use tildes around characters to make them _{sub}script
- to pass through `<u>HTML</u>` directly, surround the text with triple plus
- characters can be escaped using a \
 - for instance, you can escape a quote inside emphasized text like 'Here's Johnny!'
- you can safely use reserved XML characters like `<`, `>` and `&`, which are escaped when rendering
- force a space between inline elements using the `{sp}` attribute
- hold text together with an intrinsic non-breaking space attribute, `{nbsp}`
- handle words with unicode characters like in the name Gregory Romé
- claim your copyright ©, registered trademark ® or trademark ™

You can write text [with inline links](#), optionally using an explicit [link prefix](#). In either case, the link can have a [query string](#).

If you want to break a line
just end it in a + sign
and continue typing on the next line.

Lists Upon Lists

Adjacent lists

- this list
- should join
- to have
- four items

Numbered lists

1. These items
2. will be auto-numbered
 - a. and can be nested
3. A numbered list can nest
 - unordered
 - list
 - items

Statement

I swear I left it in 'Guy's' car. Let's go look for it.

term

definition
line two

another term

another definition, which can be literal (indented) or regular paragraph

This should be a standalone paragraph, not grabbed by the definition list.

- first level
written on two lines
- first level

with this literal text

- second level
 - third level
 - fourth level
- back to
first level

Let's make a horizontal rule...

then take a break.

We're back!



Want to see a ?

Do you feel safer with the tiger in a box?



Figure 1. Tiger in a box

Unresolved directive in example.adoc - include::include.asciidoc.txt[]

Asciidoctor usage example, should contain 3 lines

```
doc = Asciidoctor::Document.new("*This* is it!", :header_footer => false)

puts doc.render
```

Here's what it outputs (using the built-in templates):

```
<div class="paragraph">
  <p><strong>This</strong> is it!</p>
</div>
```

` `Quotes''

AsciiDoc is 'so' **powerful**!

This verse comes to mind.

La la la

Here's another quote:

When you have eliminated all which is impossible, then whatever remains, however improbable, must be the truth.

— Sir Arthur Conan Doyle, The Adventures of Sherlock Holmes

Getting Literal

Want to get literal? Just prefix a line with a space (just one will do).

I'll join that party, too.

We forgot to mention in [Numbered lists](#) that you can change the numbering style.

- a. first item (yeah!)
- b. second item, looking *so mono*
- c. third item, mono it is!

Wrap-up



AsciiDoc is quite cool, you should try it!

Info



Go to this URL to learn more about it:

- <http://asciidoc.org>

Or you could return to the [First Steps](#) or [Purpose](#).

Here's a reference to the definition of [another term](#), in case you forgot it.



One more thing. Happy documenting!

When all else fails, head over to <http://google.com>.