Emacs Prelude Cheat Sheet		C-c M-d crux-duplicate-and-comment-current- line		or- projectile		М-у	helm-show-kill-ring
			region	Project Interaction	n Library for Emacs.	C-x b	helm-mini
~		C-c r	crux-rename-buffer-and-file	C-c p f	projectile-find-file	C-x C-b	helm-buffers-list
Getting Help	o in Emacs	C-c t	crux-visit-term-buffer	С-срр	projectile-switch-project	C-x C-f	helm-find-files
C-h k $\langle key angle$	describe function bound to $\langle \mathit{key} \rangle$	C-c k	crux-kill-other-buffers	C-c p d	projectile-find-dir	C-h f	helm-apropos
C-h b	list key-bindings for focused buffer	C-c TAB	crux-indent-rigidly-and-copy- to-clipboard	C-c p r	projectile-replace	C-h r	helm-info-emacs
C-h m	describe mode	C-c I	crux-find-user-init-file	С-с р Т	projectile-find-test-file	C-h C-1	helm-locate-library
C-h 1	show the keys you have pressed	C-c S	crux-find-shell-init-file	C-c p s g	projectile-grep	C-c f	(prelude-mode) helm-recentf
C-h f	describe function	C-c i	imenu-anywhere	С-срвв	projectile-ag	C-c C-1	(minibuffer-local) help-minibuffer-history
C1 - 1 - 1		s-p	projectile-command-map	operate-on-nu	ımber	C-o	(isearch-mode) helm-occur-from-isearch
Global		s-g	god-local-mode	Operate on numb	er at point with arithmetic functions.	C-c C-l	(shell-mode) helm-comint-input-ring
C-x \	align-regexp	s-r	crux-recentf-ido-find-file	C-c . +	apply-operation-to-number-at-point	prelude-key-c	hord
C-+	text-scale-increase	s-j	crux-top-join-line	C-c	apply-operation-to-number-at-point	jj	avy-goto-word-1
C	text-scale-decrease	s-k	crux-kill-whole-line	C-c . *	apply-operation-to-number-at-point	jl	avy-goto-line
C-x 0	go to previous window	s-m m	magit-status	C-c . /	apply-operation-to-number-at-point	jk	avy-goto-char
C-x m	eshell	s-m l	magit-log	C-c . \	apply-operation-to-number-at-point	JJ	crux-switch-to-previous-buffer
C-x M	start a new eshell if one is active	s-m f	magit-log-buffer-file	C-c . ^	apply-operation-to-number-at-point	uu	undo-tree-visualize
C-x $M-mC-x$ $C-m$	shell	s-m b	magit-blame	C-c . <	apply-operation-to-number-at-point	xx	execute-extended-command
C-x C-m C-h A	smex	s-o	crux-smart-open-line-above	C-c . >	apply-operation-to-number-at-point	уу	browse-kill-ring
C-h C-f	apropos find-function	ace-window		C-c . #	apply-operation-to-number-at-point		Browse kill thing
C-h C-k	find-function-on-key	Quickly switch w	indows in Emacs	C-c . %	apply-operation-to-number-at-point	prelude-evil	
C-h C-v	find-variable	s-w	ace-window	C-c . '	operate-on-number-at-point	C-A	(normal-state) evil-numbers/inc-at-pt
C-h C-1	find-library	avy		zop-to-char		C-S-A	(normal-state) evil-numbers/dec-at-pt
C-h C-i	info-display-manual		te to visible things	A more powerful a	alternative to zap-to-char.	>	(visual-state) prelude-shift-right-visual
C- <backspace></backspace>	kill line backward and indent	C-c j	avy-goto-word-or-subword-1	M-z	zop-up-to-char	<	prelude-shift-left-visual
C-0	(isearch-mode) isearch-occur	s	avy-goto-word-or-subword-1	M-Z	zop-to-char	C-S-d	prelude-evil-scroll-down-other-window
M-/	hippie-expand		a., 8000 or onsure 2			C-S-u	prelude-evil-scroll-up-other-window
C-x C-b	ibuffer	anzu		Modules		K	(magit-branch-manager-mode)
<f11></f11>	prelude-fullscreen		& query-replace by showing total matches and current	prelude-ido			(emacs-state) magit-discard
<f12></f12>	menu-bar-mode	match position		M-x	smex	L	(magit-branch-manager-mode)
C-x g	magit-status	M-%	anzu-query-replace	M-X	smex-major-mode-commands		(emacs-state) magit-log-popup
C-x M-g	magit-dispatch-popup	s	anzu-query-replace-regexp			K	(magit-status-mode) (emacs-state) magit-discard
prelude		browse-kill-ring		prelude-ivy		1	(magit-status-mode) (emacs-state)
Keybindings defined	d in prelude mode	Smarter kill-ring	navigation	C-c C-r	ivy-resume		magit-log-popup
C-c o	crux-open-with	s-y	browse-kill-ring	<f6> C-s</f6>	ivy-resume swiper	h	(magit-status-mode) (emacs-state)
C-c g	prelude-google	crux		M-x	counsel-M-x		magit-diff-toggle-refine-hunk
C-c G	prelude-github	A Collection of R	idiculously Useful eXtensions for Emacs.	<f1> f</f1>	counsel-describe-function	prelude-emacs-lisp	
С-с у	prelude-youtube	C-^	crux-top-join-line	<f1> v</f1>	counsel-describe-variable	C-c C-z	prelude-visit-ielm
C-c U	prelude-duckduckgo	s-k	crux-kill-whole-line	<f1> 1</f1>	counsel-find-library	C-c C-c	eval-defun
C-a	crux-move-beginning-of-line	discover-my-r	naior	<f1> i</f1>	counsel-info-lookup-symbol	C-c C-b	eval-buffer
S- <return></return>	crux-smart-open-line		ode help with discover-my-major.	<f1> u</f1>	counsel-unicode-char	prelude-go	
M-o	crux-smart-open-line	C-h C-m	discover-my-major	C-c g	counsel-git	C-c a	go-test-current-project
C-S- <return></return>	crux-smart-open-line-above		discover-my-major	C-c j	counsel-git-grep	C-c m	go-test-current-file
C-S- <up></up>	move-text-up	easy-kill		C-c k	counsel-ag	C-c .	go-test-current-test
C-S- <down></down>	move-text-down	Kill & Mark Thin	gs Easily in Emacs.	C-x 1	counsel-locate	C-c b	go-run
M-S- <up></up>	move-text-up	M-M	easy-kill	C-r	(minibuffer) counsel-minibuffer-history	C-c h	godoc-at-point
M-S- <down></down>	move-text-down	C-M-SPC	easy-mark	prelude-helm			
C-c n	crux-cleanup-buffer-or-region	C-M-@	easy-mark	C-c h o	helm-occur	prelude-ocam	
C-c f	crux-recentf-ido-find-file	expand-region	1	C-c h g	helm-do-grep	C-c C-s	utop
C-M-z	crux-indent-defun	Increase selected	region by semantic units.	C-c h C-c w	helm-wikipedia-suggest	$\operatorname{prelude-org}$	
C-c u	crux-view-url	C-=	er/expand-region	C-c h SPC	helm-all-mark-rings	C-c 1	org-store-link
C-c e	crux-eval-and-replace	flycheck		C-c p h	helm-projectile	C-c a	org-agenda
C-c s	crux-swap-windows	On the fly syntax checking.		prelude-helm-everywhere		C-c b	org-iswitchb
C-c w	prelude-swap-meta-and-super				helm-M-x	prelude-rust	
C-c D	crux-delete-file-and-buffer	C-t C-n	flycheck-next-error	M-x	helm-M-x helm-M-x	C-c C-d	racer-describe
C-c d	crux-duplicate-current-line-or-region	C-t C-p	flycheck-previous-error	C-c C-m	nem-ivi-x	C-C C-a	racer-describe