SRiNi LiNK®

Mfg. of WIRES & CABLES

Since 1997

SEARCH ENGINE FOR

UPDATED STOCK

Challenges while Searching

Here we have tried to search the current stock in the warehouse by using and entering the different keywords in the search box. However, we often encounter uncertainty regarding what to input during client interactions, whether online or face-to-face communication. This document guide aims to assist in formulating appropriate keywords and familiarizing oneself with synonyms for efficient search keywords. Within this document, technical terms for items are paired with their corresponding common market terminology, facilitating smoother communication and accurate inventory retrieval.

Item Groups

Below we try to understand the Item Group wise searching keywords and their synonyms

First, we need a short form for each Item Group

	AL FLAT SERVICE WIRES	ASW
	AL MYL SCREENED CABLES	AL.MY
	AL SCREENED CABLES	AL-SCR
	APPLIANCE WIRING MATERIAL- UL758	AWM UL
	ATC FLAT BRAIDED WIRE (KGS)	ATC BRD RW
	ATC FLAT BRAIDED WIRE (MTRS)	ATC FBWM FBW
	ATC ROUND BRAIDED WIRE (MTRS)	ATC RBWM RBW
	ATC SCREENED CABLES	ATC-SCR
Automobile & Battery Cable	AUTO BATTERY CABLES	BTC
Automobile & Battery Cable	AUTO CABLES FOR AFTER MARKET	ACAM OR AC
Automobile & Battery Cable	AUTO INS CABLES - IS 2465	AIC
Automobile & Battery Cable	AUTO INS CABLES ISO T2	AIC-T2
Automobile & Battery Cable	AUTO INS CABLES ISO T3	AIC-T3
Automobile & Battery Cable	AUTO INS CABLES JASO- AVSS	AIC-AVSS JASO AVSS
Automobile & Battery Cable	AUTO INS CABLES JASO-AVS	AIC-AVS JASO AVS
Automobile & Battery Cable	AUTO INS CABLES JIS-AV	AIC-AV JASO AV
Automobile & Battery Cable	AUTO INSULATED CABLES	AC
Automobile & Battery Cable	AUTO MULTICORE CABLES	AUTO MUL
	AWM MULTICORE CABLES-758	AWM MUL
	BATTERY LEAD	BL
	BRADING	BRD
	BUNCHING	BUN
	CCTV CABLES	CCTV
	CU SCREENED CABLES	CU.SCR
	DA FLAT TWIN WIRES	DA FLAT TWIN
	DURITE BATTERY CABLES	DA BAT
	DURITE FLEXIBLE MULTICORE	DA FMC
	DURITE INSULATED CABLES	DA
	EQUIVALENT STANDARD CABLES	EQS STD
	EXTRUSION	EXT
	FIRE SERVIVALCABLES	FSC
	FLEXIBLE CONTROL CABLES	FCC

	FLEXIBLE MULTICORE CABLES	FMC
HOUSE WIRES	HOUSE WIRES	HW
	INSULTED CABLES	IC
Telephone Cable	LAN CABLES	LAN
Panel Wire	PANEL WIRES	PW
	PVC CU AR CABLES	PVC CUAR
	PVC SLV (NON-SLT) KG	SLV
	PVC SLV (NON-SLT) MTR	SLV
	PVC THREAD_DUMMY	PVC TH
	PW HF FR	PW,HF,FR
	PW HR CE	PW,HR,CE
	SINGLE CORE CABLES	SCC
Solar Cable	SOLAR CABLES	SOLAR CABLE
	SPEAKER WIRES	SPK
Submersible Cables	SUBMERSIBLE FLAT CABLES	SUB
Telephone Cable	TELEPHONE WIRES	TPW
	TPU FLEXIBLE MULTICO	TPU
	TWISTED CABLES	TWST
	XLPE AL AR CABLES	ALARM / AL AR
	XLPE AL UNAR CABLES	AL.UN XLPE
	XLPE CU AR CABLES	CU.AR XLPE
	XLPE CU UNAR CABLES	CUN.AR XLPE

1) **House Wire**

Item Description is shown as like below

FR BUILDING WIRES

Now your Dream Home is Electrically SAFE

Technical Word	Common Word for search
Fire Retardant	**FR**
SQ.MM 0.5	FR 0.5
SQ.MM 0.75	FR 0.75
SQ.MM 1.0	FR 1.0
SQ.MM 1.5	FR 1.5
SQ.MM 2.5	FR 2.5
SQ.MM 4.0	FR 4.0
SQ.MM 6	FR 6
SQ.MM 10	FR 10
SQ.MM 16	FR 16
FR – LSH	**FRLSH**
SQ.MM 0.5	FRLSH 0.5
SQ.MM 0.75	FRLSH 0.75
SQ.MM 1.0	FRLSH 1.0
SQ.MM 1.5	FRLSH 1.5
SQ.MM 2.5	FRLSH 2.5
SQ.MM 4.0	FRLSH 4.0
SQ.MM 6	FRLSH 6
SQ.MM 10	FRLSH 10
SQ.MM 16	FRLSH 16
FR – HFFR	**HFFR**
SQ.MM 0.5	HFFR 0.5
SQ.MM 0.75	HFFR 0.75
SQ.MM 1.0	HFFR 1.0
SQ.MM 1.5	HFFR 1.5
SQ.MM 2.5	HFFR 2.5
SQ.MM 4.0	HFFR 4.0
SQ.MM 6	HFFR 6
SQ.MM 10	HFFR 10
SQ.MM 16	HFFR 16

Search for FR PVC "IS 694" First select the product group and then search for the item code.

Item Group Name	Search In Item Desc.
HOUSE WIRES ▼	IS 694

Wires Specifications IS 694	HW IS 694
Color Code for Search	
YELLOW	YE
RED	RD
BLUE	BU
BLACK	BK
WHITE	WH
GREEN	GN
Perrot Green	P.GN
GRAY	GY
Silver GRAY	S.GY
Light GRAY	LT.GY
Packing as per meters	
	90 Mtr
	200 Mtr
	300 Mtr
	100 Mtr

2) Panel Wire

Technical Word	Common Word for search
Panel Wire	PW
SQ.MM 0.5	FR 0.5
SQ.MM 1.5	FR 1.5
SQ.MM 2.5	FR 2.5
SQ.MM 4.0	FR 4.0
SQ.MM 10	FR 10
SQ.MM 16	FR 16

SQ.MM 50	FR 50
PW – FRLSH	**FRLSH**
SQ.MM 0.5	FRLSH 0.5
SQ.MM 1.0	FRLSH 1.0
SQ.MM 1.5	FRLSH 1.5
SQ.MM 2.5	FRLSH 2.5
SQ.MM 4.0	FRLSH 4.0
SQ.MM 6	FRLSH 6.0
SQ.MM 16	FRLSH 16
SQ.MM 35	FRLSH 35
PW - LSHF	**LSHF**
SQ.MM 2.5	LSHF 2.5

tem Group Name	Search In Item Desc.
PANEL WIRES ▼	IS 694

Search for FR PVC "IS 694" First select the product group and then search for the item code.

Wires Specifications IS 694	PW IS 694
Color Code for Search	
YELLOW	YE
RED	RD
BLUE	BU
BLACK	BK
WHITE	WH
GREEN	GN
Perrot Green	P.GN
GRAY	GY
Silver GRAY	S.GY
Light GRAY	LT.GY
Packing as per meters	
	100 Mtr
	200 Mtr

3) Solar Cable

Technical Word	Common Word for search

Solar Cable	Solar Cable
SQ.MM 1.5	1.5
SQ.MM 2.5	2.5
SQ.MM 4	4.0
SQ.MM 6	6.0
SQ.MM 10	140/0.30
SQ.MM 16	126/0.40
SQ.MM 25	196/0.40
SQ.MM 35	276/0.40
SQ.MM 50	396/0.40
SQ.MM 70	354/0.50
SQ.MM 95	480/0.50
SQ.MM 120	607/0.50
SQ.MM 150	760/0.50
SQ.MM 185	941/0.50
SQ.MM 240	1221/0.50

Search for Solar Cables "IS 694" First select the product group and then search for the item code.

Wires Specifications Standards	IS 694 , IEC-62930, IEC/EN/IS
Color Code For Search	RD, BK, BK/RD
Red	RD
Black	BK
Black/Red	BK/RD
Packing as per meters	100, 200

4) Telephone Cable

Technical Word	Common Word for search
Telephone Cable	TPW
Pair	
2	2 pair
4	4 Pair
Wires Specifications Standards	ABC
Color Code For Search	
Gray	GY
Packing as per meters	100 MTRS

5) Screen Cable
   5-1) AL SCREENED CABLES

Technical Word	Common Word for search
AL SCREENED CABLES	AL-SCR
Pair	
2	2 pair
4	4 Pair
Wires Specifications Standards	ABC
Search for Screen Cable " First select the product group and then search for the item code.	

Item Group Name	Search In Item Desc.
AL SCREENED CABLES	IEC-60227-7

Item Group Name	Search In Item Desc.
AL SCREENED CABLES	ISO 19642-3

Color Code For Search	

Red + Yellow + Blue + Green	RD+YE+BU+GN
White + Black	WH+BK
Red+Yellow+Blue+Green+White+Black+Gray	RD+YE+BU+GN+WH+BK+GY
Black+Red	BK+RD
Green+Yellow	GR+YE
Red+Yellow+Blue+Green+White+Black+Gray	RD+YE+BU+GN+WH+BK+GY
Red+Yellow+Blue+Black	RD+YE+BU+BK
Red+Yellow+Blue+Black+Green+Sliver.Gray+White	RD+YE+BU+BK+GN+S.GY+WH
Red+Yellow+Blue+Green	RD+YE+BU+GN
Packing as per meters	200 MTRS, 300 MTRs, 500 MTRS, 1000MTRs

5-2) CU SCREENED CABLES

Technical Word	Common Word for search
CU SCREENED CABLES	CU.SCR
SQ.MM	
SQ.MM 0.50	0.50
SQ.MM 0.75	0.75
	1C
	2C
	3C
	4C
	6C
Wires Specifications Standards	ABC

Search for CU Screen Cable " First select the product group and then search for the item code.

Color Code For Search	
Black	BK
Orange	OG
Blue	BU
Red	RD
White	WH
Green	GN
	Dummy
Packing as per meters	200 MTRS, 300 MTRs

5-3) ATC SCREENED CABLES

Technical Word	Common Word for search
ATC SCREENED CABLES	ATC-SCR
SQ.MM	

SQ.MM 0.50	0.50
	2C
	6C
	7C
Wires Specifications Standards	ATC, ABC

Search for ATC Screen Cable " First select the product group and then search for the item code.

Color Code For Search	
Light.Gray	LT.GY
Black	BK
Orange	OG
Blue	BU
Red	RD
White	WH
Green	GN
	Dummy
Packing as per meters	300 MTRs

5-4) AL MYL SCREENED CABLES

Technical Word	Common Word for search
AL MYL SCREENED CABLES	AL.MY
SQ.MM	
SQ.MM 0.50	0.50
SQ.MM 0.75	0.75
	2C
	6C
	7C
Wires Specifications Standards	ATC, ABC

Search for AL MYL Screen Cable " First select the product group and then search for the item code.

Color Code For Search	
Light.Gray	LT.GY
Black	BK
Orange	OG
Blue	BU
Red	RD
White	WH
Green	GN
	Dummy
Packing as per meters	200 MTRs, 300 MTRs, 400 MTRs

6) Automobile and Battery cable

Technical Word	Common Word for search
AUTO BATTERY CABLES	BTC

SQ.MM	
SQ.MM	16.00
SQ.MM	25.00
	35.00
	40.00
	50.00
	60.00
	70.00
Wires Specifications Standards	ABC

Search for Automobile and Battery cable select the product group and then search for the item code.

Color Code For Search	
Black	BK
Blue	BU
Red	RD
Packing as per meters	25 MTRs, 50 MTRs, 70 MTRs, 90 MTRs, 100 MTRs

7) TPU Cable

Technical Word	Common Word for search
TPU FLEXIBLE MULTICO	TPU FMC
SQ.MM	
	0.50
	0.75
	16
	50
	300
Wires Specifications Standards	

Search for TPU Flexible Multico cable select the product group and then search for the item code.

Color Code For Search	
Black	BK
Bworn	BN
Camel Bworn	CAM.BN
Packing as per meters	300MTRs, 500MTRs

8) Submersible Cable

Technical Word	Common Word for search
SUBMERSIBLE FLAT CABLES	SUB
SQ.MM	
	1.50
	2.50
	4.00
	6.00
	10.00
	16.00
Wires Specifications Standards	
Search for Submersible Cable select the product group and then search for the item code. 	
Color Code For Search	
Black	BK
Packing as per meters	100 RS, 500MTRS

9) Flexible Multicore Cable

Technical Word	Common Word for search
FLEXIBLE MULTICORE CABLES	FMC
SQ.MM	
	0.50
	0.75
	1.00
	1.50
	2.50
	4.00
	6.00
	10.00
	16.00
	25.00
	35.00

Wires Specifications Standards	
Search for Flexible Multicore Cable select the product group and then search for the item code. 	

Color Code For Search	
Black	BK
White	WH
Red	RD
Yellow	YE
Blue	BU
Green	GN
Packing as per meters or cm	90 CM, 0.750 MTRS, 1.750 MTRS, 100 MTRS, 200MTRS, 500MTRS