

Express Quiz

Total points 13/15 ?

Email *

aksharma.27mjm@gmail.com



Name *

Abhishek Kumar Sharma



✓ What function are arguments available to Express JS? *

1/1

- ☐ Req
- ☐ Res
- ☐ Next
- ☒ All the above mentioned



✓ What are the basic features of the Express framework? * 1/1

- ☐ Express allows you to configure middleware to respond to HTTP requests.
- ☐ Express allows you to define a routing table that can work according to the HTTP method and the URL.
- ☐ Express makes it possible to render a dynamic HTML page.
- ☒ All of these answers. ✓

✓ Where are the captured values populated regarding the route parameters? *1/1

- ☐ req.data
- ☐ app.locals
- ☒ req.params
- ☐ All of the above



✓ How is it possible to create chainable route handlers for a route path in Express.js? *1/1

- ☒ Using app.route() ✓
- ☐ Using app.routes()
- ☐ Using app.router()
- ☐ Using app.routing()

✓ Which of the following is the correct statement in the context of Express.js? *1/1

- ☒ Express is a minimal and flexible Node.js web application framework. ✓
- ☐ Express is a minimal and flexible React.js web application framework.
- ☐ Express is a minimal and flexible Redux.js web application framework.
- ☐ Express is a minimal and flexible Angular.js web application framework.

✗ Which of the following is the correct syntax to use Express.js in Node? * 0/1

- ☐ var = require('express')();
- ☐ var_require('express')();
- ☐ var app = require('express')();
- ☒ None of the above.

✗

Correct answer

- ☒ var app = require('express')();

✓ What is the meaning of templating in Express.js? *

1/1

- ☐ Pug
- ☐ EJS
- ☐ Mustache
- ☒ All of the above.



✓ Which of the following method requests that the server accept the data enclosed in the request to modify an existing object identified by the URI? *1/1

- ☐ GET
- ☐ DELETE
- ☒ PUT
- ☐ POST



✓ Which of the following function is used to specify what to do when a get request at the given route is called? *1/1

- ☒ app.get(route, callback) ✓
- ☐ get(route, callback)
- ☐ js.get(route, callback)
- ☐ fun.get(route, callback)

✓ HTTP is stateless. *

1/1

- ☒ This statement is true.
- ☐ This statement is false.
- ☐ It can be true or false.
- ☐ Cannot say.



✓ Which of the following statement is valid to use a Node module http in a Node based application? *1/1

- ☒ var http = require("http");
- ☐ var http = import("http");
- ☐ package http;
- ☐ import http;



✓ Where are the captured values populated regarding the route body? * 1/1

- ☒ req.body
- ☐ req.data
- ☐ req.payload
- ☐ All of the above



✓ When a JavaScript function is invoked (called) in Node, where is a new frame placed? *1/1

- ☒ the call stack
- ☐ the event loop
- ☐ the poll phase
- ☐ the events queue



✖ What will this code log to the console? *

0/1

// File: person.js

exports.name = "Jane";

// File: index.js


const person = require('./person.js');

console.log(person);

- ☐ {Jane}
- ☐ { name: 'Jane' }
- ☐ {}
- ☒ .Jane

✖

 Jane



Correct answer

☒ { name: 'Jane' }



✓ What is Node built on? *

1/1

- ☐ Python
- ☒ V8 JavaScript engine
- ☐ PHP
- ☐ c



This form was created inside Cuvette Tech.

Google Forms

