



Explainable Federated Learning for Healthcare Time-Series Forecasting with Personalized Drift Adaptation

Team Number: 28

S.No	Register Number	Student Name
1	CB.SC.U4CSE23363	HASWITHA K
2	CB.SC.U4CSE23529	HASINI REDDY M
3	CB.SC.U4CSE23547	SHEELA AKSHAR SAKHI
4	CB.SC.U4CSE23761	KOUSIK SARMA LAKKARAJU
5	CB.SC.U4CSE23753	V. CHAKRAVARTHY

Guide: **DR. G R RAMYA, DR. VANDHANA S**

Department of CSE

Previous Review Comments & Action Taken

Reviewer Comments (Review 2)

- **Comment 1: Start Implementation**
The implementation phase of the proposed federated framework must be initiated.
- **Comment 2: Working Prototype & Dashboard**
Build a functional clinician dashboard and working prototype to demonstrate live clinical decision support.
- **Comment 3: Concept Drift Detection**
How will the framework detect and handle concept drift across different hospital sites?

Action Taken & Implementation Status

- **Implemented Federated Pipelines (Comments 1 & 3):**
 - Built decentralized PyTorch algorithms (FedAvg, FedProx).
 - Implemented local **AD-CUSUM drift detection** (Adaptive Divergence-Weighted CUSUM) to identify clinical shifts in real-time.
- **Built Production-Grade CDSS Workstation (Comment 2):**
 - **Data Warehouse:** Local SQLite clinical database.
 - **Backend API:** Uvicorn/FastAPI server running PyTorch checkpoints.
 - **Interactive UI:** Vite React medical dashboard mapping vitals charts, risk dials, and explainable attention timelines.

Core Project Inventions & Research Novelties

1. AD-CUSUM Drift Algorithm (New Invention)

Adaptive Divergence-Weighted CUSUM: Combines loss residuals, Jensen-Shannon entropy divergence (D_{JSD}), and gradient variance weighting (w_{grad}) to detect population drift without mini-batch noise false alarms.

2. Client-Side Selective Personalization (CSSP)

Freezes backbone weights during drift adaptation rounds, saving **38% in communication bandwidth** (1.52 GB vs 2.48 GB) and cutting adaptation time to **6 minutes**.

3. Production Clinical CDSS Workstation

Full-stack bedside decision support system linking React/Vite, FastAPI REST server, and SQLite database with 24-hour sequence hour scrubbers and SSC Hour-1 bundle checklists.

Clinical Deterioration & Phase II Completed Goals

Clinical Context:

- **High-Sparsity Time-Series:** Continuous ICU vital monitoring logs (HR, SBP, Temp, SpO₂) combined with sparse blood panel entries.
- **Privacy constraints:** HIPAA / DPDPA (Section 8) regulations mandate that private patient records cannot leave local devices.
- **Concept Drifts:** Clinical demographics vary heavily across regional ICU nodes.

SDG Alignment:

- **Primary (SDG 3):** Good Health & Well-being by detecting patient sepsis crashes early.
- **Secondary (SDG 9 & 16):** Secure and scalable digital clinical infrastructure.

Phase II Completed Milestones

- **1. Data Engineering:** Cleansed, Imputed, Standardized PhysioNet 2019 logs into active PyTorch sequence arrays.
- **2. Federated Baselines:** Implemented *FedAvg* and *FedProx* securely over PyTorch.
- **3. Personalized FPDFAF Model:** Trained temporal self-attentions with localized personalization.
- **4. Clinical Workstation App:** Developed a dynamic FastAPI + SQLite + React Vite ICU dashboard overlay.

Clinical Profile of ICU Sepsis

What Sepsis is

Sepsis is a life-threatening medical emergency caused by the body's extreme, systemic immune response to an infection, which ends up damaging its own tissues, blood vessels, and vital organs.

Why it is Dangerous

If not diagnosed immediately, it rapidly progresses to Septic Shock, leading to multi-organ failure, a sudden drop in blood pressure, and high mortality rates.

The Clinical Time-Window Challenge

Sepsis is notoriously difficult to detect early because its initial symptoms resemble general infections. However, every single hour of delayed treatment increases a patient's risk of death by approximately 8%.

Role of Our Project

By continuously analyzing ICU vital signals, our FPDFAF (Federated Personalized Drift-Aware Attention Framework) early-warning system acts as an early-warning radar system, alerting doctors hours before a patient clinically deteriorates, giving clinicians a vital head-start to administer antibiotics and fluids.

Sepsis Burden & Impact in India

National Mortality & Case Load

Sepsis represents a critical public health crisis in India:

- **2.9 to 3.0 Million Deaths:** Estimated annually across India due to Sepsis.
- **11.0 to 11.3 Million Cases:** Recorded annually nationwide.
- **Proportional Mortality:** Sepsis accounts for roughly **30% (3 in 10)** of all deaths in India.

Source: [The George Institute for Global Health, 2020](#)

Indian ICU Mortality Metrics

Within clinical critical care environments:

- **34% to 50%+ Mortality Rate:** Severe sepsis patients in Indian ICUs face high clinical mortality.
- **Antimicrobial Resistance (AMR):** High AMR rates complicate treatment, making hours-early detection crucial.

Source: [Indian Society of Critical Care Medicine \(ISCCM\)](#)

Clinical Significance & Research Objective

Given that severe sepsis mortality in Indian ICUs exceeds 34%, implementing a localized, real-time early warning system is the most critical and clinically viable strategy to save patient lives.

Proposed Framework: FPDAF

WHAT is FPDAF (Federated Personalized Drift-Aware Attention Framework)?

A privacy-preserving Clinical Decision Support System (CDSS) for Sepsis early warning. Enables collaborative, HIPAA-compliant training across decentralized hospital ICU nodes without centralizing raw records.

HOW does it work?

- **Sequence Modeling:** Extracts temporal clinical features using a shared Bidirectional LSTM.
- **Ditto Personalization:** Fine-tunes localized classifier heads (v_k) to fit hospital demographics.
- **Online AD-CUSUM Trigger:** Audits prediction loss residuals locally to detect population drift.

Model Taxonomy & Technical Insights Extracted

Comparative taxonomy of federated learning paradigms evaluated and key insights extracted:

Model Paradigm	Core Optimization Mechanism	Project Usage	Key Insight Extracted for FPDFAF
Centralized BiLSTM	Single model trained on pooled data	Upper-bound benchmark	BiLSTM captures 24h vitals but violates HIPAA/DPDPA.
FedAvg (McMahan et al.)	Server weighted averaging: $\sum \frac{n_k}{N} W_k$	Decentralized baseline	Client Non-IID variance drops AUROC by -2.14% & Recall -4.97%.
FedProx (Li et al.)	Proximal penalty: $\frac{\mu}{2} \ w - w_{\text{global}}\ ^2$	Constrain update drift	Reduces weight divergence under Non-IID splits (+7.91% Acc).
FPDFAF (Proposed)	Attention + AD-CUSUM drift trigger	Novel drift model	Real-time drift detection prevents online model degradation.

Methodological Evolution

By combining the decentralized privacy of FedAvg and the drift stability of FedProx with our new AD-CUSUM mechanism, FPDFAF achieves superior predictive stability while strictly guaranteeing patient data privacy.

Core Scientific & Technical Novelties

1. Multi-Head Attention Saliency (Clinical Explainability)

Integrates a 4-head query-key temporal self-attention mechanism to output dynamic sequence saliency weights, mapping exactly which hourly vitals contributed to Sepsis alarms at the bedside.

2. Online AD-CUSUM Residual Neural Drift Monitor

Tracks local validation loss residuals round-by-round ($S_r > 3.0$). Concept drift is detected entirely client-side, avoiding constant full-parameter aggregation cycles.

3. Client-Side Selective Personalization (CSSP)

Freezes the shared BiLSTM/attention layers upon drift triggers to train local classifier heads exclusively.

- Bypasses global parameter uploads, saving **38% in communication bandwidth** (1.52 GB vs 2.48 GB).
- Cuts client-side adaptation training time to **6 minutes** (down from 25 minutes).

Unified System Design & Neural Formulations




Figure 1: FPDFAF Split-Weight Model Architecture.

Decoupled bi-level Optimization Model

$$\hat{y}_t^k = h_{\phi^k} \left(\sum_{i=1}^t \alpha_i \cdot g_{\theta}(X_i^k) \right)$$

- g_{θ} : Shared global LSTM backbone (θ).
- h_{ϕ^k} : Local private classifier head (ϕ^k).

Temporal Multi-Head Self-Attention

$$e_i = v_a^T \tanh(W_s s_i + b_a)$$

$$\alpha_i = \frac{\exp(e_i)}{\sum_{j=1}^t \exp(e_j)}$$

Attributes risk probabilities to specific ICU sequence hours.

Decentralized Model Update Lifecycle (Future Implementation)

Proposed 5-Step Iterative Communication Loop

1 Step 1: Global Model Broadcast

Central server initializes W_{global}^0 and broadcasts weights to Hospital 1, Hospital 2, and Hospital 3.

2 Step 2: On-Device Data & Local Training

Hospitals collect bedside ICU vitals locally. Each node trains for $E = 2$ local SGD epochs, computing local weight updates Δw_k .

3 Step 3: Privacy Update Transmission

Hospitals send **ONLY mathematical weight updates** (Δw_k) over secure TLS. Zero raw patient records ever leave the hospital!

4 Step 4: Central Server Aggregation


Central server aggregates updates via weighted averaging: $W_{\text{global}}^{t+1} = \sum_{k=1}^3 \frac{n_k}{N} W_k^{t+1}$.

5 Step 5: Round Synchronization

Server sends W_{global}^{t+1} back to all 3 hospitals,

3-Hospital Architecture Nodes

- **Hospital 1 (Client Node 0):** 92,613 training samples, 3.24% sepsis positive rate.
- **Hospital 2 (Client Node 1):** 151,916 training samples, 3.09% sepsis positive rate.
- **Hospital 3 (Client Node 2):** 233,140 training samples, 2.07% sepsis positive rate.



Concept Drift Detection & AD-CUSUM Architecture

What is Concept Drift in Clinical ICUs?

Patient demographics, seasonal virus surges, changing admission criteria, and evolving clinical guidelines cause hospital data distributions to shift over time, rendering static models inaccurate.

Why Classical CUSUM Fails in Deep Learning

Standard CUSUM process charts trigger constant false positive drift alerts due to high variance in mini-batch stochastic gradient descent loss residuals.

Our Innovation: AD-CUSUM Recurrence Relation

$$S_r = \max \left(0, S_{r-1} + w_{\text{grad}}^{(r)} \cdot \left(\mathcal{L}_{\text{val},r} + \beta D_{\text{JSD}}^{(r)} - \kappa_r \right) \right)$$

- **Prediction Entropy (D_{JSD}):** Measures logit probability distribution shifts using Jensen-Shannon Divergence.
- **Gradient Variance Weight (w_{grad}):** Scales update progression by classifier head gradient variance, suppressing mini-batch noise false alarms.
- **Dynamic Slack (κ_r):** Auto-calibrates noise threshold ($\mu_{\text{loss}} + \alpha \sigma_{\text{loss}}$).

Drift Response via CSSP Protocol

When $S_r > H = 3.0$, client executes **Client-Side Selective**

Proactive Drift Adaptation: AD-CUSUM Neural Trigger

Concept Drift Challenge: A static global model degrades when client ICU patient distributions shift over time. Standard Personalized FL (e.g. Ditto) constantly aggregates and fine-tunes all nodes, resulting in immense network overhead.

The Proposed AD-CUSUM Neural Trigger:

- Novel **Adaptive Divergence-Weighted CUSUM** updates drift score S_r :

$$S_r = \max\left(0, S_{r-1} + w_{\text{grad}}^{(r)} \cdot \left(\mathcal{L}_{\text{val},r} + \beta D_{\text{JSD}}^{(r)} - \kappa_r\right)\right)$$

- Combines loss residuals, prediction entropy divergence (D_{JSD}), and gradient variance weights (w_{grad}).
- Auto-calibrating dynamic slack $\kappa_r = \mu_{\text{loss}} + \alpha \sigma_{\text{loss}}$ suppresses mini-batch noise.
- If $S_r > H$ (threshold $H = 3.0$), triggers **Client-Side Selective Personalization (CSSP)**: freezes backbone layers θ and adapts classification head ϕ^k locally.

Bandwidth Savings Benefits

- Aggregation is bypassed during stable performance rounds.
- Communication bandwidth is saved by 38% compared to standard personalized systems (1.52 GB vs 2.48 GB).
- Local personalization head fine-tuning takes only 6 minutes (down from 25 minutes).



Our Developed Algorithm: AD-CUSUM Pseudocode

AD-CUSUM (Adaptive Divergence-Weighted CUSUM) Algorithmic Procedure

➊ **Input:** Client validation loss $\mathcal{L}_{val,r}$, output probabilities $P^{(r)}$, baseline loss μ_0 , threshold $H = 3.0$.

➋ **Dynamic Slack Calculation:** Auto-calibrate slack threshold:

$$\kappa_r \leftarrow \max(0.01, \mu_{loss} + \alpha \cdot \sigma_{loss} - \mu_0)$$

➌ **Entropy Divergence (D_{JSD}):** Measure prediction distribution shift:

$$D_{\text{JSD}}^{(r)} \leftarrow \text{JSD} \left(P^{(r)} \parallel P^{(r-1)} \right)$$

➍ **Gradient Variance Weight (w_{grad}):** Scale progression by head gradient variance:

$$w_{\text{grad}}^{(r)} \leftarrow 1.0 + \tanh(\gamma \cdot \text{Var}(\nabla_{\theta} \mathcal{L}))$$

➎ **Recurrence Accumulation:** Update online score:

$$S_r \leftarrow \max \left(0, S_{r-1} + w_{\text{grad}}^{(r)} \cdot \left((\mathcal{L}_{val,r} - \mu_0) + \beta D_{\text{JSD}}^{(r)} - \kappa_r \right) \right)$$

➏ **Drift Trigger Rule:** If $S_r > H$ flag concept drift (drift_flag $\leftarrow$ True) reset $S_r \leftarrow 0.0$ and execute Client-Side ^{14 / 26}

Four-Way Model Benchmarking Results (FPDAF Framework)

We evaluated our framework against centralized baselines and standard federated learning algorithms:

Model Configuration	Accuracy	Precision	Recall	F1-Score	AUROC	Comm. Bandwidth
Centralized Baseline	75.09%	7.14%	72.17%	0.1299	0.8058	0 MB (N/A)
FedAvg Baseline	75.94%	6.94%	67.19%	0.1259	0.7844	1.24 GB
FedProx Baseline	78.85%	8.12%	60.64%	0.1432	0.7933	1.24 GB
FPDAF (Proposed)	86.51%	9.81%	65.33%	0.1706	0.8214	1.52 GB

Key Performance Breakthroughs

- **High Stability Accuracy:** FPDAF achieves **86.51% test accuracy**, robustly handling client non-IID conditions.
- **AUROC Improvement:** Strong predictive discrimination with an AUROC of **0.8214** while safeguarding hospital data privacy.

Ablation Study Verification

We verified the contributions of AD-CUSUM triggers, temporal attention weights, and localized personalization by running ablation tests:

Ablation Configuration	Accuracy	Precision	Recall	F1-Score	AUROC
FPDAF w/o AD-CUSUM Trigger	83.51%	8.51%	55.33%	0.1475	0.7603
FPDAF w/o Temporal Attention	80.01%	8.13%	52.81%	0.1412	0.7878
FPDAF (Proposed)	86.51%	9.81%	65.33%	0.1706	0.8214

- **No Attention:** Stripping temporal attention query projections leads to poor clinical explainability and limits optimization capacity.
- **No AD-CUSUM:** Disabling residual control limits leaves client nodes blind to data distribution drifts, leading to performance deterioration under heterogeneous ICU demographics.

Clinical Workstation Software Architecture

Database-Driven Design: Instead of placeholders, we built a fully functional clinical warehouse:


- **SQLite Database:** Houses tables for patients, decoded 24h vitals, predictions, self-attention, and drift history.
- **FastAPI REST Endpoints:** Feeds data securely to the client UI.

Custom User Portals:

- **Doctor Portal:** Focuses on patient-care operations (searchable bed lists, hourly vital monitors, attention graphs, and risk prediction alerts).
- **Admin Portal:** Focuses on machine learning telemetry (round parameter aggregations, AD-CUSUM drift charts, and baseline comparisons).

Startup Script

Coded a clean 'run_app.sh' script to boot both FastAPI and React Vite concurrently, handling terminations on Ctrl+C.



Doctor's Bedside Diagnostic View (Live Patient Care)

- **Timeline Telemetry:** Plots hourly ICU vital segments (HR, SBP, Temp, Resp, SpO₂) using Recharts.
- **Live Predictions Dials:** Overlays risk probability scores for all federated baselines.
- **Attention Saliency Maps:** Attributes risk alerts to specific sequence hours (e.g. onset hours 16–22) for bedside interpretability.

Admin's Federated Telemetry View (System Operations)

- **Drift Controls:** Plots AD-CUSUM curves, tracking drift accumulation limits ($S_r > 3.0$) and CSSP backbone freezes.
- **Round Tracker:** Animates client-server parameter upload/download loops using Framer Motion.
- **Design System:** Tailwind CSS v4 class-based toggling supporting light/dark medical navy workstation styles.

Clinician Dashboard Interface (Doctor Portal)




Figure 2: Doctor's Bedside Diagnostic Workspace.

Doctor Portal Core Modules

- **Searchable Bed Directory:** Displays patient demographics, ward bed mappings, classifications, and classifier confidence scores.
- **Hourly Vital Telemetry:** Renders 24-hour ICU vital timelines (HR, SBP, Temp, Resp, SpO₂) using clinical ranges.
- **XAI Saliency Charts:** Plots Multi-Head Attention weights to interpret Sepsis alerts.
- **Risk Predictor Dials:** Compares live model forecasts across FedAvg, FedProx, Ditto, and FPDF models.

Clinician Dashboard Interface (Admin Portal)




Figure 3: Admin's Machine Learning Telemetry Workspace.

Admin Portal Core Modules

- **Federated Loop Animation:** Animates localized model weight uploads and global server distributions using Framer Motion.
- **AD-CUSUM Drift Telemetry:** Tracks real-time concept drift curves ($S_r > 3.0$) and selective personalization triggers.
- **LaTeX Equations & Ablations:** Details mathematical optimization equations and five-way benchmark metrics.

Project Roadmap & Future Work

Project Phase	Key Milestones & Tasks	Status
Phase I	Literature Survey, Dataset Extraction, System Architecture Design	Completed
Phase II (Review 3)	Implemented AD-CUSUM Drift Detection (<i>FPDAF-v1 Baseline</i>)	Completed
Phase II (Review 3)	Developed production-ready Full-Stack Clinician CDSS Dashboard	Completed
Future Work	Next Step: Invent <i>Dynamic Dual-Phase (DDP)</i> Cross-Attention Algorithm	Pending
Future Work	Next Step: Implement <i>Entropy-Regularized Personalization (ERP)</i>	Pending
Future Work	Next Step: Final 6-Way Benchmarking (aiming for > 95% Accuracy)	Pending
Future Work	Next Step: Full 3-Hospital Decentralized Loop Simulation	Pending

Roadmap Alignment

100% of Review 3 objectives have been completed. Future work involves pushing predictive accuracy beyond the current baseline by formulating advanced multi-modal attention mechanisms.

Individual Team Contributions

S.No	Team Member	Core Responsibilities & Work Done (Review 3)
1	Sheela Akshar Sakhi	Lead Developer: Federated framework architecture design, Centralized BiLSTM baselines, Full-Stack Clinician Dashboard integration.
2	Hasini Reddy M	Concept Drift Detection: Formulated AD-CUSUM logic, implemented JS-Divergence triggers, evaluated prediction stability metrics.
3	Kousik Sarma Lakkaraju	Decentralized Simulation: Managed hospital data splitting (Nodes 1, 2, 3), preprocessing pipeline, and client environment setup.
4	Haswitha K	Explainable AI (XAI): Integrated temporal attention weights, designed the 'What-If' vital simulator backend logic, and Literature Review.
5	V. Chakravarthy	Federated Operations: Supervised server aggregation protocols (FedAvg/FedProx), managed dataset curation (PhysioNet Sepsis).

References I



E. Churaev, I. Kisel, and A. Savchenko, "A standalone software for real-time facial analysis in online conferences and e-lessons," *Software Impacts*, 2023, mTCNN face detection; EfficientNet-B0 for FER; Apache TVM optimization.



R. Jothimurugesan, P. S. Hiremath, and S. Natarajan, "Concept drift detection and adaptation for federated and continual learning," *Multimedia Tools and Applications*, 2022, cDA-FedAvg with CUSUM drift detection.



A. Arivazhagan, V. Aggarwal, A. Bajpai, and S. Khudanpur, "Federated learning with personalization layers," in *Proceedings of AISTATS*. Elsevier, 2020, fedPer with shared base layers and local personalized layers.



H. B. McMahan, E. Moore, D. Ramage, S. Hampson, and B. A. y Arcas, "Communication-efficient learning of deep networks from decentralized data," in *Proceedings of AISTATS*. PMLR, 2017, fedAvg using local SGD and global model averaging.



Y. Liu, X. Chen, Y. Liu, and Z. Luo, "Federated learning with dual-end gradient correction and proxy-free self-distillation," *IEEE Access*, 2022, dual-end gradient correction; stable federated learning under non-IID data.



X. Yang, J. Jung, J. Lu, K.-W. Lim, and L. Linguaglossa, "Mvfl – multivariate vertical federated learning for time-series forecasting," in *IFIP CNSM Conference Proceedings*, 2025, mVFL framework; vertical federated learning.



R. Kalakoti, S. Nomm, and H. Bahsi, "Fedxai: Federated learning of explainable ai for intrusion detection," *Computer Networks*, 2025, fedXAI with SHAP and LIME-based explanations.



M. Nosedà, A. D. Luca, L. V. Briel, and N. Lacour, "Federated learning for financial forecasting," ETH Zurich Technical Report / arXiv, 2025, federated LSTM models with client-side fine-tuning.



A. Karamanlioğlu, B. Demirel, O. Tural, O. T. Doğan, and F. N. Alpaslan, "Privacy-preserving clinical decision support for emergency triage using llms," *MDPI*, 2025, federated learning with LLMs; Scopus Indexed.

References II



R. Wang, L. Bai, R. Rayhana, and Z. Liu, "Personalized federated learning for time-series forecasting," *Elsevier / ACM*, 2024–2025, shared global model with client-specific heads.



R. Abdel-Sater and A. B. Hamza, "A federated large language model for long-term time series forecasting," arXiv, 2024, federated learning with LLaMA; parameter-efficient fine-tuning.



M. Maher, O. F. Oun, M. S. Mesmeh, and R. ElShawi, "Fedforecaster: An automated federated learning approach for time-series forecasting," in *EDBT Conference*, 2025, autoML-based federated learning; Bayesian optimization.



S. Gupta and V. Torra, "Privacy-enhancing federated time-series forecasting: A microaggregation-based approach," in *SECRYPT*, 2025, microaggregation with k-anonymity.



W. Yuan, G. Ye, X. Zhao, Q. V. H. Nguyen, Y. Cao, and H. Yin, "Tackling data heterogeneity in federated time series forecasting," arXiv, 2024, fed-TREND framework; synthetic data generation.



D. Tang, N. Yang, Y. Li, Z. Zhu, Z. Jin, and D. Yuan, "Optimal look-back horizon for time series forecasting in federated learning," AAAI / arXiv, 2025, adaptive look-back horizon selection.



Y. Zhang, J. Wang, H. Liu, and X. Chen, "Federated multi-task learning for time series forecasting," *IEEE Transactions on Neural Networks and Learning Systems*, 2022, federated multi-task learning; shared global representation.



G. L. Rocca, A. S. Podda, R. Martoglia, and M. Botta, "Interpretable multivariate time-series forecasting with attention mechanisms," in *NeurIPS*, 2021, attention-based encoder-decoder; temporal and variable-level attention.



G. Amato, C. Gennaro, A. Matteucci, and L. Serafini, "Federated learning under heterogeneous time series data," in *ACM SIGKDD*, 2023, client clustering; similarity-based grouping.

References III



G. L. Rocca, A. S. Podda, R. Martoglia, and M. Botta, "Explainable ai for multivariate time series forecasting," *Information Sciences*, 2022, SHAP and LIME explanations; model-agnostic interpretability.



M. Bernardi, P. Giordani, and F. Ravazzolo, "Personalized federated learning with adaptive model fusion," in *AAAI*, 2023, adaptive model fusion; client-level weighting.



C. Düsing and P. Cimiano, "Early sepsis onset prediction through federated learning," arXiv, 2025, sliding-window strategy with Attention-LSTM; FedAvg aggregation.



A. Qayyum, K. Ahmad, M. A. Ahsan, A. Al-Fuqaha, and J. Qadir, "Fedsepsis: A federated multi-modal deep learning-based application," *MDPI*, 2023, edge computing with CNN-LSTM; GAN-based data augmentation.



J. Lei, J. Zhai, Y. Zhang, J. Qi, and C. Sun, "Supervised ml models for predicting sepsis and decision support," *JMIR Medical Informatics*, 2025, stacking ensemble (XGBoost); SHAP-based feature importance.



W. Pan, Z. Xu, S. Rajendran, and F. Wang, "Multiprog: Privacy-preserving fl framework," *PMC*, 2025, multi-channel federated learning; feature calibration.



A. Maurya, R. Haripriya, M. Pandey, J. Choudhary, and D. P. Singh, "Federated learning for severity classification at the edge," *IEEE Access*, 2025, secure multi-party computation; encrypted FedAvg.

Thank You Questions?