

City Labs

Division of Clinical Pathology & Diagnostic Services

CLIA Accreditation: 99D0982341 • CAP Accredited Laboratory #184729 • Specimen Processing Unit

PATIENT INFORMATION

Name: Synthetic Demo Patient

ID: DEMO-PATIENT-2026

DOB: 1988-04-20 (Synthetic)

SPECIMEN & ORDER

Specimen ID: SP-2026-0115-01

Specimen: Venous Blood / Serum

Ordering: Dr. Synthetic, MD (Demo)

REPORT CHRONOLOGY

Report Date: 15 Jan 2026

Collection Date: 15 Jan 2026

Status: Final Certified Record

OBSERVED LABORATORY MEASUREMENTS

TEST NAME	RESULT	UNIT	REFERENCE RANGE
Hemoglobin	14.2	g/dL	13.0–17.0
WBC Count	7,100	/μL	4,000–11,000
Fasting Glucose	96	mg/dL	70–99
Total Cholesterol	210	mg/dL	<200
Vitamin D	17	ng/mL	20–50

METHODOLOGY & OBSERVATION NOTES

Automated photometric and chemiluminescent immunoassay analysis performed in accordance with standard diagnostic protocols. All control samples verified within allowable tolerances prior to specimen processing.

ELECTRONIC LABORATORY AUTHORIZATION

Laboratory Director: Elizabeth Warren, MD, FCAP

Electronically signed & released on 15 Jan 2026 via LabDelta Secure LIS Interface

[DIGITALLY VERIFIED]

Hash: 8f4a•20260115