

# SUMMARIZE

## 1. Total Number of Successful Bookings

Calculated the total number of Successful Bookings from the bookings table. It filters the records where the Booking Status is 'Success'.

```
SELECT
    COUNT(*) AS total_Successful_bookings
FROM
    bookings
WHERE
    Booking_Status='Success';
```

OUTPUT

|   | total_Successful_bookings |
|---|---------------------------|
| ▶ | 25207                     |

## 2. Booking Status Breakdown

Analyzed booking statuses to show the proportion of successful, cancelled, and pending rides — giving a clear view of operational efficiency.

```
SELECT
    Booking_status,
    COUNT(*) AS count_of_status,
    ROUND((COUNT(*) * 100.0 /
    (SELECT
        COUNT(*)
    FROM
        bookings)), 2) AS Percentage
FROM
    bookings
GROUP BY
    Booking_status;
```

OUTPUT

| Booking_Status       | count_of_status | percentage |
|----------------------|-----------------|------------|
| Canceled by Driver   | 7212            | 17.79      |
| Success              | 25207           | 62.18      |
| Canceled by Customer | 4079            | 10.06      |
| Driver Not Found     | 4041            | 9.97       |

### 3. Number of Unique and Repeated customers

Identified the number of unique and repeated customers by comparing total and distinct Customer IDs — offering insights into user retention and platform engagement.

```
SELECT  
  
    COUNT(DISTINCT Customer_ID) AS unique_customers,  
  
    COUNT(Customer_ID) - COUNT(DISTINCT Customer_ID) AS Repeated_users  
  
FROM  
  
    bookings;
```

OUTPUT

|   | unique_customers | Repeated_users |
|---|------------------|----------------|
| ▶ | 39657            | 882            |

### 4. Total Revenue from Successful Bookings

Calculated total revenue only from rides marked as 'Success', which provides an accurate reflection of actual earnings.

```
SELECT  
  
    sum(Booking_Value) AS total_revenue  
  
FROM  
  
    bookings  
  
WHERE  
  
    Booking_status = "success";
```

OUTPUT

|   | total_revenue |
|---|---------------|
| ▶ | 13762477      |

#### 5. Weekly Revenue of the Month

Grouped successful bookings by week of the month to analyze revenue trends and identify peak earning periods.

```
SELECT
    CASE
        WHEN DAY(Date) BETWEEN 1 AND 7 THEN 'Week 1'
        WHEN DAY(Date) BETWEEN 8 AND 14 THEN 'Week 2'
        WHEN DAY(Date) BETWEEN 15 AND 21 THEN 'Week 3'
        WHEN DAY(Date) BETWEEN 22 AND 31 THEN 'Week 4'
    END AS Week_of_Month,
    SUM(Booking_Value) AS Weekly_Revenue
FROM
    bookings
WHERE
    Booking_Status = 'Success'
GROUP BY
    Week_of_Month
ORDER BY
    Week_of_Month;
```

OUTPUT

|   | Week_of_Month | Weekly_Revenue |
|---|---------------|----------------|
| ▶ | Week 1        | 3187718        |
|   | Week 2        | 3180890        |
|   | Week 3        | 3213467        |
|   | Week 4        | 4180402        |

#### 6. Most Popular Vehicle Category

Ranked Vehicle categories based on the number of successful rides to determine the most preferred vehicle type among customers.

```
SELECT
    Vehicle_Type,
    count(*) AS total_Successful_rides
FROM
    bookings
WHERE
    Booking_status = "Success"
GROUP BY
    Vehicle_Type
ORDER BY
    total_Successful_rides DESC;
```

OUTPUT

|   | Vehicle_Type | total_Successful_rides |
|---|--------------|------------------------|
| ▶ | Bike         | 3703                   |
|   | eBike        | 3685                   |
|   | Prime Sedan  | 3673                   |
|   | Auto         | 3587                   |
|   | Prime SUV    | 3582                   |
|   | Mini         | 3506                   |
|   | Prime Plus   | 3471                   |

## 7. Average Fare by Vehicle Type

Calculated the average fare for each vehicle type to compare pricing trends across ride categories.

```
SELECT
    vehicle_type,
    ROUND(AVG(Booking_value),1) AS avg_fare
FROM
    bookings
group by
    vehicle_type;
```

OUTPUT

|   | vehicle_type | avg_fare |
|---|--------------|----------|
| ▶ | Prime Sedan  | 564.8    |
|   | Bike         | 544.5    |
|   | Prime SUV    | 540.2    |
|   | eBike        | 546.1    |
|   | Mini         | 546.5    |
|   | Prime Plus   | 547.3    |
|   | Auto         | 540.9    |

## 8. Different payment methods used

Different payment methods used by customers were identified to understand the variety of transaction options.

```
SELECT
    DISTINCT Payment_Method
FROM
    Bookings
WHERE
    payment_method IS NOT NULL;
```

OUTPUT

|   | Payment_Method |
|---|----------------|
| ▶ | Cash           |
|   | UPI            |
|   | Credit Card    |
|   | Debit Card     |

### 9. Most Preferred Payment Methods for Successful Bookings

Identified the most preferred payment methods by analyzing only successful bookings, helping to understand customer payment preferences and streamline future payment support.

```
SELECT
    Payment_Method,
    count(*) AS Total_usage
FROM
    bookings
WHERE
    Booking_status = "Success"
GROUP BY
    Payment_Method
ORDER BY
    Total_usage DESC;
```

OUTPUT

|   | Payment_Method | Total_usage |
|---|----------------|-------------|
| ▶ | Cash           | 13708       |
|   | UPI            | 10289       |
|   | Credit Card    | 951         |
|   | Debit Card     | 259         |

### 10. Top 5 Most Frequent Pickup Locations

Identified the top 5 most frequent pickup locations based on booking count to highlight high-demand areas.

```
SELECT
    Pickup_Location,
    count(*) AS Pickup_count
FROM
    Bookings
GROUP BY
    Pickup_Location
ORDER BY
    pickup_count DESC
LIMIT 5 ;
```

OUTPUT

|   | Pickup_Location  | Pickup_count |
|---|------------------|--------------|
| ▶ | Indiranagar      | 883          |
|   | Banashankari     | 865          |
|   | Ramamurthy Nagar | 861          |
|   | Kammanahalli     | 855          |
|   | Cox Town         | 844          |

### 11. Distribution of Revenue by Vehicle type

Analyzed revenue distribution by vehicle type to understand which ride categories contribute most to earnings.

```
SELECT
    vehicle_Type,
    Sum(Booking_value) AS Total_revenue
FROM
    bookings
GROUP BY
    vehicle_type
ORDER BY
    total_revenue DESC;
```

OUTPUT

|   | vehicle_Type | Total_revenue |
|---|--------------|---------------|
| ▶ | Prime Sedan  | 3281351       |
|   | eBike        | 3211674       |
|   | Bike         | 3200790       |
|   | Prime SUV    | 3167997       |
|   | Auto         | 3130962       |
|   | Prime Plus   | 3107987       |
|   | Mini         | 3081919       |

### 12. Average Rating Per Vehicle

Calculated the average customer rating for each vehicle type to assess service quality and user satisfaction.

```
SELECT
    Vehicle_Type,
    ROUND(AVG(Driver_Ratings)) AS avg_driver_rating,
    ROUND(AVG(Customer_Rating)) AS avg_Customer_Rating
FROM
    Bookings
WHERE
    Booking_Status = "Success"
GROUP BY
    Vehicle_Type
ORDER BY
    avg_driver_rating DESC;
```

OUTPUT

|   | Vehicle_Type | avg_driver_rating | avg_Customer_Rating |
|---|--------------|-------------------|---------------------|
| ▶ | Bike         | 4                 | 4                   |
|   | Prime SUV    | 4                 | 4                   |
|   | Mini         | 4                 | 4                   |
|   | Prime Plus   | 4                 | 4                   |
|   | Auto         | 4                 | 4                   |
|   | eBike        | 4                 | 4                   |
|   | Prime Sedan  | 4                 | 4                   |

### 13. Top 5 pickup points with high cancellation

Identified top 5 pickup points with the highest number of cancellations to highlight locations prone to service disruptions.

```
SELECT
    Pickup_Location,
    count(*) AS Pickup_points_with_high_cancellation
FROM
    Bookings
WHERE
    Booking_Status IN ("Canceled by Driver","Canceled by Customer")
GROUP BY
    Pickup_Location
ORDER BY
    Pickup_points_with_high_cancellation DESC
LIMIT 5;
```

OUTPUT

|   | Pickup_Location   | Pickup_points_with_high_cancellation |
|---|-------------------|--------------------------------------|
| ► | Kammanahalli      | 254                                  |
|   | Tumkur Road       | 250                                  |
|   | Bannerghatta Road | 249                                  |
|   | Whitefield        | 249                                  |
|   | Sarjapur Road     | 248                                  |

### 14. Top 10 Most Frequent Pickup-Drop Pairs

Identified the top 10 most frequent pickup-drop location pairs to uncover popular travel routes among customers.

```
SELECT
    Pickup_Location, Drop_Location,
    Count(*) AS total_rides
FROM
    Bookings
GROUP BY
    Pickup_Location, Drop_Location
ORDER BY
    total_rides DESC
LIMIT 10;
```

OUTPUT

|   | Pickup_Location | Drop_Location        | total_rides |
|---|-----------------|----------------------|-------------|
| ► | BTM Layout      | Marathahalli         | 31          |
|   | Majestic        | Hennur               | 30          |
|   | Indiranagar     | Basavanagudi         | 30          |
|   | Nagarbhavi      | Nagarbhavi           | 30          |
|   | Chickpet        | Koramangala          | 30          |
|   | Hennur          | Chamarajpet          | 29          |
|   | Banashankari    | Rajarajeshwari Nagar | 29          |
|   | Kengeri         | Shantinagar          | 29          |
|   | Bellandur       | Shivajinagar         | 29          |
|   | Mysore Road     | Ulsoor               | 28          |

### 15. Bookings Per Day

Calculated the number of bookings made each day to analyze daily ride volume and detect usage patterns.

```
SELECT
    DATE,
    DAYNAME(Date) AS dayname,
    COUNT(*) AS Total_bookings_per_day
FROM
    Bookings
GROUP BY
    Date
ORDER BY
    Total_bookings_per_day DESC;
```

OUTPUT

|   | DATE       | dayname   | Total_bookings_per_d |
|---|------------|-----------|----------------------|
| ► | 2024-07-13 | Saturday  | 1417                 |
|   | 2024-07-02 | Tuesday   | 1416                 |
|   | 2024-07-16 | Tuesday   | 1399                 |
|   | 2024-07-30 | Tuesday   | 1393                 |
|   | 2024-07-22 | Monday    | 1379                 |
|   | 2024-07-14 | Sunday    | 1378                 |
|   | 2024-07-25 | Thursday  | 1374                 |
|   | 2024-07-12 | Friday    | 1372                 |
|   | 2024-07-03 | Wednesday | 1368                 |
|   | 2024-07-29 | Monday    | 1362                 |

### 16. Average Driver Turnaround Time by Vehicle Type

Calculated the average driver turnaround time by vehicle type to evaluate operational efficiency and vehicle readiness.

```
SELECT
    Vehicle_Type,
    ROUND(AVG(TIME_TO_SEC(V_TAT_TIME)) / 60,2) AS avg_driver_turnaround_time
FROM
    Bookings
WHERE
    V_TAT_TIME IS NOT NULL
GROUP BY
    Vehicle_Type
ORDER BY
    avg_driver_turnaround_time DESC;
```

OUTPUT

|   | Vehicle_Type | avg_driver_turnaround_time |
|---|--------------|----------------------------|
| ► | Auto         | 173.02                     |
|   | Bike         | 171.35                     |
|   | Prime Sedan  | 170.99                     |
|   | Mini         | 170.89                     |
|   | Prime Plus   | 170.56                     |
|   | Prime SUV    | 169.89                     |
|   | eBike        | 169.24                     |

17. **How many bookings were cancelled by Driver, and what were the key reasons behind them.**

Analyzed driver-cancelled bookings to determine the total count and uncover key reasons such as personal or car issues, customer behavior.

```
SELECT
    Canceled_Rides_by_Driver AS Rides_cancelled_by_Driver_Reason,
    COUNT(*) AS Count
FROM
    bookings
WHERE
    Canceled_Rides_by_Driver IS NOT NULL
GROUP BY
    Canceled_Rides_by_Driver
UNION ALL
SELECT
    'Total' AS Reason,
    COUNT(*)
FROM
    Bookings
WHERE
    Canceled_Rides_by_Driver IS NOT NULL;
```

OUTPUT

|   | Rides_cancelled_by_Driver_Reason    | Count |
|---|-------------------------------------|-------|
| ► | Personal & Car related issue        | 2500  |
|   | Customer was coughing/sick          | 1434  |
|   | Customer related issue              | 2124  |
|   | More than permitted people in there | 1154  |
|   | Total                               | 7212  |

18. **How many bookings were canceled by Customer, and what were the key reasons behind them?**

Analyzed customer-cancelled bookings to determine the total count and identify key reasons such as long wait times, changed plans, or fare concerns.

```
SELECT
    Canceled_Rides_by_Customer AS Canceled_Rides_by_Customer_Reason,
    COUNT(*) AS counts
FROM
    bookings
WHERE
    Canceled_Rides_by_Customer IS NOT NULL
GROUP BY
    Canceled_Rides_by_Customer
UNION ALL
SELECT
    'Total' AS Reason,
    COUNT(*)
FROM
    bookings
WHERE
    Canceled_Rides_by_Customer IS NOT NULL;
```

OUTPUT

|   | Canceled_Rides_by_Customer_Reason            | counts |
|---|----------------------------------------------|--------|
| ► | Driver is not moving towards pickup location | 1219   |
|   | Driver asked to cancel                       | 1058   |
|   | AC is Not working                            | 609    |
|   | Change of plans                              | 804    |
|   | Wrong Address                                | 389    |
|   | Total                                        | 4079   |

#### 19. High-Revenue Routes (Pickup to Drop)

Identified high-revenue routes by analyzing successful bookings and summing revenue for each pickup-drop pair.

```
SELECT
    Pickup_Location,
    Drop_Location,
    ROUND(AVG(Ride_Distance), 2) AS avg_ride_distance,
    COUNT(*) AS count_of_ride,
    SUM(Booking_Value) AS total_revenue,
    ROUND(AVG(Booking_Value), 2) AS avg_revenue_per_ride
FROM
    bookings
WHERE
    Booking_Status = 'Success'
GROUP BY
    Pickup_Location,
    Drop_Location
HAVING
    total_revenue > 0
ORDER BY
    total_revenue DESC
LIMIT 10;
```

#### OUTPUT

|   | Pickup_Location  | Drop_Location     | avg_ride_distance | count_of_ride | total_revenue | avg_revenue_per_ride |
|---|------------------|-------------------|-------------------|---------------|---------------|----------------------|
| ► | Langford Town    | Padmanabhanagar   | 19.36             | 14            | 16487         | 1177.64              |
|   | Indiranagar      | BTM Layout        | 17.83             | 18            | 15752         | 875.11               |
|   | Ramamurthy Nagar | BTM Layout        | 25.50             | 22            | 14898         | 677.18               |
|   | Padmanabhanagar  | Bellandur         | 18.47             | 17            | 14836         | 872.71               |
|   | Peenya           | Magadi Road       | 24.56             | 16            | 14785         | 924.06               |
|   | Koramangala      | Bannerghatta Road | 24.50             | 18            | 14408         | 800.44               |
|   | BTM Layout       | Basavanagudi      | 24.41             | 17            | 14383         | 846.06               |
|   | Whitefield       | Yelahanka         | 31.93             | 15            | 13904         | 926.93               |
|   | Bellandur        | Indiranagar       | 26.20             | 20            | 13710         | 685.50               |
|   | Kadugodi         | Nagarbhavi        | 18.07             | 15            | 13471         | 898.07               |