

Interface Design

Student Portal : It's the main page which provides several functionalities such as reading backend data, checking student credentials and allowing login and redirecting to sign up page.



Reading Data : Data from student, course, campus, instructor tables can be fetched from database server and read in the frontend UI.

To do this, click on the STUDENT DETAILS icon on top of the page. Similarly to view course, campus and instructor data select the respective details icon.

Data will be displayed as shown in below screenshots

STUDENT DETAILS

STUDENT ID	FIRST NAME	LAST NAME	GENDER	AGE	MAIL ID	CAMPUS CODE	COURSE ID
1101	Lena	Smith	F	25	lena.smith@gmail.com	uni101	CS 01
1102	Nicol	Green	M	24	nicol.green@gmail.com	uni101	CS 02
1103	Tom	Taylor	M	26	tom.taylor@gmail.com	uni101	CS 03
1104	Paul	Miler	M	22	paul.miler@gmail.com	uni101	CS 04
1105	Alen	Lee	F	26	alen.lee@gmail.com	uni101	CS 05
1106	David	King	M	23	david.king@gmail.com	uni101	Math 01
1107	Omar	Wood	M	22	omar.wood@gmail.com	uni101	Math 02
1108	Jone	Sith	F	25	jone.smith@gmail.com	uni101	Math 03
1109	Lucy	White	F	24	lucy.white@gmail.com	uni101	Math 04
1110	Eren	Forger	M	23	eren.forger@gmai.com	uni101	Math 05
1111	tiny	rodger	Male	22	tiny.rodger@gmail.com	uni101	CS 04
1112	elli	oslen	Female	22	elli.oslen@gmail.com	uni105	Math 04
1113	Mark	Anderson	Male	22	mark.anderson@gmail.com	uni104	CS 03
1114	Ramon	Davis	Male	26	ramon.davis@gmail.com	uni103	MATH 05

COURSE DETAILS

COURSE ID	COURSE NAME	COURSE DURATION	CREDITS	INSTRUCTOR ID
CS 01	DBMS	3 Months	3	5506
CS 02	Data Mining	3 Months	3	5507
CS 03	Java	4 Months	3	5508
CS 04	Operating Systems	6 Months	2	5509
CS 05	Data Structures	1 Year	4	5510
MATH 01	Statistics	6 Months	4	5501
MATH 02	Algebra	4 Months	3	5502
MATH 03	Regression Models	6 Months	3	5503
MATH 04	Calculus	6 Months	2	5504
MATH 05	Multivariate Analysis	1 Year	4	5505

CAMPUS DEATILS



CAMPUS_CODE	CAMPUS_NAME	LOCATION	CAPACITY
uni01	Lake	Miami	60000
uni02	Wood	Tampa	35000
uni03	Sky	Orlando	55000
uni04	Red	Houston	48000
uni05	Cloud	Austin	50000

INSTRUCTOR DEATILS

INSTRUCTOR_ID	NAME	AGE	GENDER	DEPARTMENT
5501	John	55	Male	MATH
5502	Mark	40	Male	MATH
5503	Rick	39	Male	MATH
5504	Liu	52	Female	MATH
5505	Sim	51	Female	MATH
5506	Ashley	48	Female	CS
5507	Riley	49	Female	CS
5508	Wade	43	Wade	CS
5509	Ivan	42	Male	CS
5510	Dan	60	Male	CS

User Login Functionality : To Sign In , enter email and password, if student is already enrolled in any course then status will change to SUCCESSFUL LOGIN!

If student is not enrolled , then a prompt will be displayed stating INVALID USERNAME OR PASSWORD then student must click on sign up to access registration form



Invalid Email or Password


Registration Form : To enroll in any course student must fill all details in student form and click SUBMIT. When a new student is trying to enroll in any course his email ID must be unique. If a mail ID already exists then it shows that SOMEONE ALREADY REGISTERED USING THIS MAIL ID. If the email id is unique then Registration will be successful.

The screenshot shows a 'Create Account' form with the following fields and values:

Create Account	
First Name	test
Last Name	casernew
Age	24
Gender	Male
Campus Code	uni105
Course ID	CS 05
Mail ID	test.casernew@gmail.com
Password	*****
<input type="button" value="Submit"/>	




Registered Sucessfully!



Someone already registered using this email

While a LOGIN or Registration student must enter all the fields, if failed to do so, an error message is displayed to fill out the field details.

A modal window titled "Create Account". It contains fields for First Name (Test), Last Name (empty), Age (24, with an error message "Please fill out this field."), Gender (Male), Campus Code (uni104), Course ID (Math 05), Mail ID (test@gmail.com), and Password (*****). A "Submit" button is at the bottom.

CODE :
main.html

```
<!DOCTYPE html>
```

```

<html lang="en">
<head>
    <title>Webpage Design</title>
    <link rel="stylesheet" href="main.css">
</head>
<body>

    <div class="main">
        <div class="navbar">
            <div class="icon">
                <h2 class="logo">STUDENT PORTAL</h2>
            </div>

            <div class="menu">
                <ul>
                    <li><a href="student.php">STUDENT DETAILS</a></li>
                    <li><a href="course.php">Course Details</a><br></li>
                    <li><a href="instructor.php">Instructor Details</a><br></li>
                    <li><a href="campus.php">Campus Details</a></li>
                </ul>
            </div>

            <div class="search">
                <input class="srch" type="search" name="" placeholder="Type To text">
                <a href="#"><button class="btn">Search</button></a>
            </div>
        </div>
        <div class="content">
            <h1>Education is the key to <br><span>Success</span> <br></h1>
            <p class="par">Making an impact in Classrooms and Communities</p>

            <button class="cn"><a href="#">JOIN US</a></button>

            <div class="form">
                <form action="login.php" method="post">
                    <h2>Student Login</h2>
                    <div class="form-group">
                        <input type="email" id="email" class="form-control" name="email" placeholder="Enter Email" required />
                    </div>
                    <div class="form-group">

```

```

        <input type="password" id="password" class="form-control" name="password"
placeholder="Enter Password " required />
    </div>
    <input type="submit" class="bttn" value="Login" name="">
</form>

<p class="link">Don't have an account<br>
<a href="form.html">Sign up </a> here</a></p>
<p class="liw">Log in with</p>

<div class="icons">
    <a href="https://www.facebook.com/login/"><ion-icon
name="logo-facebook"></ion-icon></a>
    <a href="https://www.instagram.com/accounts/login/"><ion-icon
name="logo-instagram"></ion-icon></a>
    <a href="https://twitter.com/i/flow/login"><ion-icon
name="logo-twitter"></ion-icon></a>
    <a href="https://accounts.google.com/v3/signin/identifier?dsh=S-1139991351%3A16678920099974
62&continue=https%3A%2F%2Fmail.google.com%2Fmail%2F&rip=1&sacu=1&service=mail&fl
owName=GlifWebSignIn&flowEntry=ServiceLogin&ifkv=ARgdvAtDAhXRNOliKN9tKayXRXBGtP
mDMJMSVdDlaNssov7K-nHAevizYpBT0q5kw1dSgQLaW2wY"><ion-icon
name="logo-google"></ion-icon></a>
    <a href="https://login.live.com/login.srf?wa=wsignin1.0&rpsnv=13&ct=1667892045&rver=7.1.6819.
0&wp=MBI_SSL&wreply=https%3A%2F%2Flw.skype.com%2Flogin%2Foauth%2Fproxy%3Fclie
nt_id%3D360605%26redirect_uri%3Dhttps%253A%252F%252Fsecure.skype.com%252Fportal
%252Flogin%253Freturn_url%253Dhttps%25253A%25252F%25252Fsecure.skype.com%2525
2Fportal%25252Foverview%26response_type%3Dpostgrant%26state%3Dc9a3f048cf8d4083e5
02ab87&lc=1033&id=293290&mkt=en-US&psi=skype&lw=1&cobrandid=2befc4b5-19e3-46e8-8
347-77317a16a5a5&client_flight=ReservedFlight33%2CReservedFlight67"><ion-icon
name="logo-skype"></ion-icon></a>
    </div>
    </div>
    </div>
</div>
</div>
<script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>
</body>
</html>

```

main.css

```
*{
    margin: 0;
    padding: 0;
}

.main{
    width: 100%;
    background: linear-gradient(to top, rgba(0,0,0,0.5)50%,rgba(0,0,0,0.5)50%),url(https://i.postimg.cc/gdS1PGkm/1.jpg);
    background-position: center;
    background-size: cover;
    height: 100vh;
}

.navbar{
    width: 1200px;
    height: 75px;
    margin: auto;
}

.icon{
    width: 200px;
    float: left;
    height: 70px;
}

.logo{
    color: #ff7200;
    font-size: 35px;
    font-family: Arial;
    padding-left: 20px;
    float: left;
    padding-top: 10px;
    margin-top: 5px
}

.menu{
    width: 400px;
    float: left;
    height: 70px;
}
```

```
ul{
    float: left;
    display: flex;
    justify-content: center;
    align-items: center;
}

ul li{
    list-style: none;
    margin-left: 62px;
    margin-top: 27px;
    font-size: 14px;
}

ul li a{
    text-decoration: none;
    color: #fff;
    font-family: Arial;
    font-weight: bold;
    transition: 0.4s ease-in-out;
    text-transform: uppercase;
}

ul li a:hover{
    color: #ff7200;
}

.search{
    width: 330px;
    float: left;
    margin-left: 270px;
}

.srch{
    font-family: 'Times New Roman';
    width: 200px;
    height: 40px;
    background: transparent;
    border: 1px solid #ff7200;
    margin-top: 13px;
    color: #fff;
    border-right: none;
    font-size: 16px;
    float: left;
```

```
padding: 10px;  
border-bottom-left-radius: 5px;  
border-top-left-radius: 5px;  
}
```

```
.btn{  
width: 100px;  
height: 40px;  
background: #ff7200;  
border: 2px solid #ff7200;  
margin-top: 13px;  
color: #fff;  
font-size: 15px;  
border-bottom-right-radius: 5px;  
border-bottom-right-radius: 5px;  
transition: 0.2s ease;  
cursor: pointer;  
}  
.btn:hover{  
color: #000;  
}
```

```
.btn:focus{  
outline: none;  
}
```

```
.srch:focus{  
outline: none;  
}
```

```
.content{  
width: 1200px;  
height: auto;  
margin: auto;  
color: #fff;  
position: relative;  
}
```

```
.content .par{  
padding-left: 20px;  
padding-bottom: 25px;  
font-family: Arial;  
letter-spacing: 1.2px;  
line-height: 30px;
```

```
}

.content h1{
    font-family: 'Times New Roman';
    font-size: 50px;
    padding-left: 20px;
    margin-top: 9%;
    letter-spacing: 2px;
}

.content .cn{
    width: 160px;
    height: 40px;
    background: #ff7200;
    border: none;
    margin-bottom: 10px;
    margin-left: 20px;
    font-size: 18px;
    border-radius: 10px;
    cursor: pointer;
    transition: .4s ease;
}

.content .cn a{
    text-decoration: none;
    color: #000;
    transition: .3s ease;
}

.cn:hover{
    background-color: #fff;
}

.content span{
    color: #ff7200;
    font-size: 65px
}

.form{
    width: 250px;
    height: 380px;
    background: linear-gradient(to top, rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
    position: absolute;
```

```
    top: -20px;  
    left: 870px;  
    transform: translate(0%,-5%);  
    border-radius: 10px;  
    padding: 25px;  
}
```

```
.form h2{  
    width: 220px;  
    font-family: sans-serif;  
    text-align: center;  
    color: #ff7200;  
    font-size: 22px;  
    background-color: #fff;  
    border-radius: 10px;  
    margin: 2px;  
    padding: 8px;  
}
```

```
.form input{  
    width: 240px;  
    height: 35px;  
    background: transparent;  
    border-bottom: 1px solid #ff7200;  
    border-top: none;  
    border-right: none;  
    border-left: none;  
    color: #fff;  
    font-size: 15px;  
    letter-spacing: 1px;  
    margin-top: 30px;  
    font-family: sans-serif;  
}
```

```
.form input:focus{  
    outline: none;  
}
```

```
::placeholder{  
    color: #fff;  
    font-family: Arial;  
}
```

```
.bttn{
```

```
width: 240px;
height: 40px;
background: #ff7200;
border: none;
margin-top: 30px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
color: #fff;
transition: 0.4s ease;
}
.btnn:hover{
background: #fff;
color: #ff7200;
}
.btnn a{
text-decoration: none;
color: #000;
font-weight: bold;
}
.form .link{
font-family: Arial, Helvetica, sans-serif;
font-size: 17px;
padding-top: 20px;
text-align: center;
}
.form .link a{
text-decoration: none;
color: #ff7200;
}
.liw{
padding-top: 15px;
padding-bottom: 10px;
text-align: center;
}
.icons a{
text-decoration: none;
color: #fff;
}
.icons ion-icon{
color: #fff;
font-size: 30px;
padding-left: 14px;
padding-top: 5px;
```

```
    transition: 0.3s ease;
}
.icons ion-icon:hover{
    color: #ff7200;
}
```

STUDENT.PHP

```
<html>
<head>
    <style type="text/css">
        body{
background: rgb(233,76,161);
background: -moz-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: -webkit-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr="#e94ca1",endColorstr="#c74ae9",G
radientType=1);
opacity: .9999;
}

table{
position: absolute;
z-index: 2;
left: 13%;
top: 15%;
border-collapse: collapse;
border-spacing: 0;
box-shadow: 0 2px 15px rgba(64,64,64,.7);
border-radius: 12px 12px 0 0;
overflow: hidden;

}

td , th{
border: none;
padding: 15px 20px;
text-align: center;

}

th{
```

```
background-color: #ba68c8;
color: #fafafa;
font-family: 'Open Sans', Sans-serif;
font-weight: 200;
text-transform: uppercase;

}
tr{
width: 100%;
background-color: #fafafa;
font-family: 'Montserrat', sans-serif;
}
tr:nth-child(even){
background-color: #eeeeee;
}

h1 { color: #fafafa;
font-family: 'Open Sans', Sans-serif;
font-weight: 200; font-size: 30px;
line-height: 72px; margin: 0 0 24px; text-align: center; text-transform: uppercase; }
```

```
</style>
```

```
<title>Student Deatils</title>
```

```
</head>
```

```
<body>
```

```
<H1>Student Deatils</H1>
```

```
<table border="1">
```

```
    <tr>
```

```
        <th>student id</th>
        <th>first name</th>
        <th>last name</th>
        <th>gender</th>
        <th>age</th>
        <th>Mail ID</th>
        <th>Campus Code</th>
        <th>Course id</th>
```

```
</tr>
```

```

</body>
</html>

<?php
$connect=mysqli_connect("localhost","root","","enrolldata") or die("Connection Failed");
$query="SELECT * from student";
$result=mysqli_query($connect,$query);
while($row=mysqli_fetch_assoc($result))
{
    ?
    <tr>
        <td><?php echo $row['student_id']?></td>
        <td><?php echo $row['first_name']?></td>
        <td><?php echo $row['last_name']?></td>
        <td><?php echo $row['gender']?></td>
        <td><?php echo $row['age']?></td>
        <td><?php echo $row['email']?></td>
        <td><?php echo $row['campcode']?></td>
        <td><?php echo $row['courseid']?></td>
    </tr>
    <?php
}
?>

```

COURSE.PHP

```

<html>
<head>
    <title>Student Deatils</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <h1>Course Deatils</h1>

    <table border="1">
        <tr>
            <th>course id</th>
            <th>course name</th>

```

```

<th>course duration</th>
<th>credits</th>
<th>instructor id</th>

</tr>

</body>
</html>

<?php
$connect=mysqli_connect("localhost","root","","enrolldata") or die("Connection Failed");
$query="SELECT * from course";
$result=mysqli_query($connect,$query);
while($row=mysqli_fetch_assoc($result))
{
    ?>
    <tr>
        <td><?php echo $row['course_id']?></td>
        <td><?php echo $row['course_name']?></td>
        <td><?php echo $row['course_duration']?></td>
        <td><?php echo $row['credits']?></td>
        <td><?php echo $row['instructorid']?></td>

    </tr>
    <?php
}
?>

```

INSTRUCTOR.PHP

```

<html>
<head>
    <title>Student Deatils</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>

```

```

<h1>Instructor Details</h1>
<table border="1">
    <tr>
        <th>instructor id</th>
        <th>name</th>
        <th>age</th>
        <th>gender</th>
        <th>department</th>
    </tr>

</body>
</html>

<?php
$connect=mysqli_connect("localhost","root","","enrolldata") or die("Connection Failed");
$query="SELECT * from instructor";
$result=mysqli_query($connect,$query);
while($row=mysqli_fetch_assoc($result))
{
    ?>
    <tr>
        <td><?php echo $row['instructor_id']?></td>
        <td><?php echo $row['name']?></td>
        <td><?php echo $row['age']?></td>
        <td><?php echo $row['gender']?></td>
        <td><?php echo $row['department']?></td>
    </tr>
    <?php
}
?>

```

CAMPUS.PHP

```

<html>
<head>
    <style type="text/css">
        table{

```

```

position: absolute;
z-index: 2;
left: 15%;
top: 15%;
border-collapse: collapse;
border-spacing: 0;
box-shadow: 0 2px 15px rgba(64,64,64,.7);
border-radius: 12px 12px 0 0;
overflow: hidden;

}

</style>

<title>Student Deatils</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<h1>Campus Deatils</h1>
<table border="1">
    <tr>
        <th>campus_code</th>
        <th>campus_name</th>
        <th>location</th>
        <th>capacity</th>
    </tr>
    <tr>
        <td><?php echo $row['campus_code']?></td>
        <td><?php echo $row['campus_name']?></td>
        <td><?php echo $row["location"]?></td>
    </tr>
</table>
</body>
</html>

<?php
$connect=mysqli_connect("localhost","root","","enrolldata") or die("Connection Failed");
$query="SELECT * from campus";
$result=mysqli_query($connect,$query);
while($row=mysqli_fetch_assoc($result))
{
    ?>
    <tr>
        <td><?php echo $row['campus_code']?></td>
        <td><?php echo $row['campus_name']?></td>
        <td><?php echo $row["location"]?></td>

```

```

<td><?php echo $row['capacity']?></td>

</tr>
<?php
}
?>
```

STYLE.CSS

```

@import url('https://fonts.googleapis.com/css?family=Montserrat|Open+Sans|Roboto');
*{
margin:0;
padding: 0;
outline: 0;
}

.filter{
position: absolute;
left: 0;
top: 0;
bottom: 0;
right: 0;
z-index: 1;
background: rgb(233,76,161);
background: -moz-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: -webkit-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr="#e94ca1",endColorstr="#c74ae9",GradientType=1);
opacity: .9999;

}
body{
background: rgb(233,76,161);
background: -moz-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: -webkit-linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
background: linear-gradient(90deg, rgba(233,76,161,1) 0%, rgba(199,74,233,1) 100%);
filter:
progid:DXImageTransform.Microsoft.gradient(startColorstr="#e94ca1",endColorstr="#c74ae9",GradientType=1);
opacity: .9999;
}
table{
```

```
position: absolute;
z-index: 2;
left: 15%;
top: 15%;
border-collapse: collapse;
border-spacing: 0;
box-shadow: 0 2px 15px rgba(64,64,64,.7);
border-radius: 12px 12px 0 0;
overflow: hidden;

}

td , th{
    border: none;
    padding: 15px 20px;
    text-align: center;
}

}

th{
background-color: #ba68c8;
color: #fafafa;
font-family: 'Open Sans',Sans-serif;
font-weight: 200;
text-transform: uppercase;

}

tr{
width: 100%;
background-color: #fafafa;
font-family: 'Montserrat', sans-serif;
}

tr:nth-child(even){
background-color: #eeeeee;
}

h1 { color: #fafafa;
font-family: 'Open Sans',Sans-serif;
font-weight: 200; font-size: 30px;
line-height: 72px; margin: 0 0 24px; text-align: center; text-transform: uppercase; }
```

LOGIN.PHP

```
<html>
<head>
<style type="text/css">
h2 {
    position: relative;
    top: 40%;
    font-size: 3em;
    text-align: center;

}
body{
    background: linear-gradient(to top right, #e1b382,#c89666,#2d545e,#12343b);
}
</style>
<title></title>

</head>
<body>

</body>
</html>
```

```
<?php

$email = $_POST['email'];
$password = $_POST['password'];
$con = new mysqli("localhost","root","","enrolldata");
if($con->connect_error)
{
    die("Failed to connect : ".$conn->connect_error);

}
else
{
$stmt = $con->prepare("SELECT * from student where email = ?");
$stmt->bind_param("s", $email);
```

```

$stmt->execute();
$stmt_result=$stmt->get_result();
if($stmt_result->num_rows > 0)
{
    $data = $stmt_result -> fetch_assoc();
    if($data["password"] === $password)
    {
        echo "<h2>Login Successful!<h2>";
    } else{
        echo "<h2>Invalid Email or Password<h2>";
    }
}
else
{
    echo "<h2>Invalid Email or Password<h2>";
}
}

?>

```

FOR.HTML

```

<html>
<head>
<style type="text/css">

</style>

<title></title>
<link rel="stylesheet" href="form2.css">
</head>
<body>

<div class="login-box">
<h2>Create Account</h2>
<form action="form.php" method="POST" >
<div class="user-box">
<input type="text" name="first_name" required>

<label>First Name</label>
</div>
<div class="user-box">
<input type="last_name" name="last_name" required>

```

```
<label>Last Name</label>
</div>
    <div class="user-box">
<input type="age" name="age" required></td>

<label>Age</label>
</div>
<div class="user-box">
<input type="text" name="gender" required></td>
<label>Gender</label>
</div>
<div class="user-box">
<input type="text" name="campcode" required></td>
<label>Campus Code</label>
</div>
<div class="user-box">
<input type="text" name="courseid" required></td>
<label>Course ID</label>
</div>
<div class="user-box">
<input type="email" name="email" required>
<label>Mail ID</label>
</div>
<div class="user-box">
<input type="password" name="password" required>
<label>Password</label>
</div>
<div class="user-box">
<a href="#">
<span></span>
<span></span>
<span></span>
<span></span>
<input type="submit" value="Submit" name="submit">
</a>
</div>

</form>
</div>
</body>
</html>
```

FORM.CSS

```
html {
  height: 100%;
}
body {
  margin: 0;
  padding: 20px;
  font-family: sans-serif;
  background: linear-gradient(#141e30, #243b55);
}
.login-box {
  position: absolute;
  top: 57%;
  left: 50%;
  width: 400px;
  padding: 30px;
  transform: translate(-50%, -50%);
  background: rgba(0, 0, 0, .5);
  box-sizing: border-box;
  box-shadow: 0 15px 25px rgba(0, 0, 0, .6);
  border-radius: 10px;
}
.login-box h2 {
  margin: 0 0 30px;
  padding: 0;
  color: #fff;
  text-align: center;
}

.login-box .user-box {
  position: relative;
}
.login-box .user-box input {
  width: 100%;
  padding: 9px;
  font-size: 16px;
  color: #fff;
  margin-bottom: 30px;
  border: none;
  border-bottom: 1px solid #fff;
  outline: none;
  background: transparent;
}
.login-box .user-box label {
```

```
position: absolute;
top:0;
left: 0;
padding: 10px 0;
font-size: 16px;
color: #fff;
pointer-events: none;
transition: .5s;
}

.login-box .user-box input:focus ~ label,
.login-box .user-box input:valid ~ label {
  top: -20px;
  left: 0;
  color: #03e9f4;
  font-size: 12px;
}

.login-box form a {
  position: relative;
  display: inline-block;
  padding: 10px 20px;
  color: #03e9f4;
  font-size: 16px;
  text-decoration: none;
  text-transform: uppercase;
  overflow: hidden;
  transition: .5s;
  margin-top: 10px;
  letter-spacing: 4px
}

.login-box a:hover {
  background: #03e9f4;
  color: #fff;
  border-radius: 5px;
  box-shadow: 0 0 5px #03e9f4,
              0 0 25px #03e9f4,
              0 0 50px #03e9f4,
              0 0 100px #03e9f4;
}

.login-box a span {
  position: absolute;
```

```
display: block;
}

.login-box a span:nth-child(1) {
  top: 0;
  left: -100%;
  width: 100%;
  height: 2px;
  background: linear-gradient(90deg, transparent, #03e9f4);
  animation: btn-anime1 1s linear infinite;
}

@keyframes btn-anime1 {
  0% {
    left: -100%;
  }
  50%,100% {
    left: 100%;
  }
}

.login-box a span:nth-child(2) {
  top: -100%;
  right: 0;
  width: 2px;
  height: 100%;
  background: linear-gradient(180deg, transparent, #03e9f4);
  animation: btn-anime2 1s linear infinite;
  animation-delay: .25s
}

@keyframes btn-anime2 {
  0% {
    top: -100%;
  }
  50%,100% {
    top: 100%;
  }
}

.login-box a span:nth-child(3) {
  bottom: 0;
  right: -100%;
  width: 100%;
```

```
height: 2px;
background: linear-gradient(270deg, transparent, #03e9f4);
animation: btn-anim3 1s linear infinite;
animation-delay: .5s
}
```

```
@keyframes btn-anim3 {
0% {
  right: -100%;
}
50%,100% {
  right: 100%;
}
}
```

```
.login-box a span:nth-child(4) {
bottom: -100%;
left: 0;
width: 2px;
height: 100%;
background: linear-gradient(360deg, transparent, #03e9f4);
animation: btn-anim4 1s linear infinite;
animation-delay: .75s
}
```

```
@keyframes btn-anim4 {
0% {
  bottom: -100%;
}
50%,100% {
  bottom: 100%;
}
}
```

FORM.PHP

```
<html>
<head>
<style type="text/css">
h2{
    position: relative;
    top: 40%;
    font-size: 3em;
    text-align: center;
}

body{
    background: linear-gradient(to top right, #e1b382,#c89666,#2d545e,#12343b);
}

</style>

</head>
<body>

</body>
</html>

<?php
```

```

if (isset($_POST['submit'])) {
    if ( isset($_POST['first_name']) && isset($_POST['last_name'])
        && isset($_POST['age']) && isset($_POST['gender']) && isset($_POST['campcode']) &&
    isset($_POST['courseid'])
        && isset($_POST['email']) && isset($_POST['password'])) {

        $first_name = $_POST['first_name'];
        $last_name = $_POST['last_name'];
        $age = $_POST['age'];
        $gender = $_POST['gender'];
        $campcode = $_POST['campcode'];
        $courseid = $_POST['courseid'];
        $email = $_POST['email'];
        $password = $_POST['password'];

        $host = "localhost";
        $dbUsername = "root";
        $dbPassword = "";
        $dbName = "enrolldata";

        $conn = new mysqli($host, $dbUsername, $dbPassword, $dbName);

        if ($conn->connect_error) {
            die('Could not connect to the database.');
        }
        else {
            $Select = "SELECT email FROM student WHERE email = ? LIMIT 1";
            $Insert = "INSERT INTO student( first_name, last_name, age, gender, campcode,
courseid, email, password) values( ?, ?, ?, ?, ?, ?, ?, ?)";

            $stmt = $conn->prepare($Select);
            $stmt->bind_param("s", $email);
            $stmt->execute();
            $stmt->bind_result($resultEmail);
            $stmt->store_result();
            $stmt->fetch();
            $rnum = $stmt->num_rows;

            if ($rnum == 0) {
                $stmt->close();

                $stmt = $conn->prepare($Insert);

```

```
$stmt->bind_param("ssisssss", $first_name, $last_name, $age, $gender,
$campcode, $courseid, $email, $password);
if ($stmt->execute()) {
    echo "<h2>Registered Sucessfully!</h2>";
}
else {
    echo $stmt->error;
}
}
else {
    echo "<h2>Someone already registered using this email</h2>";
}
$stmt->close();
$conn->close();
}
}
else {
    echo "<h2>All field are required.</h2>";
    die();
}
}
else {
    echo "<h2>Submit button is not set</h2>";
}
?>
```