

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687754250519

अनुबंध तिथि | Generated Date : 20-Aug-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/6332412](#)

अनुसूची नाम | Schedule Name: Schedule 4

| संगठन विवरण Organisation Details प्ररूप Type : Central Government मंत्रालय Ministry : Ministry of Defence विभाग Department : Department of Military Affairs संगठन का नाम Organisation Name : Indian Army कार्यालय क्षेत्र Office Zone : 7 GUARDS | | खरीदार विवरण Buyer Details पद Designation : GEM BUYER AND CONSIGNEE संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : ravishanker.611p@gov.in जीएसटीआईएन GSTIN : - पता Address : Jaisalmer Military Station, TCP-3, Rajasthan -345001 Alternate Mob No 6294403380, Jaisalmer, RAJASTHAN-345001, India | | | | |
|---|---|---|-------------|-------------------------------------|---|---|
| वित्तीय स्वीकृति विवरण Financial Approval Detail आईएफडी सहमति IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : HARENDER SINGH वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : COMMANDING OFFICER | | भुगतान प्राधिकरण विवरण Paying Authority Details Role: BUYER भुगतान का तरीका Payment Mode: CGDA-CDA पद Designation : GEM BUYER AND CONSIGNEE ईमेल आईडी Email ID : ravishanker.611p@gov.in जीएसटीआईएन GSTIN : - पता Address : Jaisalmer Military Station, TCP-3, Rajasthan -345001 Alternate Mob No 6294403380, Jaisalmer, RAJASTHAN-345001, India | | | | |
| विक्रेता विवरण Seller Details जेम विक्रेता आईडी GeM Seller ID : OMEM240011070852 कंपनी का नाम Company Name : MAHADEV VENTURES संपर्क नंबर Contact No. : 08003516331 ईमेल आईडी Email ID : rishabhkns@gmail.com पता Address : 3080, PALSANIYA ROAD, Nasirabad, Ajmer, RAJASTHAN-305601, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-RJ-01-0081024 जीएसटीआईएन GSTIN: 08HSWPK8913B1Z7 (B), (R), (M) | | | | | | |
| खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : Verified खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Not Verified | | एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male | | | | |
| *जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer | | | | | | |
| वितरण निर्देश Delivery Instructions : NA | | | | | | |
| उत्पाद विवरण Product Details | | | | | | |
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : Promark Windows 10 LED Electronic Lectern, On site OEM Warranty in years 3 ब्रांड Brand : Promark ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Electronic Lectern (Q2) मॉडल Model: PM EL-i5 एचएसएन कोड HSN Code: HSN not specified by seller | 1 | pieces | 149,400 | NA | 149,400 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 149,400 |
| परेषिती विवरण Consignee Detail | | | | | | |
| | | | | | दिनांक के बाद | वितरण पूरा कब तक करना है |

| क्र.सं. S.No | प्रेषित Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | डिलीवरी शुरू करना है Delivery Start After | Delivery To Be Completed By |
|--|---|--|--------------------|-------------------|---|-----------------------------|
| 1 | पद Designation :- ईमेल आईडी Email ID : ravishanker.611p@gov.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : Jaisalmer Military Station, TCP-3, Rajasthan -345001 Alternate Mob No 6294403380, Jaisalmer, RAJASTHAN-345001, India | Promark Windows 10 LED Electronic Lectern, On site OEM Warranty in years 3 | - | 1 | 20-Aug-2025 | 04-Sep-2025 |
| Product Specification for Promark Windows 10 LED Electronic Lectern, On site OEM Warranty in years 3 | | | | | | |
| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value | | | | |
| Chasiss | Type of Chassis/ Frame | Metallic | | | | |
| | Mount Tupe | Floor Mounted With Wheels | | | | |
| | Material of Chassis | Polymer Coated CRCA Steel Sheet | | | | |
| | Thickness of Enclosure (mm) | 1.6 mm(Min) CRCA Sheet | | | | |
| | Screwless Chasis | Yes | | | | |
| | Adequate Space for Additional Devices | Yes | | | | |
| | Drawers / Cabinets | Yes | | | | |
| | If yes, Lockable | Yes | | | | |
| Type | Type of Electronic Lectern | Processor Based | | | | |
| Display | Display | Available | | | | |
| | Display Size (inches) | 21 to 22 | | | | |
| | Display Type | LED | | | | |
| | Screen Resolution (Pixles) | 1920×1200 | | | | |
| | Aspect Ratio | 16:09 | | | | |
| | Tilt Screen | Yes | | | | |
| | If yes, Tilt Mechanism | Motorized | | | | |
| | Pre-Build Housing | Yes | | | | |
| | Touch Support | Available | | | | |
| | If yes, Touch Type | Capacitive | | | | |
| | Stylus | No | | | | |
| | Stylus Type | NA | | | | |
| | Antiglare | No | | | | |
| | Scratch Resistant | No | | | | |
| | Vandal Resistant Screen | No | | | | |
| | Brightness (NITS) Minimum | 250 | | | | |
| | BIS Registration Number Under CRS for Display | 97001651 | | | | |
| System Details | Processor Make | Intel | | | | |
| | Processor Series | Intel core i5 | | | | |
| | Processor configuration | 2.20GHz | | | | |
| | Operating System (Pre-loaded) | Windows 10 | | | | |
| | Antivirus with one year Antivirus with one year liscense | Not-Available | | | | |
| | RAM Memory(Gb) | 8 | | | | |
| | Storage/HDD (GB) | 1024 | | | | |
| | Built-in Standard Keyboard | Available | | | | |
| | Built-in Mouse | Available | | | | |
| | Visualiser | Not-Available | | | | |
| | Total Pixels (Mega Pixel) | NA | | | | |
| | Zoom Functionality | Not-Available | | | | |
| | Zoom | NA | | | | |

| | | |
|---|--|---------------------------------|
| Visualiser | Frame Rate (fps) | 0 |
| | Shooting Area | NA |
| | Focus | Manual |
| | Resolution (Pixel) | NA |
| | Internal Memory (Gb) | 0 |
| | Remote Control | Not-Available |
| | White Balance | Manual |
| | VGA Port | Not-Available |
| | HDMI | Not-Available |
| | Audio Port | Not-Available |
| | SD Card Slot | Available |
| | USB 2 | 0 |
| | USB 3 | Not-Available |
| | LAN | Not Available |
| Built-in Devices | Optical Disk Drive Compatibility | No |
| | Inbuilt Speakers | Available |
| | Number of Speakers | 2 |
| | Wattage of Each Speaker (Watt) | 30 |
| | Central Control Panel | Available |
| | Gooseneck Mic | 1 |
| | Wireless Mic | 0 |
| | Handheld Mic | 2 |
| | Wireless Reciever | 1 |
| | Amplifier | Available |
| | Amplifier Wattage (Watt) | 60 |
| Console Panel Ports | Usb 2 | 1 |
| | Usb 3 | 1 |
| | VGA Ports | 1 |
| | HDMI Ports | 1 |
| | Video Pin | 0 |
| | RJ 45 | 0 |
| | Power Backup Min 30 Minutes | UPS Supplied |
| | Cooling System | Not-Available |
| Generic Information | Maximum Power Consumption (Watt) | 220 |
| | Operating Temperature Range (Degree C) | 5-45 |
| | Storage Temperature (Degree C) | -10 to 55 |
| | Operating Humidity (RH) (%) | 40 Deg at 90% RH non condensing |
| | Storage Humidity (RH) (%) | 80 |
| | Overall Dimensions (cm x cm x cm) | 65x70x115 |
| | Weight (Kg) | 80 |
| | BIS Registration Number for Rest of the Components | NA |
| | On site OEM Warranty in years | 3 |
| | | |
| ईपीबीजी विवरण ePBG Detail | | |
| सलाहकार बैंक Advisory Bank : | | State Bank of India |
| ईपीबीजी प्रतिशत (%) ePBG Percentage(%): | | 5.00 |
| बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions | | |
| | | |

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2.2 *Buyer Added Bid Specific ATC:*

Buyer Added text based ATC clauses

- 1. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods.**
- 2. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centers near consignee destinations are to be uploaded along with the bid.**
- 3. BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.**
- 4. Escalation Matrix for Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.**
- 6. Installation, Commissioning, Testing, Configuration, Training (if any - whichever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorized Reseller.**
- 7. Non return of Hard Disk: As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.**
- 8. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects/ service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days' time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10 % of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to reimburse the cost of such service / rectification to the Buyer.**
- 9. The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price: Keyboard- Multimedia membrane keyboard US international (QWERTY) must of same OEM make/brand as system. Mouse- USB, 3 button optical mouse, must of same OEM make/brand as system. Both keyboard and mouse must be wired. Both VGA and HDMI must be provided by the vendor.**
- 10. Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.**

The MAF should be against the published bid.

11. Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

12. The proposed product should be commercial product range and should be clearly mentioned in the OEM MAF letter.

13. Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 3 years residual market life i.e., the offered product shall not be declared end-of-life by the OEM before this period.

14. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

15. Comprehensive 3 years onsite OEM warranty should be reflected on OEM website. An account may be opened for this.

16. In case of replacement, the item should be from the same OEM except HARD DISK, RAM AND Power supply without any additional cost during warranty. The replaced items should have the same configuration or higher. In case of higher configuration, vendor has to produce a certificate from OEM. The replaced item should be modified on the OEM website inventory.

17. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

18. Experience Criteria: The Bidder should have regularly manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts and satisfactory acceptance report to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

9. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

(a) Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.

(b) Execution certificate by client with order value.

(c) Any other document in support of order execution like Third Party Inspection release note, etc.

20. To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Certification- FCC, CE, RoHS, UL/MET, BEE/Energy star, TCO 9.0, ISO 9001, 14001, 20001, 27001, TOP 5 IDC Player in commercial category for PC/Desktop Market as Market Share, of recent quarter. and Drivers- Preloaded Microsoft windows 11 Pro, must be compatible with windows 11 or higher flavors. The relevant compatibility certificates for operating system should be submitted against the quoted model.

21. Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion.

22. Bidder should not be debarred from any organization at the time of bidding from any organization. Notarized undertaking has to be submitted with respect to non- debarment on

Rs. 100 stamp papers.

nexure -I**TECHNICAL SPECIFICATION OF INFORMATION TECHNOLOGY HARDWARE EQUIPMENT FOR THE FINANCIAL YEAR 2025-26**

| S N o | Name of Items | Technical Specifications | |
|--------------|----------------------------|------------------------------------|--|
| 1. | All-in-One Computer | Processor | 13th Generation Intel core i7, 13700T (16 Cores / 30MB / 24Threads /5.1 GHz / 65w) |
| | | Motherboard | Motherboard make from the same Desktop OEM (Desktop OEM logo Must be embossed in the motherboard) |
| | | Memory (RAM) | Minimum 16 GB, DDR5-4800 MHz Memory with Support for memory expandability up to 64 GB or higher. |
| | | DIMMs & Expansion Slots | 2 x DIMM slots or more, Minimum 03 x M.2 Slots. |
| | | SSD Capacity | Minimum 1 TB or more, support up to 6 TB SSD |
| | | Graphics | Intel UHD Graphics 770 Graphics, Dedicated Graphics (Nvidia RTX 5090) or higher |
| | | Operating System | Window 11 Professional |
| | | OS Certification | Windows |
| | | Stand | Height Adjustable |
| | | Optical Drive | Yes (DVR R/W) |
| | | Audio and Camera | Integrated Audio controller with Internal speaker (minimum 2 x 3w), minimum full HD camera with microphone. |
| | | Ports | 01 x USB Type-C 5 Gbps signaling rate, 01 x USB Type-A 5 Gbps signaling rate, 02 x USB 3.0 type-A & 01 x RJ-45 |
| | | Power Supply | 120-240w external power adapter |
| | | Monitor/ Display | Three-Sided Micro-Edge Display, Anti-glare , 250 nits, 72% NTSC, 23.8" or Higher FHD (1920 x 1080) display. Panel Type: IPS with AIO stand. Viewing angle of 178/178. |
| | | | Integrated 5MP webcam with automatic speaker tracking along with product, Integrated mic and speakers with AI based noise cancellation / reduction. |
| | | Connectivity | Metal Wireless Key board & Mouse, 0.67 Kg & multi-Device with 20 Programmable Shortcut Keys. (Same AIO OEM make) |
| | | | |

| | | | |
|--|--|----------------------|---|
| | | Warranty | On Site OEM Warranty Minimum 05 Yrs. |
| | | Certification | BIS, BEE, EPR, RoHS |
| | | Miscellaneous | <p>(a) The CPU, Display, Keyboard and Mouse shall be from same OEM.</p> <p>(b) Recovery Media OS Should be on Drive or CD/DVD.</p> <p>(c) Hard disk will not be returned back to OEM/Supplier in case of replacement.</p> <p>(d) Windows 11 Professional should be OEM factory preloaded. OEM preloaded OS Certificate must be submitted on OEM letterhead.</p> <p>(e) Window should not be installed using Pen Drive, Internet or any other sources other than DVD only.</p> |

2

| S No | Name of Items | Technical Specifications | |
|-------------|------------------------|-------------------------------------|--|
| 2. | Online UPS 5KVA | Specification | Detail |
| | | UPS Rating | 5.0 KVA |
| | | Switching Technology | IGBT-PWM |
| | | Input Voltage | AC Single phase 160V-260V 50Hz |
| | | Output Voltage | AC Single phase 230V +/-1% 50Hz |
| | | UPS Warranty | 3 Years |
| | | Battery/Backup Bank Provided | Yes, with Battery |
| | | Type of Battery | SMF-VRLA conforming to JISC :8702 (Pt.I, II & III), or Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest |
| | | Backup Time | 240 Minutes |
| | | Battery Make | EXIDE/QUANTA |
| | | Battery Model Number | 100 AH |
| | | Battery Capacity | 100 Ah |
| | | Weight of Battery | 33 kg |
| | | | |

| | |
|---|---|
| Number of Batteries | 10 |
| Minimum Guaranteed VAH | 1600 X Per KVA X Per hour of backup time |
| Battery Warranty | 2 Years |
| Accessories with Battery | Yes |
| Installation and Commissioning | Provided (Covered in Scope of Supply) |
| After Sales Service (Turn Around Time) | Within 24 hours |
| Preventive Maintenance | Yes |
| Other Services | PAN India service support on 24 times 7 basis, AMC support available warranty, Availability of spares in close proximity |
| Inbuilt Isolation Transformer | With |
| Overall Efficiency | ge90% with Inbuilt isolation transformer |
| Power Factor Load Supported | 0.8 or better |
| Overload Limit | 20% Overload for minimum 10 minutes, 20% Overload for minimum 5 minutes, 50% Overload for minimum 1 minute, 50% Overload for minimum 3 seconds |
| Total Harmonic Distortion (THD) | 3% Maximum @ 100% Linear Load |
| Other Functional Features | Noise level (1 meter distance from UPS) should be less than 70dB |
| Protection | For under voltage at battery terminal, Short Circuit & overload at UPS output terminal |
| Metering | Input Voltage, Output Voltage, Input Current, Output Current |
| Alarms and Indications | Indicator for Mains presence, Alarm for Low Battery |

| S No | Name of Items | Technical Specifications | |
|-------------|----------------------|---------------------------------|--------------------------------|
| | | Additional Features | Pure Sinewave AC Output |
| | | | |

| | | | |
|-----------|------------------------------------|--|--|
| | | Type of Design / Construction | Floor Standing |
| | | Form Factor of UPS | NA (for Floor Standing) |
| | | Enclosure | 1.2 mm Minimum Thickness of M.S. Sheet duly powder coated |
| | | Degree of Protection | IP20 |
| | | DC Bus Voltage | 120 Volts |
| | | Other Constructional Features | Free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. Equipment shall be complete with all parts and all parts shall be functional |
| | | Minimum Operating Temperature | 5 degrees Celsius |
| | | Maximum Operating Temperature | 40 degrees Celsius |
| 3. | Multi Media Projector (MMP) | Specifications | |
| | | Technology | LCD |
| | | Native Resolution | 1920 times 1200 (WUXGA) |
| | | Brightness (Lumens) | 5200 |
| | | Optical Zoom | Yes |
| | | Optical Zoom (%) | 160 |
| | | Type of Projector | Standard Throw (0.91 to 2.5) |
| | | Type of Light Source | Laser |
| | | Minimum Life of Light Source (In Normal Mode) | 20000 Hours |
| | | Projection Method | Front and Rear both |
| | | Contrast Ratio (Minimum) | 250000:1 |
| | | Availability of Lens | Yes |
| | | Remotely Controlled | Yes |
| | | Aspect Ratio | 16:10 |
| | | Keystone Correction | Automatic & Manual Both |
| | | Lamp Hour Counter (In-Built) | Yes |
| | | Inbuilt Speaker | Yes |
| | | Wattage of Speaker | 10 W |
| | | 3D Projection Capability | No |
| | | Interactive Feature | No |

| | | | |
|--|--|---|---------------------------------|
| | | Power Consumption in Sleep Mode | 2 Watts |
| | | Power Consumption in Normal Mode | 293 Watts |
| | | Power Supply | 210V-240V, 50 Hz |
| | | Noise Level in Echo Mode | 23 dB |
| | | Noise Level in Normal Mode | 31 dB |
| | | Battery | No |
| | | Dimensions (Lx Bx H) | 304 mm x 440 mm x 122 mm |
| | | Weight | 7.7 Kg |
| | | Minimum Operating Temperature | 5 Degree C |
| | | Maximum Operating Temperature | 35 Degree C |
| | | Minimum Operating Humidity | 20 % RH |
| | | Maximum Operating Humidity | 80 % RH |

4

| S No | Name of Items | Technical Specifications | |
|-------------|----------------------|---------------------------------|------------|
| | | Ports and Connectivity | |
| | | Number of HDMI In Port | 2 |
| | | Number of HDMI Out Port | 1 |
| | | Number of DVI Port | 0 |
| | | Analog RGB In Port | Yes |
| | | Analog RGB Out Port | Yes |
| | | HD Base T | Yes |
| | | Audio In | Yes |
| | | Audio Out | Yes |
| | | Video In | No |
| | | Storage Media Port | No |
| | | Number of USB Type A | 1 |
| | | Number of USB Type B | 1 |
| | | | |

| | | | |
|----|--------------------|---------------------------------------|---|
| | | Number of USB Type C | 0 |
| | | Wi-Fi Connectivity | Yes |
| | | Wireless Screen Share | Yes |
| | | LAN Connectivity | Yes |
| | | Certifications | |
| | | BIS Registration under CRS of Meity | Yes |
| | | BIS Registration Number | R-41005371 |
| | | Warranty | |
| | | On Site OEM Warranty | 3 Years |
| | | On Site OEM Warranty for Light Source | 3 Year or 15000 Hrs. (Whichever is earlier) |
| 4. | Desktop Visualiser | Power Requirement | 230V, 50 Hz AC |
| | | Standard Accessories | Yes |
| | | Operating Temperature | -10-74.05 Degree C |
| | | Operating Humidity | 69.003 % RH |
| | | Dimensions (L x W x H) | 530 x 375 x 110 mm |
| | | Weight | 5 kilograms |
| | | On Site OEM Warranty | 3 Years |
| | | Type | Desktop |
| | | Technology | CMOS |
| | | Resolution | Full HD (1920 x 1080) Pixels |
| | | Image Pickup Device | 18 Inch |
| | | Video Frame Rates | 30 fps |
| | | Optical Zoom | 20 |
| | | Shooting Area | A4, A3 mm |
| | | Focusing Arrangement | Auto & Manual Both |
| | | Layout | Landscape & Portrait Both |
| | | Lens Focal Length | 5 mm |
| | | Digital Magnification | 100 |
| | | Image Memory | 45 Images |
| | | Image Rotation Facility | 270 Degree C |
| | | Light Source | White LED |
| | | Life Of Lamp used | 10 years |
| | | | |

| | | |
|--|-------------------------------------|------------|
| | USB Port (Number) | 1 |
| | VGA Port (Number) | 1 |
| | HDMI Port (Number) | 1 |
| | Network Connectivity | Yes |
| | Full Function Remote Control | Yes |

5

| S No | Name of Items | Technical Specifications | |
|-------------|---------------------------|-------------------------------------|--|
| 4. | Interactive Podium | Chassis/Frame | |
| | | Type | Metallic |
| | | Mount Type | Floor Mounted with Wheels |
| | | Material | Polymer Coated CRCA Steel Sheet |
| | | Thickness of Enclosure | 1.6 mm (Min) CRCA Sheet |
| | | Screwless Chassis | Yes |
| | | Space for Add. Devices | Yes |
| | | Drawers/Cabinets | Yes |
| | | Lockable (Drawers/Cabinets) | Yes |
| | | Electronic Lectern Type | |
| | | Type | Processor Based |
| | | Display | |
| | | Availability | Available |
| | | Size | 23.8" to 24 inches |
| | | Type | LED |
| | | Resolution | 1920 x 1200 Pixels |
| | | Aspect Ratio | 16:09 |
| | | Tilt Screen | Yes |
| | | Tilt Mechanism | Motorized |
| | | Pre-Build Housing | Yes |
| | | Touch Support | Available |
| | | Touch Type | Capacitive |
| | | Stylus | No |
| | | Stylus Type | NA |
| | | | |

| | |
|----------------------------------|--|
| Antiglare | Yes |
| Scratch Resistant | Yes |
| Vandal Resistant Screen | Yes |
| Brightness (NITS) Minimum | 250 |
| BIS Reg. Number (Display) | R-41083984 |
| System Details | |
| Processor Make | Intel |
| Processor Series | Intel Core i7 |
| Processor Configuration | 13th Gen |
| Operating System | Windows 11 Pro (Pre-loaded) |
| Antivirus | Available (with one year license) |
| RAM Memory | 8 GB |
| Storage/HDD | 1024 GB |
| Built-in Keyboard | Available |
| Built-in Mouse | Available |
| Visualizer | |
| Focus | Manual |
| Remote Control | Available |
| White Balance | Manual |
| VGA Port | Available |
| HDMI | Available |
| Audio Port | Available |
| SD Card Slot | Available |

6

| S N o | Name of Items | Technical Specifications | |
|--------------|----------------------|---------------------------------|------------------|
| | | Built-in Devices | |
| | | Optical Disk Drive Comp. | Yes |
| | | Inbuilt Speakers | Available |
| | | Number of Speakers | 2 |
| | | Wattage of Each Speaker | 50 Watt |

| | |
|---|---|
| Central Control Panel | Available |
| Gooseneck Mic | 1 |
| Wireless Mic | 1 |
| Handheld Mic | 1 |
| Wireless Receiver | 1 |
| Amplifier | Available |
| Amplifier Wattage | 150 Watt |
| Console Panel Ports | |
| USB 2 | 1 |
| USB 3 | 1 |
| VGA Ports | 1 |
| HDMI Ports | 1 |
| Video Pin | 1 |
| RJ 45 | 1 |
| Power & Cooling | |
| Power Backup | Min 30 Minutes |
| UPS Supplied | Yes |
| Cooling System | Available |
| Max Power Consumption | 150 Watt |
| Environmental | |
| Operating Temp. Range | 5-45 Degree C |
| Storage Temp. | -10 to 55 Degree C |
| Operating Humidity (RH) | 40 Deg at 90% RH non condensing |
| Storage Humidity (RH) | 20-80% |
| Physical | |
| Overall Dimensions | 29 x 46 x 27 cm |
| Weight | 150 Kg |
| BIS Reg. Number (Components) | R-41083984 |
| Relative Humidity Non-Condensing at 40 deg C | 80 percent |
| Environmental Test Report Requirements | NA |
| Battery Test Report | NA |
| Intended Applications | Critical Infrastructure, Network |

rk IT Equipment, Medical Equipment, Support for Data Centers, Network operating centers, Security operation centers, State and District centers, Command and Control center etc., across the Country to provide impetus to the e-Governance services e.g., public food distribution, e-Way bill, Counseling, e-Office, IVFR T etc., services under Digital India Programme, NA

7

| S N o | Name of Items | Technical Specifications | |
|----------|------------------|--|--|
| | | Other Requirements | ROHS compliance, KW rating shall be 0.8 time of KVA rating |
| | | Type of lab which carried out Test of Complete Product | OEM |
| | | Agree to provide all relevant documents | Yes |
| | | BIS CRS Certifications | Yes (For UPS rating upto 5 KVA) |

2.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.