Greenmark Infotech

PURCHASE ORDER

Dear Sir/Madam,
Please find purchase order for your kind perusal. We are pleased to place an order for following items with below mentioned terms & conditions.

Purchase order number- GI/PO/102/25-26/ Date- 27/11/2025

To,
Promark Techsolutions Pvt. Limited
NH, 95, Morinda By Pass, Village Madouli, Morinda, District- Ropar (Punjab) – 140413
GST- 03AAFCP7669C1ZF
From,
Greenmark Infotech
Flat No 203, Sarswati Tower, Near Shiv Mandir, District -Patna (Bihar)-801503
GST- 10DNFPD7278Q1ZL
Contact Person Name- Rajeev Singh Contact Details- 9557300664
Delivery Address- Government Polytechnic Nirsa, P.O- Debiyana, Nirsa Dhanbad, Distt- Dhanbad-828205 Jharkhand.

SL	NAME OF ITEMS WITH SPECIFICATIONS	IMAGE	QTY.	AMOUNT EACH WITH OUT GST	TOTAL AMOUNT WITH GST
1	**INTERACTIVE FLAT PANEL,WITHOUT OPS SIZE 86 INCHES DISPLAY-** **Display Technology In-Plane Switching (IPS)** **Display Type Anti-Glare LCD with Direct-lit LED** **Minimum Contrast Ratio 2000 : 1** **Minimum Display Panel Size, Diagonal (in Inches) 86** **Width of The Effective Display Area of The Panel (in mm) - Must Indicate 1651** **Height of The Effective Display Area of The Panel (in mm) - Must Indicate 928** **Minimum Display Resolution (Horizontal x Vertical) (in Pixels) 4K UHD - 3840 x 2160** **Display Brightness (in Nits) 600** **Display Aspect Ratio 16:9** **View Angle (in Degree) 178 by 178** **Minimum Panel Life (in Hours) 50000 TOUCH SCREEN** **Touch Interface Touch Sensitive as well as Pen Driven** **Touch Technology Infrared (IR)** **Number of Touch Points (in Number) 20** **Response Time (in Milli Second) - Must Declare 4** **Annotation Software Yes** **Additional Softwares NA** **On Site Warranty Support (in Years) 3 CPU** **Type of CPU Inbuilt CPU with Slot Provision for Open pluggable Specification (OPS)** **Number of Cores 8** **Processor Number -Must Indicate 8 core-A55**		2	90000/-	212400/-

Processor Base Frequency (in GHz) -Must Declare 1.2 **Memory (in GB) 8** **SSD Storage Capacity (in GB) 64** **Pre-Install Software (OS) Android** **Provision of Slot for Open pluggable Specification (OPS) Yes OPTIONAL ITEM** **Open pluggable Specification (OPS) included in scope of supply No** **Open pluggable Specification (OPS) Processor Number -Must Indicate i5** **Open pluggable Specification (OPS) Processor Base Frequency (in GHz) -Must Declare 2.1** **Pre-Install Software (OS) for Open pluggable Specification (OPS) NA as No OPS** **Memory (in GB) for Open pluggable Specification (OPS) NA as no OPS** **SSD Storage Capacity (in GB) for Open pluggable Specification (OPS) 256** **Additional Requirement for OPS NA PORTS Number of Input HDMI Ports 3** **Number of Output HDMI Ports 1** **Number of USB 2 Point 0 Ports 1** **Number of USB 3 Point 0 Ports 3** **Number of RS-232 C Ports 1Number of Audio Input Ports 1** **Number of Audio Output Ports 1** **Number of RJ 45 ports 1** **Number of VGA-In Ports 1** **USB Type C Port 1** **In-built Speakers Yes** **Speaker Power (in Watt) 20** **Mounting Wall Mount** **Additional Requirement NA CONNECTIVITY** **Availability of Bluetooth Connectivity Yes. Inbuilt Bluetooth Version 5.2** **Availibility of Wi-Fi Connectivity Yes. Inbuilt Wi-Fi Connectivity 802.11n (2.4 or 5 GHz) POWER SUPPLY** **Power Supply 100-240 V , AC** **AC Frequency (in Hz) 50** **Power Consumption (in Watts) 350 ACCESSORIES** **Number of Electronic Pen or Stylus Each Panel 2** **Additional HDMI Cable 0** **Installation Kit for each Panel User Manual, HDMI cable, Installation Manual, Remote Control with battery, Power Cord, USB Cable** **Additional Accessories Requirment NA OPERATING CONDITIONS** **Minimum Operating Temperature (in Degree Celcius) 0** **Maximun Operating Temperature (in Degree Celcius) 40** **Operating Humidity (in Percentage) 10 to 90 CERTIFICATE** **BIS CRS Compliance Yes. As per IS 13252 (Part 1)**				

Greenmark Infotech

	BIS CRS Number -Must Declare 97000973 Availability of Test Reports from Central Govt/NABL Accredited/ILAC Accredited Lab to Prove Conformity to the Specification Yes Agreed to furnish all the test report and certificates to buyer on demand Yes.				
2	**OPS (I7, 8/512 SSD 11TH GEN)** **Description** Description of Store Mini PC consist of a Desktop CPU with a power button and speakers, and necesarry connection cables and power adapter with 1 year standard warranty **Processor** Processor Number Intel Core i7-12700T **Graphics** Graphics Type Dedicated/Discrete **Operating System** Operating System (Factory Pre Loaded with Certification) Windows 11 Professional Recovery Image Media Stored in Partition of the SSD **Memory** Type of RAM DDR4 RAM Size (in GB) 8 Memory Slots 2 DIMM RAM Expandability up to (in GB) 64 **Storage** Type of Storage Drive NVMe SSD Capacity of Storage Drive (in GB) 512 **Connectivity and Ports** Type of Wireless Connectivity Wi-Fi 5 (802.11ac) + Bluetooth 5.2 Number of Ports (Front and Rear) 1-USB 2.0,1-USB 3.0,1 RJ-45 (1 Gbe Ethernet port),1 HDMI,Power Cord Connector Availability of Speaker No Availability of Microphone No **Cabinet** Cabinet Form Factor Ultra-Compact (0.5 to 1.5 Liters) Availability of Vesa Mount Kit No **Power** Maximum Power Consumption in fully Operating Mode (in Watt) 120 to 150 **Operating Consitions** Operating Temperature (in degree Celsius) 10 to 45 Operating Humidity (%RH) 10 to 90 **Certification** BIS Registration under CRS of MeitY Yes as per IS 13252 (Part 1) BIS Registration Number 97001600 ROHS Compliance Yes Availability of certification for Environmental Management System with manufacturer Yes. As per IS/ISO:14001 Compliance of Information Security, Cybersecurity and Privacy Protection-Information Security Management Systems Requirements Yes. Complies as per IS/ISO/IEC 27001: 2022 Availability of EPR Registration in respect of the manufacturer as pper E waste rules as amended up to date Yes Agreed to provide a copy of EPR registration certificate to buyer on demand Yes		2	21000/-	49560/-

Greenmark Infotech

| 3 | DIGITAL PODIUM I5, /WINDOW 10, RAM 8GB ROM /500 GB with 220 WATT AMPLIFIER, 2 PCS HENDHELD MIKE Chasiss
Type of Chassis/ Frame Metallic
Mount Tupe Floor Mounted With Wheels
Material of Chassis Polymer Coated CRCA Steel Sheet
Thickness of Enclosure (mm) 1.6 mm(Min) CRCA Sheet
Screwless Chasis Yes
Adequate Space for Additional Devices Yes
Drawers / Cabinets Yes
If yes, Lockable Yes Type Type of Electronic Lectern
Processor Based Display
Display Available
Display Size (inches) 19 to 20
Display Type LED
Screen Resolution (Pixles) 1920×1080
Aspect Ratio 16:09
Tilt Screen Yes
If yes, Tilt Mechanism Motorized
Pre-Build Housing Yes
Touch Support Available
If yes,Touch Type Capacitive
Stylus Yes
Stylus Type Battery Free Pen
Antiglare No
Scratch Resistant Yes
Vandal Resistant Screen No
Brightness (NITS) Minimum 200
BIS Registration Number Under CRS for Display NA
System Details
Processor Make Intel
Processor Series Intel core i5
Processor configuration 3.50GHz
Operating System (Pre-loaded) Windows 10
Antivirus with one year Antivirus with one year liscense Available
RAM Memory(Gb) 8
Storage/HDD (GB) 500
Built-in Standard Keyboard Available
Built-in Mouse Available Visualiser Visualiser Available
Total Pixels (Mega Pixel) NA
Zoom Functionality Not-Available
Zoom NA Frame Rate (fps) 0
Shooting Area NA
Focus Manual
Resolution (Pixel) NA
Internal Memory (Gb) 0
Remote Control Not-Available
White Balance Manual
VGA Port Not-Available
HDMI Not-Available
Audio Port Not-Available
SD Card Slot Available
USB 2 0 | | 1 | 160000/- | 188800/- |

Greenmark Infotech

	USB 3 Not-Available **LAN Not Available Built-in Devices** **Optical Disk Drive Compatibility No** **Inbuilt Speakers Available** **Number of Speakers 2** **Wattage of Each Speaker (Watt) 30** **Central Control Panel Available** **Gooseneck Mic 1** **Wireless Mic 1** **Handheld Mic 1** **Wireless Reciever 1** **Amplifier Available** **Amplifier Wattage (Watt) 220 Console Panel Ports** **Usb 2 2** **Usb 3 1** **VGA Ports 0** **HDMI Ports 1** **Video Pin 0** **RJ 45 0** **Power Backup Min 30 Minutes Not Available** **Cooling System Not-Available Generic Information** **Maximum Power Consumption (Watt) 220** **Operating Temperature Range (Degree C) 5-45** **Storage Temperature (Degree C) -10 to 55** **Operating Humidity (RH) (%) 40 Deg at 90% RH non condensing** **Storage Humidity (RH) (%) 80** **Overall Dimensions (cm x cm x cm) 65x70x115** **Weight (Kg) 80** **BIS Registration Number for Rest of the Components NA** **On site OEM Warranty in years 3**				
4	**PTZ CAMERA 4K** **PTZ Function Video Conferencing Camera Yes (High Precision** **Motorized-PTZ) Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel) Description/Application Intended Application A Video Conferencing Camera are digital camera specially designed for use in video conferencing application.** **Genric Description Video Conferencing Camera, Genric** **PTZ Function Yes (High Precision Motorized-PTZ)** **Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel)** **Pan Range (Minimum) -170** **Pan Range (Maximum) 170** **Tilt Range (Minimum) -30** **Tilt Range (Maximum) 90** **Zoom Range Optical (Maximum) 20X** **Zoom Range Digital (Maximum) 12X - 16X** **Actual Digital Zoom (as per OEM Brochure) 20X** **Field of View (Degree) more than 75-90** **Actual Field of View (Degree)(as per OEM Brochure) 61d (W) ~ 3.64d (T)** **Compression Format H.264,MJPEG**		1	49000/-	57820/-

	Maximum Frame Rates(frames per second) Supported 30 Number of MICS 4 Control / Image processing / Focusing Features Automatic Voice-activated,Preset Connectivity Connectivity (Output) USB 3.0 Type A Connectivity (Input) Audio In Connectivity Control (I/O) RS232(O),RS485 Feature/Accessories Salient Features Auto White Balance,CMOS Sensor,Auto Focus,Low light compensation Optional Features/Accessories Built-in microphone,Remote for Control,HDMI Cable,USB Cable Other Accessories NA Operating Conditions Minimum Operating Temperature (Degree C) 10 Maximum Operating Temperature (Degree C) 60 Relative Humidity Non Condensing at 40 deg C (%RH) 80 Ingress Protection NA Warranty / Service Comprehensive on site Warranty (Year) 3 Free Installation and commissioning Yes Time Duration for Repairing /Replace the defect during Warranty Within one week Response Time to attend the complaint during Warranty 24 Hour Supply of compatible drivers and software included No Buyer Specific Requirements Buyer Specific Requirements (Any addiitonal features, accessories) NA Online meeting Platform supported (Application, Software) Microsoft Teams,Zoom,Cisco webex,Google Meet Certification / Test Report Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification Certificate of Govt.Lab/NABL/ILAC accredited. Agree to provide all relavant documents Test Report/suuporting document /reports etc to the buyer at the time of bidding or on demand Yes BIS CRS certifications as applicable for Audio, video and similar electronic apparatus-safety requirements as per IS 616:2017 Yes				
5	4 Microphone with Speaker- MICROPHONE Number of Microphones 4 Type of Microphones Omnidirectional Frequency Response (Tx) Minimum (KHz) 0.2 Frequency Response (Tx) Maximum (KHz) 20, TYPE Professional Speakerphone allows to connect with software video conferencing system(UC System) Yes		1	47900/-	56522/-

Greenmark Infotech

	Digital Signal Processing (DSP) technology No SPEAKER **Frequency Response (Rx) Minimum (KHz) 0.2** **Frequency Response (Rx) Maximum (KHz) 18** **Volume Adjustable Yes CONNECTIVITY** **USB Connectivity Yes** **Bluetooth Connectivity Yes** **If Yes, Version of Bluetooth 3.0** **If Yes, Range of Bluetooth 5 meter** **Auxiliary Audio Output Through Audio Jack No** **Auxiliary Audio Input Through Audio Jack No** **PSTN No** **VOIP No** **NFC No FUNCTIONS AVAILABLE** **Answer Call Yes** **End or Reject Call Yes** **Volume up and down Yes** **Mute / Unmute Microphone Yes** **Built in Recording No POWER OPTION** **Power Source Battery** **If Battery Operated, Battery Capacity (mAH) 5200** **Battery Backup Time 8 hour** **Battery Status Indicator Yes MISCELLANEOUS** **Dimensions (mmx mm x mm) 237mm*237mm*44mm** **Total; Weight 500 gram** **Standard Accessories to be Supplied USB CABLE** **Minimum Operating Temperature 0 degree Celsius** **Maximum Operating Temperature 40 degree Celsius** **Minimum Storage Temperature -10 degree Celsius** **Maximum Storage Temperature 50 degree Celsius** **Minimum Operating Humidity (RH) (%) 10** **Maximum Operating Humidity (RH)(%) 85** **Certifications Available CE** **On Site OEM Warranty (Year) 3**				
6	SPEAKER (WALL MOUNT 35 WATT) JBL WITH WALL ,MOUNT KIT		6	4050	28674/-
	TOTAL				**593776/-**

Business Terms-

❖ GST included in above mentioned price.
❖ Delivery within 10-15 day.
❖ Free delivery, installation by OEM on site.
Regards,
GREENMARK INFOTECH, PATNA

Authorized Signatory
Mo- 9557300664