

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687762184357

अनुबंध तिथि | Generated Date : 25-Sep-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/6403752](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	State Government	पद Designation :	LECTURER
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	0551-2500125-
विभाग Department :	Technical Education Department Uttar Pradesh	ईमेल आईडी Email ID :	pao33.dte.gkp@gembuyer.in
संगठन का नाम Organisation Name :	Directorate of Technical Education Government of Uttar Pradesh	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Directorate Of Technical Education, Up, Kanpur	पता Address :	GOVERNMENT POLYTECHNIC , ASURAN ROAD, OPP- N E RLY MECHANICAL WORKSHOP, GORAKHPUR - 273012, Gorakhpur, UTTAR PRADESH-273012, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राप्तिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	Principal	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Government Polytechnic Gorakhpur	पद Designation :	PRINCIPAL
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao98.dtegup.up@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	GOVERNMENT POLYTECHNIC , ASURAN ROAD, OPP- N E RLY MECHANICAL WORKSHOP, GORAKHPUR - 273012, Gorakhpur, UTTAR PRADESH-273012, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	3CDF180000091582
कंपनी का नाम Company Name :	PROMARK TECHSOLUTIONS PRIVATE LIMITED
संपर्क नंबर Contact No. :	09216988990
ईमेल आईडी Email ID :	brar@promark.co.in
पता Address :	NH 95,MORINDA BYEPASS,BADDI,ROPAR, Fatehgarh Sahib, PUNJAB-140101, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	03AAFCP7669C1ZF (B) , 10AAFCP7669C1ZK (B) , 09AAFCP7669C1Z3 (B) , 07AAFCP7669C1Z7 (B) , 03AAFCP7669C1ZF (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : We have done this bid for six smart class room set. But due to specific reason ,we require only four smart class room set. So ,Please delever accordingly.

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Promark 75 Inch Display Interactive Panel with CPU with warranty 3 Years ब्रांड Brand : Promark ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Interactive Panels with CPU (Q2) मॉडल Model: PRO AT-75P एचएसएन कोड HSN Code: HSN not specified by seller	6	pieces	270,000	NA	1,620,000
2	उत्पाद का नाम Product Name : Promark NA NA Electronic Lectern, On site OEM Warranty in years 3 ब्रांड Brand : Promark ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Electronic Lectern (Q2) मॉडल Model: PMEL 04/B एचएसएन कोड HSN Code: HSN not specified by seller	6	pieces	104,000	NA	624,000
	उत्पाद का नाम Product Name : Promark PTZ Function Web Camera Yes (e-PTZ) only Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel) ब्रांड Brand : Promark ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue	6	pieces	22,000	NA	132,000

3	<p>कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Video Conferencing Camera / Web Camera (V2) (Q2) मॉडल Model: PRO-WEB-1080 एचएसएन कोड HSN Code: HSN not specified by seller</p>				
कुल ऑर्डर मूल्य Total Order Value (in INR)					2,376,000
परेषिती विवरण Consignee Detail					
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After
1	<p>पद Designation :- ईमेल -आईडी Email ID : pao33.dte.gkp@gembuyer.in संपर्क Contact : 0551-2500125- जीएसटीआईएस GSTIN :- पता Address : GOVERNMENT POLYTECHNIC , ASURAN ROAD, OPP- N E RLY MECHANICAL WORKSHOP, GORAKHPUR - 273012, Gorakhpur, UTTAR PRADESH-273012, India</p>	Promark 75 Inch Display Interactive Panel with CPU with warranty 3 Years	-	6	25-Sep-2025
		Promark NA NA Electronic Lectern, On site OEM Warranty in years 3	-	6	25-Sep-2025
		Promark PTZ Function Web Camera Yes (e-PTZ) only Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel)	-	6	25-Sep-2025
Product Specification for Promark 75 Inch Display Interactive Panel with CPU with warranty 3 Years					
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value			
DISPLAY	Display Technology	In-Plane Switching (IPS)			
	Display Type	Anti-Glare LCD with Direct-lit LED			
	Minimum Contrast Ratio	1200 : 1			
	Minimum Display Panel Size, Diagonal (in Inches)	75			
	Width of The Effective Display Area of The Panel (in mm) - Must Indicate	1651			
	Height of The Effective Display Area of The Panel (in mm) - Must Indicate	928			
	Minimum Display Resolution (Horizontal x Vertical) (in Pixels)	4K UHD - 3840 x 2160			
	Display Brightness (in Nits)	450			
	Display Aspect Ratio	16:9			
	View Angle (in Degree)	178 by 178			
	Minimum Panel Life (in Hours)	50000			
TOUCH SCREEN	Touch Interface	Touch Sensitive as well as Pen Driven			
	Touch Technology	Infrared (IR)			
	Number of Touch Points (in Number)	40			
	Response Time (in Milli Second) - Must Declare	4			
	Annotation Software	Yes			
	Additional Softwares	NA			
	On Site Warranty Support (in Years)	3			
CPU	Type of CPU	Inbuilt CPU with Slot Provision for Open pluggable Specification (OPS)			
	Number of Cores	8			
	Processor Number -Must Indicate	8 core-A55			
	Processor Base Frequency (in GHz) -Must Declare	1.2			
	Memory (in GB)	8			
	SSD Storage Capacity (in GB)	64			
	Pre-Install Software (OS)	Android			
	Provision of Slot for Open pluggable Specification (OPS)	Yes			

OPTIONAL ITEM	Open pluggable Specification (OPS) included in scope of supply	Yes
	Open pluggable Specification (OPS) Processor Number -Must Indicate	i5
	Open pluggable Specification (OPS) Processor Base Frequency (in GHz) -Must Declare	2.1
	Pre-Install Software (OS) for Open pluggable Specification (OPS)	Windows
	Memory (in GB) for Open pluggable Specification (OPS)	8
	SSD Storage Capacity (in GB) for Open pluggable Specification (OPS)	256
	Additional Requirement for OPS	NA
PORTS	Number of Input HDMI Ports	3
	Number of Output HDMI Ports	1
	Number of USB 2 Point 0 Ports	2
	Number of USB 3 Point 0 Ports	3
	Number of RS-232 C Ports	1
	Number of Audio Input Ports	1
	Number of Audio Output Ports	1
	Number of RJ 45 ports	1
	Number of VGA-In Ports	1
	USB Type C Port	1
	In-built Speakers	Yes
	Speaker Power (in Watt)	20
	Mounting	Wall Mount
CONNECTIVITY	Availability of Bluetooth Connectivity	Yes. Inbuilt
	Bluetooth Version	5.2
	Availability of Wi-Fi Connectivity	Yes. Inbuilt
	Wi-Fi Connectivity	802.11n (2.4 or 5 GHz)
POWER SUPPLY	Power Supply	100-240 V , AC
	AC Frequency (in Hz)	50
	Power Consumption (in Watts)	350
ACCESSORIES	Number of Electronic Pen or Stylus Each Panel	2
	Additional HDMI Cable	2
	Installation Kit for each Panel	User Manual, HDMI cable, Installation Manual, Remote Control with battery, Power Cord, USB Cable
	Additional Accessories Requirment	NA
OPERATING CONDITIONS	Minimum Operating Temperature (in Degree Celcius)	0
	Maximun Operating Temperature (in Degree Celcius)	40
	Operating Humidity (in Percentage)	10 to 90
CERTIFICATE	BIS CRS Compliance	Yes. As per IS 13252 (Part 1)
	BIS CRS Number -Must Declare	97000973
	Availability of Test Reports from Central Govt/NABL Accredited/ILAC Accredited Lab to Prove Conformity to the Specification	Yes
	Agreed to furnish all the test report and certificates to buyer on demand	Yes

उत्पाद का बीजाइएस लाइसेंस | BIS license of the product: 97000973

Product Specification for Promark NA NA Electronic Lectern, On site OEM Warranty in years 3

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Type of Chassis/ Frame	Metallic
	Mount Type	Floor Mounted
	Material of Chassis	Polymer Coated CRCA Steel Sheet

Chassis	Thickness of Enclosure (mm)	1.6 mm(Min) CRCA Sheet
	Screwless Chasis	No
	Adequate Space for Additional Devices	No
	Drawers / Cabinets	No
	If yes, Lockable	NA
Type	Type of Electronic Lectern	Processor Based
Display	Display	Available
	Display Size (inches)	NA
	Display Type	NA
	Screen Resolution (Pixels)	NA
	Aspect Ratio	4:3
	Tilt Screen	No
	If yes, Tilt Mechanism	NA
	Pre-Build Housing	No
	Touch Support	Not-Available
	If yes, Touch Type	NA
	Stylus	No
	Stylus Type	NA
	Antiglare	No
	Scratch Resistant	No
System Details	Vandal Resistant Screen	No
	Brightness (NITS) Minimum	200
	BIS Registration Number Under CRS for Display	NA
	Processor Make	NA
	Processor Series	NA
	Processor configuration	NA
	Operating System (Pre-loaded)	NA
	Antivirus with one year Antivirus with one year liscense	Not-Available
	RAM Memory(Gb)	0
	Storage/HDD (GB)	0
Visualiser	Built-in Standard Keyboard	Not-Available
	Built-in Mouse	Not-Available
	Visualiser	Not-Available
	Total Pixels (Mega Pixel)	NA
	Zoom Functionality	Not-Available
	Zoom	0
	Frame Rate (fps)	0
	Shooting Area	NA
	Focus	Manual
	Resolution (Pixel)	NA
	Internal Memory (Gb)	0
	Remote Control	Not-Available
	White Balance	Manual
	VGA Port	Not-Available
	HDMI	Not-Available
	Audio Port	Available
	SD Card Slot	Available
	USB 2	1

	USB 3	Not-Available
	LAN	Not Available
Built-in Devices	Optical Disk Drive Compatibility	No
	Inbuilt Speakers	Available
	Number of Speakers	2
	Wattage of Each Speaker (Watt)	0
	Central Control Panel	Not-Available
	Gooseneck Mic	1
	Wireless Mic	1
	Handheld Mic	1
	Wireless Reciever	0
	Amplifier	Available
	Amplifier Wattage (Watt)	60
Console Panel Ports	Usb 2	0
	Usb 3	0
	VGA Ports	0
	HDMI Ports	1
	Video Pin	0
	RJ 45	0
	Power Backup Min 30 Minutes	Not Available
	Cooling System	Not-Available
Generic Information	Maximum Power Consumption (Watt)	0
	Operating Temperature Range (Degree C)	5-45
	Storage Temperature (Degree C)	-10 to 55
	Operating Humidity (RH) (%)	40 Deg at 90% RH non condensing
	Storage Humidity (RH) (%)	10
	Overall Dimensions (cm x cm x cm)	44 X 59X114
	Weight (Kg)	30
	BIS Registration Number for Rest of the Components	NA
	On site OEM Warranty in years	3

Product Specification for Promark PTZ Function Web Camera Yes (e-PTZ) only Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel)

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Description/Application	Intended Application	A Video Conferencing Camera are digital camera specially designed for use in video conferencing application.
	Genric Description	Web Camera
Genric	PTZ Function	Yes (e-PTZ) only
	Resolution (Maximum) each camera	4K HD (3840 X 2160 Pixel)
	Pan Range (Minimum)	0
	Pan Range (Maximum)	0
	Tilt Range (Minimum)	0
	Tilt Range (Maximum)	0
	Zoom Range Optical (Maximum)	3X
	Zoom Range Digital (Maximum)	more than 6X - 9X
	Actual Digital Zoom (as per OEM Brochure)	8X
	Field of View (Degree)	more than 105-120
	Actual Field of View (Degree)(as per OEM Brochure)	110
	Compression Format	H.264,MJPEG,YUY2

	Maximum Frame Rates(frames per second) Supported	30
	Number of MICS	2
	Control / Image processing / Focusing Features	Preset,People Framing/ Group/Auto Framing
Connectivity	Connectivity (Output)	USB 3.0 Type A
	Connectivity (Input)	NA
	Connectivity Control (I/O)	NA
Feature/Accessories	Salient Features	Auto White Balance,Universal clip fit,CMOS Sensor
	Optional Features/Accessories	Built-in microphone,Remote for Control
	Other Accessories	NA
Operating Conditions	Minimum Operating Temperature (Degree C)	0
	Maximum Operating Temperature (Degree C)	40
	Relative Humidity Non Condensing at 40 deg C (%RH)	80
	Ingress Protection	NA
Warranty / Service	Comprehensive on site Warranty (Year)	1
	Free Installation and commissioning	Yes
	Time Duration for Repairing /Replace the defect during Warranty	Within Two week
	Response Time to attend the complaint during Warranty	48 Hour
	Supply of compatible drivers and software included	No
Buyer Specific Requirements	Buyer Specific Requirements (Any addiitonal features, accessories)	NA
	Online meeting Platform supported (Application, Software)	Microsoft Teams,Zoom,Cisco webex,Google Meet
Certification / Test Report	Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification	Certificate of Govt.Lab/NABL/ILAC accredited.
	Agree to provide all relavant documents Test Report/suporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	BIS CRS certifications as applicable for Audio, video and similar electronic apparatus-safety requirements as per IS 616:2017	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Promark PTZ Function Web Camera Yes (e-PTZ) only

Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel)

विवरण Specification	मूल्य Value
Power backup for smart classroom (Inverter) QTY- 6	Inverter with pure sine wave output Rating KVA & Min. VAH capacity of battery : 2KVA/3640 VAH Technology :GBT -PWM Energy Star rating : 5 Star Trolley : With Trolley
Power backup for smart classroom (Battery)	Type of battery : Tubular Battery confirming to IS 13369 Backup time(Minutes) :Minimum 120 Minutes 150 AH Tubular Battery (2 Battery) 36 Months warranty on Batteries.

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2025-09-15 17:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	3.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 22-11-2024

1.1 Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - II (Compulsory Registration Scheme) of BIS (Bureau of Indian Standards).

Compulsory registration of goods / articles in this category shall conform to IS 616: 2017 and shall bear the "Standard Mark" under a license from Bureau of Indian Standards as per Scheme-II of Schedule-II of Bureau of Indian Standards(Conformity Assessment) Regulations,2018.

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfilment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and mandatorily registration as per Scheme-2 of BIS.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-ii-registration-scheme/>

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} - \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3.2 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.