



PURCHASE ORDER

Dear Sir/Madam,

Please find purchase order for your kind perusal. We are pleased to place an order for following items with below mentioned terms & conditions.

Purchase order number- GI/PO/104/25-26/ Date- 27/11/2025

To,

Promark Techsolutions Pvt. Limited

NH, 95, Morinda By Pass, Village Madouli, Morinda, District- Ropar (Punjab) – 140413
GST- 03AAFC7669C1ZF

From,

Greenmark Infotech

Flat No 203, Saraswati Tower, Near Shiv Mandir, District -Patna (Bihar)-801503

GST- 10DNFPD7278Q1ZL

Contact Person Name- Rajeev Singh Contact Details- 9557300664

Delivery Address-Government Polytechnic, Dumka Sonwa Dangal, Near SP College, dumka (Jharkhand), DUMKA, JHARKHAND-814110, India.

SL	NAME OF ITEMS WITH SPECIFICATIONS	IMAGE	QTY.	AMOUNT EACH WITH OUT GST	TOTAL AMOUNT WITH GST
1	<p>DIGITAL PODIUM I5, /WINDOW 10, RAM 8GB ROM /500 GB with 220 WATT AMPLIFIER, 2 PCS HENDHELD MIKE Chassis</p> <p>Type of Chassis/ Frame Metallic</p> <p>Mount Type Floor Mounted With Wheels</p> <p>Material of Chassis Polymer Coated CRCA Steel Sheet</p> <p>Thickness of Enclosure (mm) 1.6 mm(Min) CRCA Sheet</p> <p>Screwless Chasis Yes</p> <p>Adequate Space for Additional Devices Yes</p> <p>Drawers / Cabinets Yes</p> <p>If yes, Lockable Yes, Type Type of Electronic Lectern Processor Based, Display</p> <p>Display Available</p> <p>Display Size (inches) 19 to 20</p> <p>Display Type LED</p> <p>Screen Resolution (Pixels) 1920x1080</p> <p>Aspect Ratio 16:09</p> <p>Tilt Screen Yes</p> <p>If yes, Tilt Mechanism Motorized</p> <p>Pre-Build Housing Yes</p> <p>Touch Support Available</p> <p>If yes, Touch Type Capacitive</p> <p>Stylus Yes</p> <p>Stylus Type Battery Free Pen</p> <p>Antiglare No</p> <p>Scratch Resistant Yes</p> <p>Vandal Resistant Screen No</p> <p>Brightness (NITS) Minimum 200</p> <p>BIS Registration Number Under CRS for Display NA, System Details</p> <p>Processor Make Intel</p> <p>Processor Series Intel core i5</p> <p>Processor configuration 3.50GHz</p> <p>Operating System (Pre-loaded) Windows 10</p> <p>Antivirus with one year Antivirus with one year license Available</p> <p>RAM Memory(Gb) 8</p>		1	160000/-	188800/-



	<p>Storage/HDD (GB) 500 Visualiser Visualiser Available Total Pixels (Mega Pixel) NA Zoom Functionality Not-Available Zoom NA Frame Rate (fps) 0 Shooting Area NA Focus Manual Resolution (Pixel) NA Internal Memory (Gb) 0 Built-in Standard Keyboard Available Built-in Mouse Available Remote Control Not-Available White Balance Manual VGA Port Not-Available HDMI Not-Available Audio Port Not-Available SD Card Slot Available USB 2 0 USB 3 Not-Available LAN Not Available Built-in Devices Optical Disk Drive Compatibility No Inbuilt Speakers Available Number of Speakers 2 Wattage of Each Speaker (Watt) 30 Central Control Panel Available Gooseneck Mic 1 Wireless Mic 1 Handheld Mic 1 Wireless Receiver 1 Amplifier Available Amplifier Wattage (Watt) 220 Console Panel Ports Usb 2 2 Usb 3 1 VGA Ports 0 HDMI Ports 1 Video Pin 0 RJ 45 0 Power Backup Min 30 Minutes Not Available Cooling System Not-Available Generic Information Maximum Power Consumption (Watt) 220 Operating Temperature Range (Degree C) 5-45 Storage Temperature (Degree C) -10 to 55 Operating Humidity (RH) (%) 40 Deg at 90% RH non condensing Storage Humidity (RH) (%) 80 Overall Dimensions (cm x cm x cm) 65x70x115 Weight (Kg) 80 BIS Registration Number for Rest of the Components NA On site OEM Warranty in years 3</p>				
2	<p>PTZ Function Video Conferencing Camera Yes (High Precision Motorized-PTZ) Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel).- Description/Application Intended Application A Video Conferencing Camera are digital camera specially designed for use in video conferencing application. Genric Description Video Conferencing Camera, Genric PTZ Function Yes (High Precision Motorized-PTZ) Resolution (Maximum) each camera 4K HD (3840 X 2160 Pixel) Pan Range (Minimum) -170 Pan Range (Maximum) 170 Tilt Range (Minimum) -30 Tilt Range (Maximum) 90</p>		1	49000/-	57820/-



	<p>Zoom Range Optical (Maximum) 20X Zoom Range Digital (Maximum) 12X - 16X Actual Digital Zoom (as per OEM Brochure) 20X Field of View (Degree) more than 75-90 Actual Field of View (Degree)(as per OEM Brochure) 61d (W) ~ 3.64d (T) Compression Format H.264,MJPEG Maximum Frame Rates(frames per second) Supported 30 Number of MICS 4 Control / Image processing / Focusing Features Automatic Voice-activated,Preset Connectivity Connectivity (Output) USB 3.0 Type A Connectivity (Input) Audio In Connectivity Control (I/O) RS232(O),RS485</p> <p>Feature/Accessories Salient Features Auto White Balance,CMOS Sensor,Auto Focus,Low light compensation Optional Features/Accessories Built-in microphone,Remote for Control,HDMI Cable,USB Cable Other Accessories NA</p> <p>Operating Conditions Minimum Operating Temperature (Degree C) 10 Maximum Operating Temperature (Degree C) 60 Relative Humidity Non Condensing at 40 deg C (%RH) 80 Ingress Protection NA</p> <p>Warranty / Service Comprehensive on site Warranty (Year) 3 Free Installation and commissioning Yes Time Duration for Repairing /Replace the defect during Warranty Within one week Response Time to attend the complaint during Warranty 24 Hour Supply of compatible drivers and software included No Buyer Specific</p> <p>Requirements Buyer Specific Requirements (Any addiitonal features, accessories) NA Online meeting Platform supported (Application, Software) Microsoft Teams,Zoom,Cisco webex,Google Meet Certification / Test Report Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification Certificate of Govt.Lab/NABL/ILAC accredited. Agree to provide all relavant documents Test Report/suporting document /reports etc to the buyer at the time of bidding or on demand Yes BIS CRS certifications as applicable for Audio, video and similar electronic apparatus-safety requirements as per IS 616:2017 Yes</p>				
3	<p>4 Microphone with Speaker- MICROPHONE Number of Microphones 4 Type of Microphones Omnidirectional Frequency Response (Tx) Minimum (KHz) 0.2 Frequency Response (Tx) Maximum (KHz) 20 TYPE Professional Speakerphone allows to connect with software video conferencing system(UC System) Yes Digital Signal Processing (DSP) technology No SPEAKER Frequency Response (Rx) Minimum (KHz) 0.2</p>		1	47900/-	56522/-



	<p>Frequency Response (Rx) Maximum (KHz) 18 Volume Adjustable Yes CONNECTIVITY USB Connectivity Yes Bluetooth Connectivity Yes If Yes, Version of Bluetooth 3.0 If Yes, Range of Bluetooth 5 meter Auxiliary Audio Output Through Audio Jack No Auxiliary Audio Input Through Audio Jack No PSTN No VOIP No NFC No FUNCTIONS AVAILABLE Answer Call Yes End or Reject Call Yes Volume up and down Yes Mute / Unmute Microphone Yes Built in Recording No POWER OPTION Power Source Battery If Battery Operated, Battery Capacity (mAH) 5200 Battery Backup Time 8 hour Battery Status Indicator Yes MISCELLANEOUS Dimensions (mmx mm x mm) 237mm*237mm*44mm Total; Weight 500 gram Standard Accessories to be Supplied USB CABLE Minimum Operating Temperature 0 degree Celsius Maximum Operating Temperature 40 degree Celsius Minimum Storage Temperature -10 degree Celsius Maximum Storage Temperature 50 degree Celsius Minimum Operating Humidity (RH) (%) 10 Maximum Operating Humidity (RH)(%) 85 Certifications Available CE On Site OEM Warranty (Year) 3</p>			
4	SPEAKER (WALL MOUNT 35 WATT) JBL WITH WALL ,MOUNT KIT		6	4050/-
	TOTAL			
	212400/-			

Business Terms-

- ❖ GST included in above mentioned price.
- ❖ Delivery within 10-15 day.
- ❖ Free delivery, installation by OEM on site.

Regards,

GREENMARK INFOTECH, PATNA



Authorized Signatory
Mo- 9557300664