


<b>Feature</b>			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Searching items	3 m 54.155 s	6	4	2	0	24	18	1	5

Tag	Scenario			Feature				
Name	T	P	F	S	Т	P	F	S
@HomePage	6	4	2	0	1	0	1	0
@positive	3	3	0	0	1	0	1	0
@negative	3	1	2	0	1	0	1	0


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	Searching items	6	4	2	0	3 m 54.155 s


SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Searching items	User wants to search for valid items	4	4	0	0	29.800 s
2	Searching items	User wants to search for valid items	4	4	0	0	30.671 s
3	Searching items	User wants to search for valid items	4	4	0	0	33.469 s
4	Searching items	User wants to search for invalid items	4	4	0	0	36.485 s
5	Searching items	User wants to search for invalid items	4	2	1	1	56.267 s
6	Searching items	User wants to search for invalid items	4	0	0	4	47.333 s

DETAILED SECTION -- 6 --

# **Searching items**




### User wants to search for valid items




#	Step / Hook Details	Status	Duration
1	Given User is already on "https://www.mydesignation.com/" site	PASSED	0.216 s
2	When User clicks search item button	PASSED	1.782 s
3	And User enters "Dragon" as search string	PASSED	5.562 s
4	Then Validate if the site is showing "RESULTS FOUND FOR "DRAGON"".	PASSED	0.715 s

### User wants to search for valid items



#	Step / Hook Details	Status	Duration
1	Given User is already on "https://www.mydesignation.com/" site	PASSED	0.050 s
2	When User clicks search item button	PASSED	1.249 s
3	And User enters "theyyam" as search string	PASSED	7.797 s
4	Then Validate if the site is showing "RESULTS FOUND FOR "THEYYAM"".	PASSED	0.341 s

## User wants to search for valid items



#	Step / Hook Details	Status	Duration
1	Given User is already on "https://www.mydesignation.com/" site	PASSED	0.156 s
2	When User clicks search item button	PASSED	1.828 s
3	And User enters "couple" as search string	PASSED	8.398 s
4	Then Validate if the site is showing "RESULTS FOUND FOR "COUPLE"".	PASSED	0.365 s


### User wants to search for invalid items

PASSED	DURATION - 36.485 s	8 -					Steps	
/ 10:08:54 252	AM // 10:09:30.737 AM /	6 -					Total - 4	
7 10:00:0 112027		4 -					Pass - 4	1
Searching items	5	2 -					Fail - 0 Skip - 0	7
@HomePage @	gnegative	0 -	<u> </u>				Chip C	
	- 0		1	2	3	4		

#	Step / Hook Details	Status	Duration
1	Given User is already on "https://www.mydesignation.com/" site	PASSED	0.112 s
2	When User clicks search item button	PASSED	2.261 s

#	Step / Hook Details	Status	Duration
3	And User enters "qwerty" as search string	PASSED	7.839 s
4	Then Validate if the site is error message as "No results found".	PASSED	0.494 s


# User wants to search for invalid items



#	Step / Hook Details	Status	Duration
1	Given User is already on "https://www.mydesignation.com/" site	PASSED	0.028 s
2	When User clicks search item button	PASSED	1.042 s
3	And User enters "poasnwk" as search string	FAILED	16.534 s
	org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: MicrosoftEdge=125.0.2535.92) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge. EdgeDriver Command: [7a29c6d403212c82512d45e4c1f6ee94, isElementDisplayed (id=f.2C1F563E75AE7600EDEA3BDA6AEBEB49.d. CA002112297943E2210F5010F5AFB160.e.40}] Capabilities (acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 125.0.2535.92, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:65262}, msedge: {msedgedriverVersion: 125.0.2535.92} (dZd4746171db, userDataDir: C:UJsers\268850AppDataLloc\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65262/devtoo, se:cdpVersion: 125.0.2535.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [EdgeDriver: MicrosoftEdge on windows (7a29c6d403212c82512d45e4c1f6ee94)] -> xpath: //div[@class='field has-recommendation]/input[@class='searchinput fieldinput']] Session ID: 7a29c6d403212c82512d45e4c1f6ee94 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructor.AccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:16		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)		
	at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:282)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy30.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at base.ReusableFunctions.setTextToInputField(ReusableFunctions.java:94)		
	at pom.Homepage.enterSearchBox(Homepage.java:39)		
	at stepdefinitions.UIStepdefinitions.user_enters_as_search_string(UIStepdefinitions.java:32)		
	at ?.User enters "poasnwk" as search string(classpath:features/UI.feature:23)		
	* Not displayable characters are replaced by '?'.		
4	Then Validate if the site is error message as "No results found".	SKIPPED	0.001 s

## User wants to search for invalid items



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.Hooks.setupdriver()	FAILED	39.121 s
	org.openqa.selenium.WebDriverException: disconnected: Unable to receive message from renderer (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: MicrosoftEdge=125.0.2535.92) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge. EdgeDriver Command: [729a1a9178cb2b2652a03b36885ba8e3, get {url=https://www.mydesignation.com/}] Capabilities {acceptInsecureCerts:		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	false, browserName: MicrosoftEdge, browserVersion: 125.0.2535.92, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63124}, msedge: {msedgedriverVersion: 125.0.2535.92 (dzd4746171db, userDataDir: C:\Users\268850\AppData\Loc}}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63124/devtoo, se:cdp\version: 125.0.2535.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 729a1a9178cb2b2652a03b36885ba8e3  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.ErrorCodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:301)  at base.ReusableFunctions.navigateToSite(ReusableFunctions.java:74)  at stepdefinitions.Hooks.setupdriver(Hooks.java:17)		
1	Given User is already on "https://www.mydesignation.com/" site	SKIPPED	0.001 s
2	When User clicks search item button	SKIPPED	0.000 s
3	And User enters "wefwkj" as search string	SKIPPED	0.001 s
4	Then Validate if the site is error message as "No results found".	SKIPPED	0.001 s