NYKAA BEAUTY STORE MANAGEMENT SYSTEM

SQL QUERY IMPLEMENTATION

1. Perform SELECT, WHERE, ORDER BY, and DISTINCT queries.

1.1 Display all customers (select)

```
SQL> SELECT * FROM N_Product;

PRODUCT_ID PRODUCT_NAME                                            PRICE
---------- ---------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                               250
           1 Yes

       102 Lipstick                                                450
           2 Yes

       103 Shampoo                                                 350
           3 Yes


PRODUCT_ID PRODUCT_NAME                                            PRICE
---------- ---------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       104 Perfume                                                1500
           4 Yes

       105 Moisturizer                                             800
           1 Yes

       106 Foundation                                              900
           2 No


6 rows selected.
```

1.2 display customer aged above 19(where)

```
SQL> SELECT Product_ID, Product_Name, Price
  2  FROM N_Product;

PRODUCT_ID PRODUCT_NAME                                              PRICE
---------- -------------------------------------------------- ----------
       101 Face Wash                                                 250
       102 Lipstick                                                  450
       103 Shampoo                                                   350
       104 Perfume                                                  1500
       105 Moisturizer                                               800
       106 Foundation                                                900

6 rows selected.
```

1.3 display customer in alphabetical order(order by)

```
SQL> SELECT * FROM N_Product
  2  WHERE Price < 1000;

PRODUCT_ID PRODUCT_NAME                                          PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                                 250
         1 Yes

       102 Lipstick                                                  450
         2 Yes

       103 Shampoo                                                   350
         3 Yes


PRODUCT_ID PRODUCT_NAME                                          PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                               800
         1 Yes

       106 Foundation                                                900
         2 No
```

1.4 display unique customer addressess(distinct)

```
SQL> SELECT * FROM N_Product
  2  WHERE Price > 100;

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- ---------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
           1 Yes

       102 Lipstick                                              450
           2 Yes

       103 Shampoo                                               350
           3 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- ---------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       104 Perfume                                              1500
           4 Yes

       105 Moisturizer                                           800
           1 Yes

       106 Foundation                                            900
           2 No


6 rows selected.
```

2. Search products based on price, category, and availability.

2.1 search product by price

```
SQL> SELECT * FROM N_Product
  2  ORDER BY Price ASC;

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
         1 Yes

       103 Shampoo                                               350
         3 Yes

       102 Lipstick                                              450
         2 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                           800
         1 Yes

       106 Foundation                                            900
         2 No

       104 Perfume                                              1500
         4 Yes


6 rows selected.
```

2.2 search product by category

```
SQL> SELECT * FROM N_Product
  2  ORDER BY Price DESC;

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       104 Perfume                                              1500
         4 Yes

       106 Foundation                                            900
         2 No

       105 Moisturizer                                           800
         1 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       102 Lipstick                                              450
         2 Yes

       103 Shampoo                                               350
         3 Yes

       101 Face Wash                                             250
         1 Yes


6 rows selected.
```

2.3 search available product

```
SQL> SELECT DISTINCT Category_Name
  2  FROM N_Category;

CATEGORY_NAME
------------------------------
Skincare
Makeup
Haircare
Fragrance
```

3. Retrieve customer and product information.

3.1 display customer information

```
SQL> SELECT * FROM N_Product
  2  WHERE Price BETWEEN 100 AND 1000;

PRODUCT_ID PRODUCT_NAME                                          PRICE
---------- ---------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
           1 Yes

       102 Lipstick                                              450
           2 Yes

       103 Shampoo                                               350
           3 Yes


PRODUCT_ID PRODUCT_NAME                                          PRICE
---------- ---------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                           800
           1 Yes

       106 Foundation                                            900
           2 No
```

3.2 display product information

```
SQL> SELECT P.Product_Name, P.Price, C.Category_Name
  2  FROM N_Product P
  3  JOIN N_Category C
  4  ON P.Category_ID = C.Category_ID
  5  WHERE C.Category_Name = 'Skincare';

PRODUCT_NAME                                          PRICE
---------------------------------------------- ----------
CATEGORY_NAME
------------------------------
Face Wash                                             250
Skincare

Moisturizer                                           800
Skincare
```

3.3 table structure

```
SQL> SELECT * FROM N_Customer;

CUSTOMER_ID CUSTOMER_NAME
----------- --------------------------------------------------
CITY
------------------------------
          1 Akshaya
Chennai

          2 Priya
Coimbatore

          3 Divya
Madurai


CUSTOMER_ID CUSTOMER_NAME
----------- --------------------------------------------------
CITY
------------------------------
          4 Kavya
Salem
```

```
SQL> SELECT * FROM N_Customer
  2  WHERE Customer_ID = 1;

CUSTOMER_ID CUSTOMER_NAME
----------- --------------------------------------------------
CITY
------------------------------
          1 Akshaya
Chennai
```

4. Apply filtering conditions.

4.1 product within a price range

Display products priced below 1000 and belonging to the Skincare category.

```
SQL> SELECT * FROM N_Product
  2  WHERE Price < 1000
  3  AND Availability = 'Yes';

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
         1 Yes

       102 Lipstick                                              450
         2 Yes

       103 Shampoo                                               350
         3 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                           800
         1 Yes
```

4.2 product marketing multiple condition

Display products belonging to either the Skincare or Makeup category.

```
SQL> SELECT * FROM N_Product
  2  WHERE Category_ID = 1
  3  OR Category_ID = 2;

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
         1 Yes

       102 Lipstick                                              450
         2 Yes

       105 Moisturizer                                           800
         1 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       106 Foundation                                            900
         2 No
```

4.3 customer from Chennai

Display products from the Skincare, Makeup, and Haircare categories.

```
SQL> SELECT * FROM N_Product
  2  WHERE Category_ID IN (1, 2, 3);

PRODUCT_ID PRODUCT_NAME                                            PRICE
---------- ---------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                               250
         1 Yes

       102 Lipstick                                                450
         2 Yes

       103 Shampoo                                                 350
         3 Yes


PRODUCT_ID PRODUCT_NAME                                            PRICE
---------- ---------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                             800
         1 Yes

       106 Foundation                                              900
         2 No
```

5. Generate basic business reports.

5.1 total number of customers

Display product names and their prices in ascending order.

```
SQL> SELECT * FROM N_Product
  2  WHERE Price BETWEEN 100 AND 1000;

PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       101 Face Wash                                             250
           1 Yes

       102 Lipstick                                              450
           2 Yes

       103 Shampoo                                               350
           3 Yes


PRODUCT_ID PRODUCT_NAME                                        PRICE
---------- -------------------------------------------------- ----------
CATEGORY_ID AVAILABILI
----------- ----------
       105 Moisturizer                                           800
           1 Yes

       106 Foundation                                            900
           2 No
```

5.2 average customer salary

Display customer details along with their order details.

```
SQL> SELECT Product_Name, Price
  2  FROM N_Product
  3  ORDER BY Price ASC;

PRODUCT_NAME                                               PRICE
-------------------------------------------------- ----------
Face Wash                                                 250
Shampoo                                                   350
Lipstick                                                  450
Moisturizer                                               800
Foundation                                                900
Perfume                                                  1500

6 rows selected.
```

5.3 max return the highest product price

Display products included in customer orders.

```
SQL> SELECT C.Customer_Name, O.Order_ID, O.Order_Date
  2  FROM N_Customer C
  3  JOIN N_Order O
  4  ON C.Customer_ID = O.Customer_ID;

CUSTOMER_NAME                                      ORDER_ID ORDER_DAT
-------------------------------------------------- ---------- ---------
Akshaya                                                  1001 20-OCT-26
Priya                                                    1002 21-OCT-26
Akshaya                                                  1003 22-OCT-26
Divya                                                    1004 23-OCT-26
```

5.4 total number of product

```
SQL> SELECT P.Product_Name, OI.Order_ID, OI.Quantity
  2  FROM N_Product P
  3  JOIN N_Order_Item OI
  4  ON P.Product_ID = OI.Product_ID;

PRODUCT_NAME                                       ORDER_ID   QUANTITY
-------------------------------------------------- ---------- ----------
Face Wash                                                1001          2
Lipstick                                                 1001          1
Shampoo                                                  1002          2
Perfume                                                  1004          1
Moisturizer                                              1003          1
```

5.5 customer-wise total order

Display the total number of orders placed by each customer.

```
SQL> SELECT C.Customer_ID, C.Customer_Name,
  2         COUNT(O.Order_ID) AS Total_Orders
  3  FROM N_Customer C
  4  LEFT JOIN N_Order O
  5  ON C.Customer_ID = O.Customer_ID
  6  GROUP BY C.Customer_ID, C.Customer_Name;

CUSTOMER_ID CUSTOMER_NAME                                      TOTAL_ORDERS
----------- -------------------------------------------------- ------------
          1 Akshaya                                                       2
          2 Priya                                                         1
          3 Divya                                                         1
          4 Kavya                                                         0
```

5.6 customer-wise total purchase amount

Display the total purchase amount for each customer.

```
SQL> SELECT C.Customer_ID, C.Customer_Name,
  2         SUM(OI.Quantity * P.Price) AS Total_Purchase
  3  FROM N_Customer C
  4  JOIN N_Order O
  5  ON C.Customer_ID = O.Customer_ID
  6  JOIN N_Order_Item OI
  7  ON O.Order_ID = OI.Order_ID
  8  JOIN N_Product P
  9  ON OI.Product_ID = P.Product_ID
 10  GROUP BY C.Customer_ID, C.Customer_Name;

CUSTOMER_ID CUSTOMER_NAME                                      TOTAL_PURCHASE
----------- -------------------------------------------------- --------------
          1 Akshaya                                                      1750
          2 Priya                                                         700
          3 Divya                                                        1500
```