Started on	Wednesday, 9 September 2026, 1:41 PM
State	Finished
Completed on	Wednesday, 9 September 2026, 1:47 PM
Time taken	6 mins 24 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array of N integer, we have to maximize the sum of arr[i] * i, where i is the index of the element (i = 0, 1, 2, ..., N).Write an algorithm based on Greedy technique with a Complexity O(nlogn).

Input Format:

First line specifies the number of elements-n

The next n lines contain the array elements.

Output Format:

Maximum Array Sum to be printed.

Sample Input:

5

2 5 3 4 0

Sample output:

40

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
int main()
{
int n;
scanf("%d",&n);
int a[n];
for(int i=0;i<n;i++)
{
scanf("%d",&a[i]);
}
for(int i=0;i<n-1;i++)
{
for(int j=i+1;j<n;j++)
{
if(a[i]>a[j])
{
int temp = a[i];
a[i]=a[j];
a[j]=temp;
}
}
}
long long sum =0;
for(int i=0;i<n;i++)
{
sum = sum+(long long)a[i]*i;
}
printf("%lld",sum);
return 0;
}
```

	Input	Expected	Got	
✔	5 2 5 3 4 0	40	40	✔
✔	10 2 2 2 4 4 3 3 5 5 5	191	191	✔
✔	2 45 3	45	45	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.