Status	Finished
Started	Monday, 28 September 2026, 12:07 PM
Completed	Monday, 28 September 2026, 12:16 PM
Duration	8 mins 8 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. L = [ ]

b. D = { } ✓

c. C = ( )

d. None of the mentioned

Question **2**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same values with different keys. ✓

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A dictionary can have two same keys with different values.

d. A python, a dictionary can neither have two same keys nor two same values.

Question **3**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True

False ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)

b. D1.pop(7)

c. D1.get(7) ✓

d. D1.values(7)

Question **5**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. True ✓
- b. False

Question **6**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

- a. values
- b. del
- c. update
- d. get ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

- a. False ✓
- b. True

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

- a. pop
- b. del ✓
- c. len
- d. update

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'John', 'Erik']

b. ['Janice', 'Emily', 'John', 'Eleanor']

c. ['Janice', 'Emily', 'John']

d. ['Emily', 'John', 'Erik'] ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. remove

b. None of the mentioned

c. pop ✓

d. delete

Question **11**

Incorrect

Mark 0.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. clear( )

b. del

c. delete( )

d. pop( ) ✗

Question **12**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

a. True

b. False ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [10, 20, 30, 40, 50]

b. [1, 2, 3, 4, 5]

c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

d. Error

Question **14**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values.

b. A dictionary can have two same values with different keys. ✓

c. A dictionary can have two same keys with different values.

d. A dictionary can have two same keys or same values but cannot have two same key-value pair

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. create

b. dictionary

c. convert

d. dict ✓