

VPS Jun 26, 2024 Ignas R. 4min Read

How to Install Jenkins on Ubuntu in 2024













Typically, software development presents its own set of challenges. One of them is ensuring that software is built, tested, and deployed in a timely manner and that any errors are fixed prior to the production phase.

Jenkins is an open-source automation server for continuous integration (CI) and continuous delivery (CD) models. In other words, it creates, tests, and deploys software projects.

This tutorial will demonstrate two methods for installing Jenkins and any configuration that comes with it on <u>Ubuntu</u> 22.04.

A Brief Overview of Installing Jenkins on Ubuntu:

Required Knowledge	Basic Ubuntu server management, SSH access, Java Development Kit
Privileges Required	Root or sudo user
Difficulty	Intermediate
Main Goal	Installing Jenkins for CI/CD, configuring Java and Ubuntu firewall





What Is Jenkins Used For >

How to Install Jenkins on Ubuntu >

Prerequisites for Jenkins Installation >

1. Install Java Development Kit >

2. Install Jenkins >

3. Adjust Firewall and Configuring Jenkins >

What Is Jenkins Used For

To understand Jenkins, users must have an understanding of continuous integration (CI) and continuous delivery (CD) models and their purpose:

- Continuous integration (Cl) a practice of constantly merging development work with the main branch.
- Continuous delivery (CD) a continual delivery of code to an environment once the code is ready to ship, applicable for both staging and production environments. The product is then delivered to quality assurance specialists or customers for review and inspection.

Developers regularly update their code using shared repositories, such as **GitHub** or **Team Foundation Server** (**TFS**), now known as **Azure DevOps Server**. Therefore, Jenkins is exceptionally helpful when it comes to daily builds.

As soon as a developer commits any change to the shared repository, Jenkins will immediately trigger a build and immediately notify users in case of an error, which is an example of **continuous integration**.

With Jenkins, users can also set post-build tests – unit tests, performance tests, and acceptance tests – in an automated manner. Whenever a successful build occurs, Jenkins performs these tests and generates a report, which is an example of **continuous delivery**.

Other than that, the main advantages of Jenkins are as follows:

- Ease of use its user interface is simple, intuitive, and visually appealing.
- Great extensibility Jenkins is highly flexible and easy to adapt to one's preferences. There are
 thousands of open-source plugins available for the automation server, each with different
 functionalities and features.
- All-around support users receive additional assistance for different version control systems, code quality metrics, build notifiers, and UI customization.

How to Install Jenkins on Ubuntu

Installing Jenkins is as easy as using the integrated APT package manager of Ubuntu. However, keep in mind that some requirements must be met for a <u>VPS-based system</u> before proceeding with the installation.



Your virtual hosting server, your rules

Get VPS Hosting



Prerequisites for Jenkins Installation

- Ubuntu server with 22.04 version and SSH access
- · A non-root sudo user
- 256 MB of RAM and 1 GB of drive space for solo use. However, no less than 10 GB is recommended if Jenkins runs inside a <u>Docker container</u>
- 4+ GB of RAM and 50+ GB of drive space for group use
- Oracle JDK 8 or 11
- A web server running **Apache or Nginx**

1. Install Java Development Kit

Jenkins supports Java 8 and Java 11. However, in this tutorial, we will use Java Runtime Environment 11.

First, update the default Ubuntu packages lists for upgrades with the following command:

```
sudo apt-get update
```

Then, run the following command to install JDK 11:

```
sudo apt-get install openjdk-11-jdk
```

To test if Java has been installed successfully, run this command:

```
java -version
```

It should look something like this:

```
:~# java -version
openjdk version "11.0.15" 2022-04-19
OpenJDK Runtime Environment (build 11.0.15+10-Ubuntu-Oubuntu0.20.04.1)
OpenJDK 64-Bit Server VM (build 11.0.15+10-Ubuntu-Oubuntu0.20.04.1, mixed mode, sharing)
```

Sugested Reading

Check out our guide to learn how to install Java on Ubuntu.

2. Install Jenkins

Now, we will install Jenkins itself. Issue the following four commands in sequence to initiate the installation from the Jenkins repository:



```
echo deb [signed-by=/usr/share/keyrings/jenkins-keyring.asc] \
  https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
  /etc/apt/sources.list.d/jenkins.list > /dev/null

sudo apt-get update

sudo apt-get install jenkins
```

Once that's done, start the Jenkins service with the following command:

```
sudo systemctl start jenkins.service
```

To confirm its status, use:

```
sudo systemctl status jenkins
```

If it's working correctly, the terminal window will look like this:

```
:~# sudo systemctl status jenkins
• jenkins.service - Jenkins Continuous Integration Server
Loaded: loaded (/lib/systemd/system/jenkins.service; enabled; vendor preset: enabled)
Active: active (running) since Thu 2022-06-16 06:41:21 UTC; 9min ago
Main PID: 186140 (java)
Tasks: 45 (limit: 614)
Memory: 1.36
CGroup: /system.slice/jenkins.service
L186140 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war
```

3. Adjust Firewall and Configuring Jenkins

With Jenkins installed, we can proceed with adjusting the firewall settings. By default, Jenkins will run on port **8080**.

In order to ensure that this port is accessible, we will need to configure the built-in <u>Ubuntu firewall</u> (ufw). To open the 8080 port and enable the firewall, use the following commands:

```
sudo ufw allow 8080
```

```
sudo ufw enable
```


Once done, test whether the firewall is active using this command:

```
sudo ufw status
```


Pro Tip



As an alternative, you can also set up a firewall via hPanel. Select your VPS and click on the Firewall button:




Then, create a new firewall configuration and give it a name. Once done, you will be able to edit the configuration and add any preferred firewall rules:





number. The Jenkins setup wizara will be similar to the example below:



Just make sure to replace **185.185.185.185** with an actual IP. An administrator password will be needed to proceed with the configuration. It can be easily found inside the

/var/lib/jenkins/secrets/initialAdminPassword file. To check the initial password, use the **cat command** as indicated below:


sudo cat /var/lib/jenkins/secrets/initialAdminPassword

Copy the password, go back to the setup wizard, paste it and click Continue.




Next, the **Customize Jenkins** window will appear. We recommend simply selecting the **Install suggested plugins** option for this step.





Give it a couple of minutes for the installation process to complete. Once it's done, specify your username, password, full name, and email address, and click on **Save and Continue** to create an admin user.



Then specify the preferred **Jenkins URL** and finish the configuration process.

Instance Configuration

Jenkins URL:	http://185.185.185.185:8080/	
The Jenkins URL is used to	provide the root URL for absolute links to various Jenkins res	sources. That means this value is require

operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

After configuration, the Jenkins dashboard will appear, meaning the Jenkins server installation and initial setup were successful.