

Payment & Financial Services - Document 1 - Page 1/6

Document ID: PAY-001 | Classification: Internal Use

Transaction processing workflows and error recovery mechanisms for financial services including retry logic and idempotency.

Error 5003 indicates gateway timeout. Typical causes: network issues, gateway overload, DNS failure.

Financial transaction security protocols: TLS 1.3, tokenization, encryption at rest and in transit.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 1 - Page 2/6

Document ID: PAY-001 | Classification: Internal Use

Payment API integration guidelines: REST endpoints, authentication, webhook callbacks, and error code handling.

Connection pooling for payment DB: set max_connections=50, connection_timeout=30s.

Payment processing performance monitoring: latency metrics, throughput, success rates, and SLA thresholds.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 1 - Page 3/6

Document ID: PAY-001 | Classification: Internal Use

Financial transaction security protocols: TLS 1.3, tokenization, encryption at rest and in transit.

For INR to USD discrepancy: verify FX rate source, conversion timestamp, and rounding rules.

Payment database management: transaction logs, audit trails, backup procedures, and data retention policies.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 1 - Page 4/6

Document ID: PAY-001 | Classification: Internal Use

Payment processing performance monitoring: latency metrics, throughput, success rates, and SLA thresholds.

Chargeback reason code 10.4: customer disputes transaction. Gather proof of delivery and authorization.

Payment gateway configuration for EU region: PSD2 compliance, SCA requirements, and GDPR data handling.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 1 - Page 5/6

Document ID: PAY-001 | Classification: Internal Use

Payment database management: transaction logs, audit trails, backup procedures, and data retention policies.

Payment API rate limit: 100 requests/second. Use exponential backoff for 429 responses.

Payment user authentication: 3DS2 flows, biometric verification, and risk-based authentication.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 1 - Page 6/6

Document ID: PAY-001 | Classification: Internal Use

Payment gateway configuration for EU region: PSD2 compliance, SCA requirements, and GDPR data handling.

PCI-DSS: Never log full card numbers. Mask to last 4 digits. Secure log storage required.

Payment transaction logging: structured logs, trace IDs, and observability for incident investigation.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.