

Payment & Financial Services - Document 9 - Page 1/6

Document ID: PAY-009 | Classification: Internal Use

Payment service deployment: blue-green releases, canary deployments, and rollback procedures.

Audit log retention: 7 years for financial transactions. Immutable storage. Tamper-evident.

Webhook delivery failures: Verify endpoint URL, SSL certificate, and signature validation logic

.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 9 - Page 2/6

Document ID: PAY-009 | Classification: Internal Use

Billing and invoicing: subscription management, proration, tax calculation, and invoice generation.

Incident severity: P1 payment down, P2 degraded, P3 single merchant. P1 requires 15-min acknowledgment.

Payment gateway integration architecture and secure token handling procedures for PCI-DSS compliance.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 9 - Page 3/6

Document ID: PAY-009 | Classification: Internal Use

Refund and chargeback processing: initiation, status tracking, dispute resolution, and reason codes.

Payment gateway requires secure token handling. Never store raw card numbers. Use payment tokens.

Transaction processing workflows and error recovery mechanisms for financial services including retry logic and idempotency.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 9 - Page 4/6

Document ID: PAY-009 | Classification: Internal Use

Payment processor integration: Stripe, Adyen, Braintree API documentation and migration guides.

EU region mandates PSD2 and Strong Customer Authentication (SCA) for card payments.

Payment API integration guidelines: REST endpoints, authentication, webhook callbacks, and error code handling.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 9 - Page 5/6

Document ID: PAY-009 | Classification: Internal Use

Financial compliance: PCI-DSS Level 1, SOC 2, ISO 27001 requirements for payment systems.

Error 5003 indicates gateway timeout. Typical causes: network issues, gateway overload, DNS failure.

Financial transaction security protocols: TLS 1.3, tokenization, encryption at rest and in transit.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.

Payment & Financial Services - Document 9 - Page 6/6

Document ID: PAY-009 | Classification: Internal Use

Transaction reconciliation: daily settlement, mismatch resolution, and reconciliation report generation.

Connection pooling for payment DB: set max_connections=50, connection_timeout=30s.

Payment processing performance monitoring: latency metrics, throughput, success rates, and SLA thresholds.

Key considerations for payment systems: secure tokenization, PCI-DSS compliance, audit logging. For EU transactions ensure PSD2/SCA. For USD/INR verify FX rates and conversion timestamps.

Troubleshooting:

- Check gateway health endpoint. Verify SSL certificate expiry.
- Review transaction logs for error codes. 5003 = timeout, 4001 = invalid method.
- For currency mismatch: verify amount in minor units, currency ISO code.