

## Index Page

```
<html>

    <head>

        <?php
            include_once("exefiles.php");

        ?>

    </head>

    <body>

        <?php
            include_once("fronthead.php");


        ?>

        <?php
            include_once("footer.php");

        ?>

    </body>

</html>
```



## Signup Page

<?php

```
include_once("../vars.php");
```

```
$name=ucwords($_POST["name"]);
```

```
$email=$_POST["email"];
```

```
$phno=$_POST["phone"];
```

```
$gender=$_POST["gender"];
```

```
$address=$_POST["address"];
```

```
$utype=$_POST["utype"];
```

```
$pass=$_POST["pass"];
```

```
$err=$_FILES["ppic"]["error"];
```

```
$conn=mysqli_connect(host,uname,pass,dbname) or die(mysqli_connect_error());
```

```
$qu1="select * from student_signup where email='$email'";
```

```
mysqli_query($conn,$qu1) or die(mysqli_error($conn));
```

```
$row=mysqli_affected_rows($conn);
```

```
if($row==1)
```

```
{
```

```
    print "User already exist";
```

```
}
```

```
else
```

```
{
```

```
    if($err==4)
```

```
    {
```

```
        $fn="default.png";
```

```
    }
```

```
    else
```

```
    {
```

```
        $fn=time().$_FILES["ppic"]["name"];
```

```
        $tmp=$_FILES["ppic"]["tmp_name"];
```

```
        if(!(move_uploaded_file($tmp,"uploads/$fn")))
```

```
        {
```

```

        $fn="default.png";
    }

}

    $qu="insert into
student_signup(name,email,phone,gender,address,profile_image,password,status,utype)
values('$name','$email','$phno','$gender','$address','$fn','$pass','pending','$utype)";

    mysqli_query($conn,$qu) or die(mysqli_error($conn));

    $row=mysqli_affected_rows($conn);

    print $row;

}

?>

```

## Student Signup

Your Name

Your E-mail

Phone Number

Password

Confirm Password

Gender

**Your Address**

Address

Signup As a

Profile Pic

Choose File

No file chosen

Submit

## Login Page

<?php

```
if(isset($_POST["s1"]))
{
    $em=$_POST["email"];
    $pass=$_POST["pass"];
    include_once("vars.php");

    $conn=mysqli_connect(host,uname,pass,dbname) or die(mysqli_connect_error());

    $qu="select * from admin where
username='$em' and password='$pass'";

    $res=mysqli_query($conn,$qu) or
die(mysqli_error($conn));

    $cnt=mysqli_affected_rows($conn);
    if($cnt==1)
    {

        $ans=mysqli_fetch_array($res);

        $_SESSION["name"]=$ans["name"];

        $_SESSION["uname"]=$ans["username"];

        $_SESSION["utype"]="admin";

        header("location:adminpanel.php");

    }
    else
    {

        $qu1="select * from
student_signup where email='$em' and password='$pass'";

        $res1=mysqli_query($conn,$qu1) or die(mysqli_error($conn));
```

```

$cnt=mysqli_affected_rows($conn);

if($cnt==1)
{

$ans=mysqli_fetch_array($res1);

if($ans["status"]=="pending")

{

print "Your
profile is now pending please try after some time";

}

else

{

print "Your
data is not valid<br/>Your profile is cacle by admin";

}

else

{

$_SESSION["name"]=$ans["name"];

$_SESSION["uname"]=$ans["email"];

$_SESSION["utype"]=$ans["utype"];

if($ans["utype"]=="Student")

{

header("location:studentpanel.php");

}

else

{

```

```

header("location:facultypanel.php");

    }

    }

    }
else
{
    print "Wrong
Username/Password";
}

}

}
?>

```

## Login

## Admin Panel

```

<?php
session_start();

?><html>
    <head>
        <?php
            include_once("exefiles.php");

```

```

?>
<link href="css/contact.css" rel='stylesheet' type='text/css' />
</head>
<body>
    <?php
        include_once("adminheader.php");
    ?>
    <div class="services-breadcrumb-w3ls-agile">
        <div class="inner_breadcrumb">

            <ul class="short">

                <li><a href="index.php">Home</a><span>|</span></li>
                <li>Admin Panel</li>
            </ul>

        </div>
    </div>
    <!--/inner_connectent-->
    <div class="banner_bottom">
        <div class="container">
            <h3 class="headerw3">Welcome To Admin Panel</h3>
            <div class="row">
                <div class="col-sm-4" style="text-align:center">
                    <a href="adddept.php"><br/>Add Department</a>
                </div>
                <div class="col-sm-4" style="text-align:center"><a
href="addcourse.php"><br/>Add Course</a></div>
                <div class="col-sm-4" style="text-align:center"><a
href="addadmin.php"><br/>Add Admin</a></div>
            </div>
            <div class="row">
                <div class="col-sm-4" style="text-align:center">

```

```
src="images/confirm.png"><br/>Activate User Account</a>
```

```
</div>
```

```
<div class="col-sm-4" style="text-align:center"><a href="addcategory.php"><br/>Add Category</a></div>
```

```
<div class="col-sm-4" style="text-align:center"><a href="addevent.php"><br/>Add Event</a></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--//inner_connectent-->
```

```
<?php
```

```
include_once("footer.php");
```

```
?>
```

```
<script>
```

```
$(document).ready(function(){
```

```
$('#form1').submit(function(e)
```

```
{
```

```
e.preventDefault();
```

```
var formData = new FormData($(this)[0]);
```

```
$.ajax(
```

```
{
```

```
type: 'post',
```

```
url: 'ajaxfiles/addadmin.php',
```

```
data: $("#form1").serialize(),
```

```
beforeSend:function()
```

```
{
```

```
$("#msg").html("<img
```

```
src='images/preloader.gif' width='50px'>")
```

```
},
```

```
success: function (result)
```

```
{
```



Successfully")

```
if(reslt==1)
{
    $("#msg").html("Admin added  

    Successfully")
    $("#form1")[0].reset();
}
else
{
    $("#msg").html(reslt)
}
```

```
},
error: function(e)
{
    alert("error");
}
```

```
});
```

```
});
```

```
})
```

```
</script>
```

```
</body>
```

```
</html>
```

## Welcome To Admin Panel



Add Department



Add Course



Add Admin



Activate User Account



Add Category



Add Event

### Faculty/User Panel

```
<?php
session_start();
?>
<html>
  <head>
    <?php
      include_once("exefiles.php");
    ?>
    <link href="css/contact.css" rel='stylesheet' type='text/css' />
  </head>
  <body>
    <?php
      include_once("facultyheader.php");
    ?>
    <div class="services-breadcrumb-w3ls-agile">
      <div class="inner_breadcrumb">

        <ul class="short">
          <li><a href="index.php">Home</a><span>|</span></li>
```

```

        <li>Faculty Panel</li>
    </ul>
</div>
</div>
<!--/inner_connectent-->
<div class="banner_bottom">
    <div class="container">
        <h3 class="headerw3">Welcome <?php print
$_SESSION["name"];?></h3>
        <div class="row">
            <div class="col-sm-4" style="text-align:center">
                <a href="addnotes.php"><br/>Add Notes</a>
            </div>
            <div class="col-sm-4" style="text-align:center">
                <a href="viewnodes.php"><br/>View Notes</a>
            </div>
            <div class="col-sm-4" style="text-align:center">
                <a href="viewevent.php"><br/>View Events</a>
            </div>
        </div>
        <div class="row">
            <div class="col-sm-4" style="text-align:center"><a
href="readstory.php"><br/>Read Alumni
Stories</a></div>
            <div class="col-sm-4" style="text-align:center"><a
href="searchalumni.php?type=aumni"><br/>Serach
Alumni</a></div>
            <div class="col-sm-4" style="text-align:center"><a
href="searchfaculty.php?type=faculty"><br/>Search
Faculty</a></div>
        </div>
    </div>

```

```

<div class="row">

    <div class="col-sm-4" style="text-align:center">

        <a href="searchjob.php"><br/>Serach Job</a>

    </div>

    <div class="col-sm-4" style="text-align:center"><a
href="searchintership.php"><br/>Serach Internship</a></div>

    <div class="col-sm-4" style="text-align:center"><a
href="searchmembership.php"><br/>Search
Membership</a></div>

</div>

</div>

</div>

<!--//inner_connectent-->

<?php
    include_once("footer.php");
?>

<script>
    $(document).ready(function(){
        $('#form1').submit(function(e)
        {
            e.preventDefault();
            var formData = new FormData($(this)[0]);
            $.ajax(
            {
                type: 'post',
                url: 'ajaxfiles/addadmin.php',
                data: $('#form1').serialize(),
                beforeSend:function()
                {
                    $("#msg").html("<img
src='images/preloader.gif' width='50px'>")

                },
            },

```

```
Successfully")

        success: function (reslt)
        {
            if(reslt==1)
            {
                $("#msg").html("Admin added
                Successfully")

                $("#form1")[0].reset();
            }
            else
            {
                $("#msg").html(reslt)
            }
        },
        error: function(e)
        {
            alert("error");
        }
    });
});

</script>
</body>
</html>
```

Welcome Bharti



Add Notes



View Notes



View Events



Read Alumni Stories



Search Alumni



Search Faculty



Serach Job



Serach Internship



Search Membership

## Add Event

```
<?php
include_once("../vars.php");
$title=ucwords($_POST["title"]);
$venue=$_POST["venue"];
$date=date_format(date_create($_POST["date"]), "y-m-d");
$timming=$_POST["timming"];
$cddetails=urlencode($_POST["cdetails"]);
$edetails=urlencode($_POST["edetails"]);
$error=$_FILES["fl"]["error"];
$conn=mysqli_connect(host,uname,pass,dbname) or die(mysqli_connect_error());
if($error==4)
{
    $fn="default.png";
}
else
{
    $fn=time().$_FILES["fl"]["name"];
    $tmp=$_FILES["fl"]["tmp_name"];
    if(!(move_uploaded_file($tmp,"uploads/$fn")))
    {
        $fn="default.png";
    }
}

$query="insert into event(title,venue,timming,cdetails,edetails,banner,event_date)
values('$title','$venue','$timming','$cddetails','$edetails','$fn','$date')";

mysqli_query($conn,$query) or die(mysqli_error($conn));

$row=mysqli_affected_rows($conn);

print $row;
```

?>

## Add Event

Event Title

dd-mm-yyyy

Event Venue

Event Timing

Contact Details

Event Details

Choose File

No file chosen

Add

View Event

```
<?php
session_start();
?>
<html>
    <head>
        <?php
            include_once("exefiles.php");
        ?>
```



```

        <link href="css/contact.css" rel='stylesheet' type='text/css' />
    </head>
    <body>
        <?php
            include_once("facultyheader.php");
        ?>
        <div class="services-breadcrumb-w3ls-agile">
            <div class="inner_breadcrumb">

                <ul class="short">
                    <li><a href="admin.php">Faculty</a><span>|</span></li>
                    <li>All Events</li>
                </ul>
            </div>
        </div>
        <div class="banner_bottom">
        <div class="container">
            <h3 class="headerw3">All Events</h3>
            <div class="inner_sec_w3_agileinfo">
                <?php
                    include_once("vars.php");
                    $conn=mysqli_connect(host,uname,pass,dbname) or
die(mysqli_connect_error());
                    $qu="select * from event order by eid desc";
                    $res=mysqli_query($conn,$qu) or die(mysqli_error($conn));
                    if(mysqli_affected_rows($conn))
                    {
                        while($ans=mysqli_fetch_array($res))
                        {
                            ?>
                            <div class="col-md-3 team_grid_info">

```

```
<a href="eventdetails.php?eid=?php print
$ans["eid"];?>">" alt=" " class="img-
responsive" align="center"/>
```

```
<h3 align="center"><?php print $ans["title"]?></h3>
```

```
<p align="center">on <?php print
date_format(date_create($ans["event_date"]), "l,d-m-Y")?></p></a>
```

```
</div>
```

```
<?php
```

```
}
```

```
}
```

```
?>
```

```
<div class="clearfix"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
include_once("footer.php");
```

```
?>
```

```
</body>
```

```
</html>
```