Society Management System

Project Report Index

Phase	Title	Page Range
Phase 1	**Introduction**	**1**
	Acknowledgement	**2**
	Preface	**3**
	Project Profile	**4**
	Frontend & Backend (HTML, CSS, JavaScript, Bootstrap, PHP, MySQL)	**5 – 7**
Phase 2	**Requirement Gathering**	**8 – 10**
	– Purpose of the Website	9
	– Help of this Website	10
Phase 3	**Requirement Analysis**	**11 – 13**
	– Capture Requirements from Stakeholders	12 – 13
	– Hardware & Software Requirement	13
Phase 4	**Feasibility Study**	**14 – 19**
	– Technical Feasibility	14 – 16
	– Economical Feasibility	16
	– Operational Feasibility	17
	– Legal Feasibility	17
	– Resource Feasibility	18
	– Schedule Feasibility	19
Phase 5	**Data Information**	**20 – 26**
Phase 6	**Data Structure**	**27 – 32**
Phase 7	**Data Flow Diagram**	**33 – 38**
	– Admin / Secretary (0 level, 1 level)	33 – 34
	– Resident (0 level, 1 level)	35 – 36
	– Security Guard (0 level, 1 level)	37 – 38
Phase 8	**Designing**	**39 – 44**
	– Home Page, Login Page	39 – 40
	– Admin (Secretary) Registration & Dashboard	41
	– Resident Registration & Dashboard	42 – 43
	– Security Guard Registration & Dashboard	43 – 44
Phase 9	**Coding**	**45 – 93**
Phase 10	**Error & Solution**	**94 – 96**
Phase 11	**Testing**	**97 – 98**
Phase 12	**Implementation**	**99 – 100**
Phase 13	**Limitation**	**101**
Phase 14	**Conclusion**	**102**

Introduction

- Society Management System is a web-based application developed to manage the daily activities of a residential society in an easy and efficient way. In many housing societies, records of residents, maintenance payments, complaints, notices, visitors, and security entries are maintained manually. This process takes time, creates paperwork, and may lead to errors.

- The main objective of this project is to simplify society management and improve communication between the society committee, residents, and security guards. The system allows the admin to manage resident information, maintenance records, notices, complaints, and visitor details from a single dashboard. Residents can log in to view notices, pay maintenance, submit complaints, and check their information. Security quards can maintain visitor entry and exit records.

- Overall, this project is an efficient and reliable solution for modern society management and demonstrates the practical use of web technologies in real-life applications.

Acknowledgement

- I would like to express my sincere gratitude to everyone who supported me during the development of this project, Society Management System. This project has been completed with the guidance, encouragement, and support of many people.
- First of all, I sincerely thank my respected project guide, Prof. Kuldip Joshi, for his valuable guidance, suggestions, and continuous motivation throughout the project. His technical mentoring and regular reviews helped me understand the concepts of web development and database management.
- I express my sincere thanks to the Head of the Department of Computer Science and all the faculty members of my college for their constant support and encouragement. I am also thankful to Shree G.K. & C.K. Bosamia Arts & Commerce College, Jetpur, for providing the opportunity and resources required to complete this project successfully.
- I am equally thankful to my fellow BCA classmates for testing the system and giving useful feedback on modules such as maintenance bill, polls, events, visitor management, and parking, which helped me improve the application.
- Finally, I express my heartfelt gratitude to my parents and family members for their constant moral support, encouragement, and motivation throughout my academic journey.

Preface

- In modern times, the digitization of residential society operations is a strategic necessity. Among routine society activities, collecting maintenance, handling complaints, and keeping visitor records remain some of the most time-consuming and error-prone tasks when they are managed manually.
- For many years, housing societies have relied on paper registers, notice boards, and verbal communication. While simple, this conventional approach causes delays in maintenance collection, lost or illegible visitor entries, unorganised parking allotment, and poor communication between the committee and the residents.
- The project "Society Management System" was conceived and developed to resolve these challenges. It provides a single web-based platform with important modules such as maintenance bill, polls, events, visitor management, and parking management. Different users, including Admin, Resident, and Security Guard, can access the system according to their role.
- This project report documents the complete development of the Society Management System following the Software Development Life Cycle (SDLC). It covers requirement gathering, system analysis, database design, user interface design, source code implementation, and testing.
- It is my sincere hope that this document serves as a useful technical reference and demonstrates the web development and database skills gained throughout the BCA program.

MAKADIYA AKSHAY
Shree G.K. & C.K. Bosamia College, Jetpur

Project Profile

Project Title: -	Society Management System
Platform: -	Windows 10, 11
Front End: -	HTML, CSS, Javascript & Bootstrap
Back End: -	PHP & MYSQL
Class: -	BCA Sem-5
Academic Year: -	2026-27
Project Guide: -	Prof. Kuldeep M Joshi
Other Software: -	Microsoft Word, Notepad++, WamppServer & VS Code
Developed By: -	Makadiya Akshay
Submission Date: -	10-10-2026
Submitted To: -	Shree G.K & C.K Bosamiya College Jetpur 360370
Submitted To: -	Saurashtra University

Frontend & Backend

What is HTML?

- HTML is the basic structure of a web page.
- It creates headings, paragraphs, images, links, tables, and forms.

- It is the foundation of every website.
- In the Society Management System, HTML is used to create the login page, registration page, dashboard, complaint form, and maintenance form.

What is CSS?

- CSS is used to design and style web pages.
- It controls colors, fonts, spacing, borders, backgrounds, and page layout.
- CSS makes the website attractive and user-friendly.
- It also helps create a responsive design for different screen sizes.

What is JAVASCRIPT?

- JavaScript adds interactivity and dynamic features to a website.
- It validates forms before submission.
- It displays alerts, notifications, and confirmation messages.

- It updates page content without reloading the page.
- It improves the user experience.

What is BOOTSTRAP?

- Bootstrap is a front-end framework.
- It provides ready-made components like buttons, cards, navigation bars, tables, and forms.
- It helps build responsive websites quickly.
- It saves development time and keeps the design consistent.

What is PHP?

- PHP is a server-side programming language.
- It handles login and registration authentication.
- It stores and retrieves data from the database.
- It manages complaints, maintenance records, resident information, and security details.
- PHP connects the frontend with the MySQL database.

What is MYSQL?

- MySQL is a relational database management system.
- It stores website data in tables.
- It supports Insert, Update, Delete, and Select operations.

- It stores resident details, user accounts, maintenance payments, complaints, notices, and attendance records securely.

1.requirement gathering

- This is the stage where we collect all the requirements of the users of the Society Management System. The main users of the website are the Admin, Residents (Members), Secretary (Committee), and Security Guard.

- Requirement gathering helps us understand the needs and expectations of all users. It identifies the features and services that should be included in the system to make society management simple, organized, and secure.

- The system should provide facilities such as resident management, maintenance management, complaint management, notice board, visitor management, event management, and secure login for different users.

Purpose of the Website

- To manage resident and flat information in one place.
- To generate and maintain maintenance bills and payment records.
- To allow residents to submit and track complaints online.
- To publish notices, announcements, and meeting information.
- To manage visitor entry and exit through the security module.
- To improve communication between residents and the society committee.
- To reduce paperwork and save time through digital record management.
- To provide secure login access for Admin, Residents, and Security users.

Help of this website

- It displays notices, announcements, and society event information.
- It helps security guards maintain visitor entry and exit records.
- It improves communication between residents and the society committee.
- It stores society records securely and reduces paperwork.
- It saves time by providing easy access to society services through a web browser.

2.requirement analysis

- Requirement analysis is a technique of studying and analyzing the requirements that were gathered in the requirement gathering phase. Requirement analysis enables developers to know what is expected from the system and how it would satisfy the user requirements.

- The requirements in the Society Management System are analyzed according to different users, including Admin, Members, Committee, and Security Guard. Each of the users has different rights on the website.

- System analysis involves the handling of information related to residents, flats, maintenance charges, complaints, notifications, visitors, and events organized by the society.

Capture Requirements from Stakeholders

1. Admin/Scretary

- The Admin or Secretary manages the overall activities of the society. They need a secure login to access the system. They should be able to add, update, delete, and view resident information, manage flats and maintenance records, publish notices, manage complaints, approve visitor records, and generate reports for society management.

2. Residents/Member

- Residents or members need a personal login to access their account. They should be able to view their profile, maintenance bills and payment history, submit complaints, track complaint status, read notices and announcements, view society events, and update their personal information when required.

3. Security guard

- The Security Guard needs a secure login to manage visitor information. They should be able to record visitor entry and exit details, verify visitors, update visitor status, and maintain a daily visitor log for security purposes.

Hardware & software requirement

Hardware use:-

Processor:-	Intel core
RAM:-	6 GB
Harddisk:-	512 GB
Operating system:-	64 bit
Monitor:-	LG 40 inch

Software use:-

Operating system:-	Windows 11
Language:-	Html, css, JavaScript, bootstrap
Database:-	Mysql
Web browser:-	Google chrome, wamp server

3.Feasibility study

- Feasibility Study is the study that involves evaluating if the Society Management System can be developed both technically and financially.

Feasibility Study Types

1.Technical Feasibility

2. Economic Feasibility

3.Operational Feasibility

4.Legal Feasibility

5.Resource Feasibility

6. Schedule Feasibility

1.Technical Feasibility

- The development of the project is possible using technologies like HTML, CSS, JavaScript, Bootstrap, PHP, and MySQL. All these technologies are

open source and easy to use for students.

HTML: HTML is used to build the structure of web pages like the Login Page, Registration Page, Dashboard, and Forms.

CSS: CSS is used to design the website by using colors, fonts, layout, and styling.

Bootstrap: Bootstrap is used to develop a responsive and mobile-friendly user interface using predefined components like buttons, cards, and the navigation bar.

JavaScript: JavaScript is used to build interactive functionalities like form validation, alert boxes, and a dynamic dashboard.

PHP: PHP is used in the backend for user authentication and for connecting the website with the MySQL database.

MySQL: MySQL is used to save information like resident details, complaints, maintenance payments, notices, and visitor logs.

2.Economical Feasibility

- Economic Feasibility means checking whether the project is affordable and whether the benefits are greater than the development and maintenance costs.

Hardware:-

Category	Sub-category	Price
Computer	LG 40 inch	40000 approximate
Mouse		700
Keyboard		1000

Software:-

Google chrome	Open source
Mysql server	Open source
Wamp server	Open source

3.Operational Feasibility

- This system is user-friendly to all the users like Admin, Security Guard, and Resident. This will assist in managing member information, visitor details, maintenance dues, notifications, complaints, and events in a simple platform.

4.legal Feasibility

- The Society Management System follows all legal and ethical rules for handling society data. It protects users' personal information, such as member details, contact numbers, and maintenance records, and allows access only to authorized users. The system maintains data privacy, keeps records secure, and complies with basic legal requirements for storing and managing digital information in a housing society.

5.Resource Feasibility

- Resource Feasibility verifies that the resources needed to complete the project are readily available.

Hardware Resources:-

Windows	11
RAM	8 GB
Operating System	64 bit
Harddisk	512 GB
Keyboard	
Mouse	

Software Resources:-

- The project is developed using HTML, CSS, Bootstrap, JavaScript, PHP, MySQL, VS Code, and XAMPP. These are open-source tools and are freely available for development and testing.

6.Schedule Feasibility

No.	Project Task	Starting Date	Ending Date
1	Requirement Gathering	01-07-26	06-07-26
2	Requirement Analysis	07-07-26	12-07-26
3	Feasibility Study	13-07-26	18-07-26
4	Data Information	19-07-26	22-07-26
5	Data Structure	23-07-26	30-07-26
6	Data Flow Diagram	31-07-26	04-08-26
7	Designing	05-08-26	09-08-26
8	Coding	10-08-26	13-09-26
9	Error & Solution	14-09-26	18-09-26
10	Testing	19-09-26	23-09-26
11	Implementation	24-09-26	25-09-26
12	Limitations	26-09-26	27-09-26
13	Conclusion	28-09-26	28-09-26

4.Data information

(1) complaints

field-name	description
id	A unique identifier assigned to each complaint record in the database.
member_id	Enter the ID of the member who filed the complaint.
title	Enter a short title for the complaint.
description	Enter description of complaint.
category	Enter category of the complaint (default General).
image_url	Upload supporting evidence/image related to the complaint.
status	Select status of the complaint (open / in_progress / resolved).
created_at	Date and time when the complaint was created.

(2) emergency_contacts

field-name	description
id	A unique identifier assigned to each emergency contact record in the database.
name	Enter name of the emergency contact.
role_title	Enter role/title of the emergency contact.
category	Select category of contact (security / society / maintenance / medical / police / fire).
phone	Enter phone number of the contact.
alt_phone	Enter alternate phone number of the contact.
available_hours	Enter available hours of the contact (default 24 Hours).
is_sos	Mark whether this contact is an SOS contact.
created_at	Date and time when the contact record was created.

(3) events

field-name	description
id	A unique identifier assigned to each event record in the database.
title	Enter title of the event.
description	Enter description of the event.
event_date	Enter date of the event.
event_time	Enter time of the event.
venue	Enter venue of the event.
created_by	Enter ID of the user who created the event.
created_at	Date and time when the event record was created.

(4) event_rsvps

field-name	description
id	A unique identifier assigned to each RSVP record in the database.
event_id	Enter ID of the event for which RSVP is given.
member_id	Enter ID of the member giving the RSVP.
status	Select RSVP status (yes / no).
created_at	Date and time when the RSVP was created.

(5) maintenance_bills

field-name	description
id	A unique identifier assigned to each maintenance bill record in the database.
member_id	Enter ID of the member the bill is issued to.
amount	Enter amount of the maintenance bill.
month	Enter month for which the bill is generated.
year	Enter year for which the bill is generated.
due_date	Enter due date of the bill.
status	Select status of the bill (pending / paid / overdue).
description	Enter description of the bill.
created_at	Date and time when the bill was created.

(6) notices

field-name	description
id	A unique identifier assigned to each notice record in the database.
title	Enter title of the notice.
content	Enter content of the notice.
priority	Select priority of the notice (low / medium / high).
created_by	Enter ID of the user who created the notice.
created_at	Date and time when the notice was created.

(7) parking_slots

field-name	description
id	A unique identifier assigned to each parking slot record in the database.
slot_number	Enter the unique parking slot number.
slot_type	Select type of slot (car / bike).
wing	Enter wing of the building where slot is located.
floor_level	Enter floor level of the parking slot.
status	Select status of the slot (available / occupied / reserved).
allocated_to	Enter ID of the member the slot is allocated to.

(8) password_resets

field-name	description
id	A unique identifier assigned to each password reset record in the database.
email	Enter email address of the user requesting a password reset.
otp	Enter one-time password (OTP) sent to the user.
expires_at	Date and time when the OTP expires.
is_used	Mark whether the OTP has already been used.
created_at	Date and time when the OTP request was created.

(9) payments

field-name	description
id	A unique identifier assigned to each payment record in the database.
bill_id	Enter ID of the maintenance bill this payment is made against.
member_id	Enter ID of the member who made the payment.
amount	Enter amount paid.
paid_at	Date and time when the payment was made.
transaction_ref	Enter transaction reference number of the payment.

(10) polls

field-name	description
id	A unique identifier assigned to each poll record in the database.
title	Enter title of the poll.
description	Enter description of the poll.
created_by	Enter ID of the user who created the poll.
status	Select status of the poll (active / closed).
expires_at	Enter expiry date of the poll.
created_at	Date and time when the poll was created.

(11) poll_options

field-name	description
id	A unique identifier assigned to each poll option record in the database.
poll_id	Enter ID of the poll this option belongs to.
option_text	Enter text of the poll option.

(12) poll_votes

field-name	description
id	A unique identifier assigned to each poll vote record in the database.
poll_id	Enter ID of the poll being voted on.
option_id	Enter ID of the selected poll option.
member_id	Enter ID of the member casting the vote.
created_at	Date and time when the vote was cast.

(13) security_incidents

field-name	description
id	A unique identifier assigned to each security incident record in the database.
title	Enter title of the security incident.
description	Enter description of the security incident.
severity	Select severity of the incident (low / medium / high / critical).
location	Enter location where the incident occurred.
reported_by	Enter ID of the user who reported the incident.
status	Select status of the incident (open / investigating / resolved).
resolution_note	Enter resolution note for the incident.
created_at	Date and time when the incident was reported.

(14) settings

field-name	description
id	A unique identifier assigned to each setting record in the database.
key_name	Enter unique key name of the setting.
value	Enter value of the setting.
updated_at	Date and time when the setting was last updated.

(15) societies

field-name	description
id	A unique identifier assigned to each society record in the database.
name	Enter name of the society.
short_name	Enter short name of the society.
tagline	Enter tagline of the society.
registration_no	Enter registration number of the society.
gstin	Enter GSTIN of the society.
address	Enter address of the society.
contact_email	Enter contact email of the society.
contact_phone	Enter contact phone number of the society.
currency_symbol	Enter currency symbol used by the society (default ₹).
created_at	Date and time when the society record was created.

(16) users

field-name	description
id	A unique identifier assigned to each user record in the database.
name	Enter name of the user.
email	Enter unique email address of the user.
password	Enter password of the user (stored encrypted).
role	Select role of the user (admin / member / security).
flat_no	Enter flat number of the user.
phone	Enter phone number of the user.
wing	Enter wing of the building the user resides in.
avatar_color	Enter avatar color code of the user.
society_id	Enter the ID of the society this user belongs to.
joined_at	Date and time when the user joined.

(17) vehicles

field-name	description
id	A unique identifier assigned to each vehicle record in the database.
member_id	Enter ID of the member who owns the vehicle.
vehicle_number	Enter unique registration number of the vehicle.
vehicle_type	Select type of vehicle (car / bike).
brand_model	Enter brand and model of the vehicle.
parking_slot_id	Enter ID of the parking slot allocated to the vehicle.
sticker_no	Enter parking sticker number of the vehicle.
created_at	Date and time when the vehicle record was created.

(18) visitors

field-name	description
id	A unique identifier assigned to each visitor record in the database.
pass_code	Enter unique pass code generated for the visitor.
member_id	Enter ID of the member the visitor is visiting.
visitor_name	Enter name of the visitor.
visitor_phone	Enter phone number of the visitor.
vehicle_no	Enter vehicle number of the visitor, if any.
purpose	Enter purpose of the visit.
expected_date	Enter expected date of the visit.
status	Select status of the visit (expected / checked_in / checked_out / cancelled).
check_in_time	Date and time when the visitor checked in.
check_out_time	Date and time when the visitor checked out.
created_at	Date and time when the visitor record was created.

5.Data structure

(1) event_rsvps

Column	Type	Key
id	int UNSIGNED	PRI
event_id	int UNSIGNED	UNI
member_id	int UNSIGNED	UNI
status	enum('yes','no')	
created_at	timestamp NULL	

(2) maintenance_bills

Column	Type	Key
id	int UNSIGNED	PRI
member_id	int UNSIGNED	
amount	decimal(10,2)	
month	tinyint	
year	smallint	
due_date	date	
status	enum('pending','paid','overdue')	
description	varchar(255)	
created_at	timestamp NULL	

(3) notices

Column	Type	Key
id	int UNSIGNED	PRI
title	varchar(200)	
content	text	
priority	enum('low','medium','high')	
created_by	int UNSIGNED	

(4) parking_slots

Column	Type	Key
id	int UNSIGNED	PRI
slot_number	varchar(20)	UNI
slot_type	enum('car','bike')	
wing	varchar(10)	
floor_level	varchar(20)	
status	enum('available','occupied','reserved')	
allocated_to	int UNSIGNED	

(5) password_resets

Column	Type	Key
id	int UNSIGNED	PRI
email	varchar(160)	MUL
otp	varchar(10)	
expires_at	datetime	
is_used	tinyint(1)	
created_at	timestamp NULL	

(6) payments

Column	Type	Key
id	int UNSIGNED	PRI
bill_id	int UNSIGNED	
member_id	int UNSIGNED	
amount	decimal(10,2)	
paid_at	timestamp NULL	
transaction_ref	varchar(60)	

(7) polls

Column	Type	Key
id	int UNSIGNED	PRI
title	varchar(255)	
description	text	
created_by	int UNSIGNED	
status	enum('active','closed')	
expires_at	date	
created_at	timestamp NULL	

(8) poll_options

Column	Type	Key
id	int UNSIGNED	PRI
poll_id	int UNSIGNED	
option_text	varchar(255)	

(9) poll_votes

Column	Type	Key
id	int UNSIGNED	PRI
poll_id	int UNSIGNED	UNI
option_id	int UNSIGNED	
member_id	int UNSIGNED	UNI
created_at	timestamp NULL	

(10) security_incidents

Column	Type	Key
id	int UNSIGNED	PRI
title	varchar(150)	
description	text	
severity	enum('low','medium','high','critical')	
location	varchar(100)	
reported_by	int UNSIGNED	
status	enum('open','investigating','resolved')	
resolution_note	text	
created_at	timestamp NULL	

(11) settings

Column	Type	Key
id	int UNSIGNED	PRI
key_name	varchar(80)	UNI
value	text	
updated_at	timestamp NULL	

(12) societies

Column	Type	Key
id	int UNSIGNED	PRI
name	varchar(150)	
short_name	varchar(50)	
tagline	varchar(255)	
registration_no	varchar(80)	
gstin	varchar(30)	
address	text	
contact_email	varchar(120)	
contact_phone	varchar(30)	
currency_symbol	varchar(10)	
created_at	timestamp NULL	

(13) users

Column	Type	Key
id	int UNSIGNED	PRI
name	varchar(120)	
email	varchar(160)	UNI
password	varchar(255)	
role	enum('admin','member','security')	
flat_no	varchar(20)	
phone	varchar(20)	
wing	varchar(10)	
avatar_color	varchar(7)	
society_id	int UNSIGNED	

(14) vehicles

Column	Type	Key
id	int UNSIGNED	PRI
member_id	int UNSIGNED	
vehicle_number	varchar(30)	UNI
vehicle_type	enum('car','bike')	
brand_model	varchar(100)	
parking_slot_id	int UNSIGNED	
sticker_no	varchar(50)	
created_at	timestamp NULL	

(15) visitors

Column	Type	Key
id	int UNSIGNED	PRI
pass_code	varchar(32)	UNI
member_id	int UNSIGNED	
visitor_name	varchar(120)	
visitor_phone	varchar(20)	
vehicle_no	varchar(30)	
purpose	varchar(150)	
expected_date	date	
status	enum('expected','checked_in','checked_out','cancelled')	
check_in_time	datetime	
check_out_time	datetime	
created_at	timestamp NULL	

(16) complaints

Column	Type	Key
id	int UNSIGNED	PRI
member_id	int UNSIGNED	
title	varchar(200)	
description	text	
category	varchar(60)	
image_url	varchar(255)	
status	enum('open','in_progress','resolved')	
created_at	timestamp NULL	

(17) emergency_contacts

Column	Type	Key
id	int UNSIGNED	PRI
name	varchar(120)	
role_title	varchar(100)	
category	enum('security','society','maintenance','medical','police','fire')	
phone	varchar(25)	
alt_phone	varchar(25)	
available_hours	varchar(80)	
is_sos	tinyint(1)	
created_at	timestamp NULL	

(18) events


Column	Type	Key
id	int UNSIGNED	PRI
title	varchar(200)	
description	text	
event_date	date	
event_time	time	
venue	varchar(200)	
created_by	int UNSIGNED	
created_at	timestamp NULL	

6.Data Flow diagram


Admin & client

1.Admin/secretary

0 level:-




1st level:-



View Complaint
View Profile
Admin / Secretary
View Homepage
View About
Registration
Login
View Dashboard
Database table - Add / Edit / Delete
Members
Complaints
Maintenance & Payments
Notices, Events & Polls
Visitors & Parking
Logout

2.Resident

0 level:-




1st level:-



View Profile
View Notices
Resident
View Homepage
View About
Registration
Login
View Dashboard
Database table - Add / Edit / View
Complaints
Maintenance Payments
Notices, Events & Polls
Vehicles
Visitor Approvals
Logout

3.Security Guard

0 level:-




1st level:-



Manage Visitors
Manage Vehicles
Security Guard
View Homepage
View About
Login
View Dashboard
Database table - Add / Edit / View
Visitor Entry / Exit Log
Vehicle Log
Incident Reports
Emergency Alerts
Logout

7.Designing


1.Home page Admin/client




2.Login Page : Admin/Resident/Security Guard




3.Admin(Secretary) Registration




3.Admin(Secretary) Dashboard




4.Client(Resident) Registration Page




4.Resident Dashboard



5.Client(Security Guard) Registration



6.Security Guard Dashboard



8.Coding

auth/login.php

```
<?php
// Forward to root index.php login
require_once __DIR__ . '/../index.php';
```

auth/login.php sirf index.php ko forward karta hai. Neeche wahi asli Login Form ka HTML/PHP code diya gaya hai jo screen par dikhta hai (yeh code index.php ke andar hota hai):

```
<!-- Role Selector Pills -->
<div class="role-pills" id="role-bar" style="<?= $activeTab === 'register' ? 'display:none;' : '' ?>">
<button type="button" class="role-pill active" id="role-member" onclick="selectRole('member')">
<i class="fas fa-house-user"></i> Resident
</button>
<button type="button" class="role-pill" id="role-security" onclick="selectRole('security')">
<i class="fas fa-shield-halved"></i> Security
</button>
<button type="button" class="role-pill" id="role-admin" onclick="selectRole('admin')">
<i class="fas fa-user-shield"></i> Admin
</button>
</div>

<!-- ============================================================ -->
<!-- LOGIN FORM -->
<!-- ============================================================ -->
<form id="form-login" method="POST" action="index.php" style="<?= $activeTab === 'register' ? 'display:none;
<input type="hidden" name="action" value="login">

<div class="form-group">
<input id="login-email" type="email" name="email" class="pill-input"
placeholder="Email Address" required autofocus>
</div>

<div class="form-group">
<div class="input-wrapper">
<input id="login-password" type="password" name="password" class="pill-input"
placeholder="Password" required autocomplete="current-password">
<button type="button" class="toggle-password" onclick="togglePassword('login-password', this)" title="Sho
<i class="fas fa-eye"></i>
</button>
</div>
</div>

<div style="display: flex; justify-content: flex-end; margin: 0 4px 18px;">
<a href="forgot_password.php" style="color: #059669; font-size: 0.84rem; text-decoration: none; font-weight
Forgot Password?
</a>
</div>

<button type="submit" class="btn-submit" id="login-submit-btn">
Login
</button>

<div class="auth-toggle">
Don't have an account? <a href="javascript:void(0)" onclick="showTab('register')">Register Now</a>
</div>
</form>

<!-- ============================================================ -->
```

index.php

```
 <?php
 if (session_status() === PHP_SESSION_NONE) session_start();
 require_once __DIR__ . '/config/db.php';

 // Dynamically compute base URL
$base = rtrim(dirname($_SERVER['SCRIPT_NAME'] ?? ''), '/\\');
if ($base === '/' || $base === '\\') $base = '';

// Already logged in → redirect
if (!empty($_SESSION['user_id'])) {
if (($_SESSION['role'] ?? '') === 'admin') {
$dest = $base . '/admin/dashboard.php';
} elseif (($_SESSION['role'] ?? '') === 'security') {
$dest = $base . '/security/dashboard.php';
} else {
$dest = $base . '/member/dashboard.php';
}
header("Location: $dest");
exit;
}

$error = '';
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['action'])) {
$email = trim($_POST['email'] ?? '');
$password = $_POST['password'] ?? '';

if (empty($email) || empty($password)) {
$error = 'Please enter both email and password.';
} else {
$db = getDB();
$stmt = $db->prepare("SELECT u.id, u.name, u.email, u.password, u.role, u.flat_no, u.wing, u.society_id, s.na
FROM users u
LEFT JOIN societies s ON u.society_id = s.id
WHERE u.email = ? LIMIT 1");
$stmt->bind_param('s', $email);
$stmt->execute();
$res = $stmt->get_result();
$user = $res->fetch_assoc();
$stmt->close();

if ($user && password_verify($password, $user['password'])) {
$_SESSION['user_id'] = $user['id'];
$_SESSION['name'] = $user['name'];
$_SESSION['email'] = $user['email'];
$_SESSION['role'] = $user['role'];
$_SESSION['flat_no'] = $user['flat_no'];
$_SESSION['wing'] = $user['wing'] ?? '';
$_SESSION['society_id'] = $user['society_id'] ? (int)$user['society_id'] : null;
$_SESSION['society_name'] = $user['society_name'] ?? '';
$_SESSION['society_short_name'] = $user['society_short_name'] ?: ($user['society_name'] ?? '');

if ($user['role'] === 'admin') {
$dest = $base . '/admin/dashboard.php';
} elseif ($user['role'] === 'security') {
$dest = $base . '/security/dashboard.php';
} else {
$dest = $base . '/member/dashboard.php';
}
header("Location: $dest");
exit;
} else {
$error = 'Invalid email or password.';
}
}
}

$msg = htmlspecialchars($_GET['msg'] ?? '');
if (empty($error) && !empty($_GET['error'])) {
$error = htmlspecialchars($_GET['error']);
}

$socSettings = function_exists('getSocietySettings') ? getSocietySettings() : [
'app_name' => 'Society MS',
'society_name' => 'Gokuldham Heights CHS Ltd.',
'society_short_name' => 'Gokuldham',
'society_tagline' => 'Smart Living & Secure Community'
];
$appName = $socSettings['app_name'] ?? 'Society MS';
$societyName = $socSettings['society_name'] ?? 'Residential Society';
$societyShort = $socSettings['society_short_name'] ?? $societyName;
$activeTab = ($_GET['tab'] ?? '') === 'register' ? 'register' : 'login';
$allSocieties = function_exists('getAllSocieties') ? getAllSocieties() : [];
?>
<!DOCTYPE html>
<html lang="en">
```

```
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login | <?= htmlspecialchars($appName) ?></title>
<meta name="description" content="<?= htmlspecialchars($appName) ?> — Login Portal">

<!-- Fonts & Icons -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700;800&display=swap" r
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">

<style>
*, *::before, *::after {
box-sizing: border-box;
margin: 0;
padding: 0;
}

body {
font-family: 'Plus Jakarta Sans', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
min-height: 100vh;
display: flex;
align-items: center;
justify-content: center;
background: linear-gradient(135deg, #f0fdf4 0%, #ecfdf5 45%, #d1fae5 100%);
background-attachment: fixed;
color: #334155;
padding: 24px 16px;
}

.login-container {
width: 100%;
max-width: 440px;
margin: auto;
transition: max-width 0.25s ease;
}

.login-container.is-register {
max-width: 530px;
}

.login-card {
background: #ffffff;
border-radius: 20px;
padding: 42px 36px 36px;
box-shadow: 0 16px 40px rgba(16, 185, 129, 0.12), 0 4px 16px rgba(0, 0, 0, 0.04);
border: 1px solid #dcfce7;
position: relative;
}

.login-title {
color: #059669;
font-size: 1.85rem;
font-weight: 700;
text-align: center;
margin-bottom: 24px;
letter-spacing: -0.01em;
}

/* Role Switcher Pills */
.role-pills {
display: flex;
background: #f1f5f9;
border-radius: 50px;
padding: 4px;
margin-bottom: 22px;
gap: 3px;
}

.role-pill {
flex: 1;
border: none;
background: transparent;
padding: 8px 10px;
border-radius: 50px;
font-size: 0.82rem;
font-weight: 600;
color: #64748b;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 6px;
transition: all 0.2s ease;
font-family: inherit;
}

.role-pill.active {
```

```
background: #ffffff;
color: #059669;
box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08);
}

.role-pill i {
font-size: 0.78rem;
}

/* Form Fields */
.form-group {
margin-bottom: 16px;
position: relative;
}

.form-row {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 12px;
}

.pill-input {
width: 100%;
padding: 13px 22px;
font-size: 0.92rem;
font-family: inherit;
color: #1e293b;
background: #ffffff;
border: 1.5px solid #d1d5db;
border-radius: 50px;
outline: none;
transition: all 0.2s ease;
}

.pill-input::placeholder {
color: #9ca3af;
font-weight: 400;
}

.pill-input:focus {
border-color: #059669;
box-shadow: 0 0 0 3px rgba(5, 150, 105, 0.12);
}

.form-control-custom {
width: 100%;
padding: 12px 18px;
font-size: 0.9rem;
font-family: inherit;
color: #1e293b;
background: #ffffff;
border: 1.5px solid #d1d5db;
border-radius: 12px;
outline: none;
transition: all 0.2s ease;
}

.form-control-custom:focus {
border-color: #059669;
box-shadow: 0 0 0 3px rgba(5, 150, 105, 0.12);
}
.form-label {
display: block;
font-size: 0.8rem;
font-weight: 600;
color: #475569;
margin-bottom: 6px;
margin-left: 2px;
}

.input-wrapper {
position: relative;
display: flex;
align-items: center;
}

.input-wrapper .pill-input {
padding-right: 44px;
}

.input-wrapper .form-control-custom {
padding-right: 44px;
}

.toggle-password {
position: absolute;
right: 16px;
background: none;
border: none;
```

```
color: #9ca3af;
cursor: pointer;
font-size: 0.9rem;
padding: 4px;
display: flex;
align-items: center;
justify-content: center;
transition: color 0.2s;
}

.toggle-password:hover {
color: #059669;
}

/* Submit Button */
.btn-submit {
width: 100%;
background: #059669;
color: #ffffff;
border: none;
padding: 13px 24px;
font-size: 1rem;
font-weight: 600;
font-family: inherit;
border-radius: 50px;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 8px;
transition: all 0.2s ease;
box-shadow: 0 4px 12px rgba(5, 150, 105, 0.25);
}

.btn-submit:hover {
background: #047857;
box-shadow: 0 6px 16px rgba(5, 150, 105, 0.35);
transform: translateY(-1px);
}

.btn-submit:active {
transform: translateY(0);
}

/* Alert Message */
.alert-box {
border-radius: 12px;
padding: 11px 16px;
font-size: 0.85rem;
line-height: 1.4;
display: flex;
align-items: center;
gap: 10px;
margin-bottom: 18px;
}

.alert-danger {
background: #fef2f2;
border: 1px solid #fecaca;
color: #dc2626;
}

.alert-success {
background: #ecfdf5;
border: 1px solid #a7f3d0;
color: #059669;
}

/* Auth Toggle / Footer */
.auth-toggle {
text-align: center;
font-size: 0.86rem;
color: #64748b;
margin-top: 22px;
}

.auth-toggle a {
color: #059669;
text-decoration: none;
font-weight: 600;
cursor: pointer;
}

.auth-toggle a:hover {
text-decoration: underline;
}

/* Setup Nav Tabs at Top of Register */
.setup-nav-tabs {
```

```
display: flex;
background: #f1f5f9;
padding: 4px;
border-radius: 12px;
margin-bottom: 20px;
gap: 4px;
}

.setup-nav-tab {
flex: 1;
text-align: center;
padding: 9px 8px;
font-size: 0.78rem;
font-weight: 600;
color: #64748b;
text-decoration: none;
border-radius: 9px;
transition: all .2s ease;
display: flex;
align-items: center;
justify-content: center;
gap: 6px;
white-space: nowrap;
}

.setup-nav-tab:hover {
color: #0f172a;
background: rgba(255, 255, 255, 0.7);
}

.setup-nav-tab.active {
background: #ffffff;
color: #059669;
font-weight: 700;
box-shadow: 0 2px 8px rgba(0, 0, 0, 0.07);
}
</style>
</head>
<body>

<div class="login-container <?= $activeTab === 'register' ? 'is-register' : '' ?>" id="login-box-container"&g;
<div class="login-card">

<!-- Alerts -->
<?php if ($error): ?>
<div class="alert-box alert-danger">
<i class="fas fa-circle-exclamation"></i>
<span><?= $error ?></span>
</div>
<?php endif; ?>

<?php if ($msg): ?>
<div class="alert-box alert-success">
<i class="fas fa-circle-check"></i>
<span><?= $msg ?></span>
</div>
<?php endif; ?>

<!-- Page Title -->
<h1 class="login-title" id="page-title" style="<?= $activeTab === 'register' ? 'display:none;' : '' ?>"&g;
Login
</h1>

<!-- Role Selector Pills -->
<div class="role-pills" id="role-bar" style="<?= $activeTab === 'register' ? 'display:none;' : '' ?>">
<button type="button" class="role-pill active" id="role-member" onclick="selectRole('member')">
<i class="fas fa-house-user"></i> Resident
</button>
<button type="button" class="role-pill" id="role-security" onclick="selectRole('security')">
<i class="fas fa-shield-halved"></i> Security
</button>
<button type="button" class="role-pill" id="role-admin" onclick="selectRole('admin')">
<i class="fas fa-user-shield"></i> Admin
</button>
</div>

<!-- ============================================================ -->
<!-- LOGIN FORM -->
<!-- ============================================================ -->
<form id="form-login" method="POST" action="index.php" style="<?= $activeTab === 'register' ? 'display:none;
<input type="hidden" name="action" value="login">

<div class="form-group">
<input id="login-email" type="email" name="email" class="pill-input"
placeholder="Email Address" required autofocus>
</div>

<div class="form-group">
<div class="input-wrapper">
```

```
<input id="login-password" type="password" name="password" class="pill-input"
placeholder="Password" required autocomplete="current-password">
<button type="button" class="toggle-password" onclick="togglePassword('login-password', this)" title="Sho
<i class="fas fa-eye"></i>
</button>
</div>
</div>

<div style="display: flex; justify-content: flex-end; margin: 0 4px 18px;">
<a href="forgot_password.php" style="color: #059669; font-size: 0.84rem; text-decoration: none; font-weight
Forgot Password?
</a>
</div>

<button type="submit" class="btn-submit" id="login-submit-btn">
Login
</button>

<div class="auth-toggle">
Don't have an account? <a href="javascript:void(0)" onclick="showTab('register')">Register Now</a>
</div>
</form>

<!-- ========================================================== -->
<!-- REGISTER FORM -->
<!-- ========================================================== -->
<form id="form-register" method="POST" action="register.php" autocomplete="off" style="<?= $activeTab === 'l

<!-- Top Registration Tabs -->
<div class="setup-nav-tabs">
<a href="javascript:void(0)" class="setup-nav-tab active">
<i class="fas fa-house-user"></i> Resident
</a>
<a href="setup/create_security.php" class="setup-nav-tab">
<i class="fas fa-shield-halved"></i> Security Guard
</a>
<a href="setup/create_admin.php" class="setup-nav-tab">
<i class="fas fa-user-shield"></i> + Society & Admin
</a>
</div>

<div style="text-align:left; margin-bottom: 20px;">
<h2 style="font-size:1.3rem; font-weight:700; color:#0f172a; margin-bottom:4px;">Resident Registration&l;
<p style="font-size:0.84rem; color:#64748b; line-height:1.45; margin:0;">Create flat owner or tenant acc
</div>

<div class="form-group">
<label class="form-label">Select Residential Society *</label>
<select name="society_id" class="form-control-custom" required>
<option value="">-- Choose Society --</option>
<?php foreach ($allSocieties as $s): ?>
<option value="<?= (int)$s['id'] ?>"><?= htmlspecialchars($s['name']) ?><?= !empty($s
<?php endforeach; ?>
</select>
</div>

<div class="form-group">
<label class="form-label">Resident Full Name *</label>
<input type="text" name="name" class="form-control-custom" placeholder="e.g. Rajesh Sharma" required autoco
</div>

<div class="form-row">
<div class="form-group">
<label class="form-label">Wing / Block *</label>
<input type="text" name="wing" class="form-control-custom" placeholder="e.g. A" value="A" required autoco
</div>
<div class="form-group">
<label class="form-label">Flat No. *</label>
<input type="text" name="flat_no" class="form-control-custom" placeholder="e.g. 102 or B-404" required au
</div>
</div>

<div class="form-row">
<div class="form-group">
<label class="form-label">Login Email Address *</label>
<input type="email" name="email" class="form-control-custom" placeholder="e.g. rajesh@example.com" requir
</div>
<div class="form-group">
<label class="form-label">Phone Number</label>
<input type="tel" name="phone" class="form-control-custom" placeholder="+91 98765 43210" autocomplete="of
</div>
</div>

<div class="form-group">
<label class="form-label">Password (Min. 6 characters) *</label>
<div class="input-wrapper">
<input id="reg-password" type="password" name="password" class="form-control-custom"
placeholder="••••••••" required minlength="6" autocomplete="new-password">
<button type="button" class="toggle-password" onclick="togglePassword('reg-password', this)" title="Show/
```

```
<i class="fas fa-eye"></i>
</button>
</div>
</div>

<button type="submit" class="btn-submit" style="background:#059669; margin-top:8px;">
<i class="fas fa-house-user"></i> Create Resident Account
</button>

<div class="auth-toggle">
Already have an account? <a href="javascript:void(0)" onclick="showTab('login')">Login</a>
</div>
</form>

</div>
</div>

<!-- JavaScript -->
<script>
function showTab(tab) {
const container = document.getElementById('login-box-container');
const loginForm = document.getElementById('form-login');
const regForm = document.getElementById('form-register');
const pageTitle = document.getElementById('page-title');
const roleBar = document.getElementById('role-bar');

if (tab === 'login') {
if (container) container.classList.remove('is-register');
loginForm.style.display = 'block';
regForm.style.display = 'none';
pageTitle.style.display = 'block';
pageTitle.textContent = 'Login';
roleBar.style.display = 'flex';
} else {
if (container) container.classList.add('is-register');
loginForm.style.display = 'none';
regForm.style.display = 'block';
pageTitle.style.display = 'none';
roleBar.style.display = 'none';
}
}

function togglePassword(inputId, btn) {
const input = document.getElementById(inputId);
const icon = btn.querySelector('i');
if (input.type === 'password') {
input.type = 'text';
icon.className = 'fas fa-eye-slash';
} else {
input.type = 'password';
icon.className = 'fas fa-eye';
}
 }

 function selectRole(role) {
 document.querySelectorAll('.role-pill').forEach(pill => pill.classList.remove('active'));
 const activePill = document.getElementById('role-' + role);
 if (activePill) activePill.classList.add('active');

 const emailInput = document.getElementById('login-email');
 const btn = document.getElementById('login-submit-btn');

 if (role === 'admin') {
 emailInput.placeholder = 'Email Address (Admin)';
 btn.textContent = 'Login as Admin';
 } else if (role === 'security') {
 emailInput.placeholder = 'Email Address (Security)';
 btn.textContent = 'Login as Security';
 } else {
 emailInput.placeholder = 'Email Address';
 btn.textContent = 'Login';
 }

 showTab('login');
 }

 // Auto-hide alerts after 5 seconds
 setTimeout(() => {
 document.querySelectorAll('.alert-box').forEach(el => {
 el.style.transition = 'opacity 0.5s ease, transform 0.5s ease';
 el.style.opacity = '0';
 el.style.transform = 'translateY(-10px)';
 setTimeout(() => el.remove(), 500);
 });
 }, 5000);

 // Clear autofilled credentials on load
 window.addEventListener('DOMContentLoaded', () => {
 const emailField = document.getElementById('login-email');
```

```
const passField = document.getElementById('login-password');
if (emailField) emailField.value = '';
if (passField) passField.value = '';
});
</script>
</body>
</html>
```

register.php

```
 <?php
 if (session_status() === PHP_SESSION_NONE) session_start();
 require_once __DIR__ . '/config/db.php';
$error = '';
$success = '';

if (($_SERVER['REQUEST_METHOD'] ?? '') === 'POST') {
$db = getDB();
$society_id = !empty($_POST['society_id']) ? (int)$_POST['society_id'] : null;
if (!$society_id) {
$socRes = $db->query("SELECT id FROM societies ORDER BY id ASC LIMIT 1");
if ($socRes && $row = $socRes->fetch_assoc()) {
$society_id = (int)$row['id'];
} else {
$society_id = 1;
}
}

$name = trim($_POST['name'] ?? '');
$email = trim($_POST['email'] ?? '');
$flat_no = trim($_POST['flat_no'] ?? '');
$wing = trim($_POST['wing'] ?? '');
if (!$wing && $flat_no && preg_match('/^([A-Za-z]+)/', $flat_no, $m)) {
$wing = strtoupper($m[1]);
}
if (!$wing) $wing = 'A';
$phone = trim($_POST['phone'] ?? '');
$password = $_POST['password'] ?? '';

if (!$name || !$email || !$password) {
$error = 'Name, email and password are required.';
} elseif (strlen($password) < 6) {
$error = 'Password must be at least 6 characters long.';
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
$error = 'Please enter a valid email address.';
} else {
$chk = $db->prepare("SELECT id FROM users WHERE email = ?");
$chk->bind_param('s', $email);
$chk->execute();
$chk->store_result();

if ($chk->num_rows > 0) {
$error = 'An account with this email address already exists.';
} else {
$hash = password_hash($password, PASSWORD_BCRYPT);
$ins = $db->prepare("INSERT INTO users (name, email, password, role, flat_no, phone, wing, avatar_color,
$ins->bind_param('ssssssi', $name, $email, $hash, $flat_no, $phone, $wing, $society_id);
if ($ins->execute()) {
$success = 'Resident account created successfully! Please sign in.';
} else {
$error = 'Database error: ' . $db->error;
}
$ins->close();
}
$chk->close();
}
}

// After successful registration, redirect to login
if ($success) {
 header('Location: index.php?msg=' . urlencode($success));
 exit;
 }
 // Redirect to register tab if accessed directly with no error
 if (!$error) {
 header('Location: index.php?tab=register');
 exit;
 }
 header('Location: index.php?tab=register&error=' . urlencode($error));
 exit;
```

register.php sirf form-submit handler hai (koi HTML render nahi karta). Neeche wahi asli Resident Registration Form ka HTML/PHP code diya gaya hai jo screen par dikhta hai (yeh code index.php ke andar hota hai):

```
<!-- REGISTER FORM -->
<!-- ============================================================ -->
<form id="form-register" method="POST" action="register.php" autocomplete="off" style="<?= $activeTab === 'l

<!-- Top Registration Tabs -->
<div class="setup-nav-tabs">
<a href="javascript:void(0)" class="setup-nav-tab active">
<i class="fas fa-house-user"></i> Resident
</a>
```

```
<a href="setup/create_security.php" class="setup-nav-tab">
<i class="fas fa-shield-halved"></i> Security Guard
</a>
<a href="setup/create_admin.php" class="setup-nav-tab">
<i class="fas fa-user-shield"></i> + Society & Admin
</a>
</div>

<div style="text-align:left; margin-bottom: 20px;">
<h2 style="font-size:1.3rem; font-weight:700; color:#0f172a; margin-bottom:4px;">Resident Registration&l;
<p style="font-size:0.84rem; color:#64748b; line-height:1.45; margin:0;">Create flat owner or tenant acc
</div>

<div class="form-group">
<label class="form-label">Select Residential Society *</label>
<select name="society_id" class="form-control-custom" required>
<option value="">-- Choose Society --</option>
<?php foreach ($allSocieties as $s): ?>
<option value="<?= (int)$s['id'] ?>"><?= htmlspecialchars($s['name']) ?><?= !empty($s
<?php endforeach; ?>
</select>
</div>

<div class="form-group">
<label class="form-label">Resident Full Name *</label>
<input type="text" name="name" class="form-control-custom" placeholder="e.g. Rajesh Sharma" required autoco
</div>

<div class="form-row">
<div class="form-group">
<label class="form-label">Wing / Block *</label>
<input type="text" name="wing" class="form-control-custom" placeholder="e.g. A" value="A" required autoco
</div>
<div class="form-group">
<label class="form-label">Flat No. *</label>
<input type="text" name="flat_no" class="form-control-custom" placeholder="e.g. 102 or B-404" required au
</div>
</div>

<div class="form-row">
<div class="form-group">
<label class="form-label">Login Email Address *</label>
<input type="email" name="email" class="form-control-custom" placeholder="e.g. rajesh@example.com" requir
</div>
<div class="form-group">
<label class="form-label">Phone Number</label>
<input type="tel" name="phone" class="form-control-custom" placeholder="+91 98765 43210" autocomplete="of
</div>
</div>

<div class="form-group">
<label class="form-label">Password (Min. 6 characters) *</label>
<div class="input-wrapper">
<input id="reg-password" type="password" name="password" class="form-control-custom"
placeholder="••••••••" required minlength="6" autocomplete="new-password">
<button type="button" class="toggle-password" onclick="togglePassword('reg-password', this)" title="Show/
<i class="fas fa-eye"></i>
</button>
</div>
</div>

<button type="submit" class="btn-submit" style="background:#059669; margin-top:8px;">
<i class="fas fa-house-user"></i> Create Resident Account
</button>

<div class="auth-toggle">
Already have an account? <a href="javascript:void(0)" onclick="showTab('login')">Login</a>
</div>
</form>

</div>
```

setup/create_member.php

```
 <?php
 if (session_status() === PHP_SESSION_NONE) session_start();
 require_once __DIR__ . '/../config/db.php';

 $db = getDB();
 $msg = '';
 $error = '';

 if ($_SERVER['REQUEST_METHOD'] === 'POST') {
 $socId = !empty($_POST['society_id']) ? (int)$_POST['society_id'] : null;
 $name = trim($_POST['name'] ?? '');
 $email = trim($_POST['email'] ?? '');
$password = $_POST['password'] ?? '';
$phone = trim($_POST['phone'] ?? '');
$wing = trim($_POST['wing'] ?? 'A');
$flat_no = trim($_POST['flat_no'] ?? '');

if (!$socId) {
$error = 'Please select your residential society.';
} elseif (!$name || !$email || !$password || !$flat_no) {
$error = 'Resident name, flat number, email, and password are required.';
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
$error = 'Please enter a valid email address.';
} elseif (strlen($password) < 6) {
$error = 'Password must be at least 6 characters long.';
} else {
// Check if email already registered
$chk = $db->prepare("SELECT id FROM users WHERE email = ?");
$chk->bind_param('s', $email);
$chk->execute();
$chk->store_result();

if ($chk->num_rows > 0) {
$error = 'An account with this email address already exists.';
} else {
$hash = password_hash($password, PASSWORD_BCRYPT);
$stmt = $db->prepare("INSERT INTO users (name, email, password, role, flat_no, phone, wing, avatar_color,
$stmt->bind_param('ssssssi', $name, $email, $hash, $flat_no, $phone, $wing, $socId);
if ($stmt->execute()) {
header('Location: ../index.php?msg=' . urlencode('Resident account created successfully! Please sign in.
exit;
} else {
$error = 'Database error: ' . $db->error;
}
}
$chk->close();
}
}

$socSettings = function_exists('getSocietySettings') ? getSocietySettings() : [
'app_name' => 'Society MS',
'society_name' => 'Gokuldham Heights CHS Ltd.',
'society_short_name' => 'Gokuldham'
];
$appName = $socSettings['app_name'] ?? 'Society MS';
$socName = $socSettings['society_name'] ?? 'Society';
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Setup Resident Account — <?= htmlspecialchars($appName) ?> | <?= htmlspecialchars($socSettings['
<!-- Fonts & Icons -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700&display=swap" rel="
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<style>
*, *::before, *::after {
box-sizing: border-box;
}
body {
background: linear-gradient(135deg, #f0fdf4 0%, #ecfdf5 45%, #d1fae5 100%);
background-attachment: fixed;
font-family: 'Plus Jakarta Sans', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
min-height: 100vh;
display: flex;
align-items: center;
justify-content: center;
padding: 30px 16px;
color: #1e293b;
}
.setup-box {
background: #ffffff;
```

```
max-width: 530px;
width: 100%;
border-radius: 20px;
padding: 38px 34px;
box-shadow: 0 16px 40px rgba(16, 185, 129, 0.12), 0 4px 16px rgba(0, 0, 0, 0.04);
border: 1px solid #dcfce7;
position: relative;
}
.setup-logo {
display: flex;
align-items: center;
gap: 14px;
margin-bottom: 22px;
padding-bottom: 16px;
border-bottom: 1px solid #f1f5f9;
}
.setup-logo img {
width: 48px;
height: 48px;
border-radius: 12px;
object-fit: cover;
box-shadow: 0 4px 10px rgba(0,0,0,0.06);
}
.setup-logo h2 {
font-size: 1.35rem;
font-weight: 800;
color: #0f172a;
margin: 0;
line-height: 1.2;
}
.setup-logo span {
font-size: 0.78rem;
color: #059669;
font-weight: 600;
display: flex;
align-items: center;
gap: 5px;
margin-top: 3px;
}
.setup-nav-tabs {
display: flex;
background: #f1f5f9;
padding: 4px;
border-radius: 12px;
margin-bottom: 22px;
gap: 4px;
}
.setup-nav-tab {
flex: 1;
text-align: center;
padding: 9px 8px;
font-size: 0.78rem;
font-weight: 600;
color: #64748b;
text-decoration: none;
border-radius: 9px;
transition: all .2s ease;
display: flex;
align-items: center;
justify-content: center;
gap: 6px;
white-space: nowrap;
}
.setup-nav-tab:hover {
color: #0f172a;
background: rgba(255,255,255,0.7);
}
.setup-nav-tab.active {
background: #ffffff;
color: #059669;
font-weight: 700;
box-shadow: 0 2px 8px rgba(0,0,0,0.07);
}
.badge-step {
display: inline-flex;
align-items: center;
gap: 6px;
padding: 4px 12px;
background: #ecfdf5;
color: #059669;
font-size: 0.74rem;
font-weight: 700;
border-radius: 99px;
margin-bottom: 8px;
}
.form-group {
margin-bottom: 16px;
}
.form-group label {
```

```
display: flex;
align-items: center;
gap: 6px;
font-size: 0.82rem;
font-weight: 600;
color: #334155;
margin-bottom: 6px;
}
.form-group label i {
color: #059669;
font-size: 0.85rem;
}
.form-row {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 12px;
}
.form-control-custom {
width: 100%;
padding: 11px 15px;
font-size: 0.9rem;
font-family: inherit;
color: #1e293b;
background: #ffffff;
border: 1px solid #cbd5e1;
border-radius: 10px;
outline: none;
transition: all 0.2s ease;
}
.form-control-custom:focus {
border-color: #059669;
box-shadow: 0 0 0 3px rgba(5, 150, 105, 0.12);
}
select.form-control-custom {
appearance: none;
-webkit-appearance: none;
background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24
background-repeat: no-repeat;
background-position: right 14px center;
background-size: 16px;
cursor: pointer;
}
.input-wrapper {
position: relative;
display: flex;
align-items: center;
}
.input-wrapper .form-control-custom {
padding-right: 44px;
}
.toggle-password {
position: absolute;
right: 14px;
background: none;
border: none;
color: #94a3b8;
cursor: pointer;
font-size: 0.9rem;
display: flex;
align-items: center;
justify-content: center;
padding: 4px;
transition: color 0.2s;
}
.toggle-password:hover {
color: #059669;
}
.btn-submit-custom {
width: 100%;
background: #059669;
color: #ffffff;
border: none;
border-radius: 10px;
padding: 13px 20px;
font-size: 0.96rem;
font-weight: 700;
font-family: inherit;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 8px;
transition: all 0.2s ease;
box-shadow: 0 4px 12px rgba(5, 150, 105, 0.25);
}
.btn-submit-custom:hover {
background: #047857;
transform: translateY(-1px);
box-shadow: 0 6px 16px rgba(5, 150, 105, 0.3);
```

```
}
.auth-toggle {
text-align: center;
margin-top: 20px;
font-size: 0.85rem;
color: #64748b;
}
.auth-toggle a {
color: #059669;
text-decoration: none;
font-weight: 700;
transition: color 0.2s;
}
.auth-toggle a:hover {
text-decoration: underline;
}
.alert-box {
padding: 12px 16px;
border-radius: 10px;
font-size: 0.86rem;
margin-bottom: 18px;
display: flex;
align-items: center;
gap: 10px;
background: #fef2f2;
border: 1px solid #fecaca;
color: #dc2626;
}
@media (max-width: 480px) {
.setup-box {
padding: 28px 20px;
}
.form-row {
grid-template-columns: 1fr;
gap: 0;
}
}
</style>
</head>
<body>

<div class="setup-box">
<div class="setup-logo">
<img src="../assets/images/logo.png" alt="<?= htmlspecialchars($appName) ?> Logo" onerror="this.style.displ
<div>
<h2><?= htmlspecialchars($appName) ?></h2>
<span><i class="fas fa-cubes"></i> Multi-Society Onboarding Portal</span>
</div>
</div>

<!-- Switch Tabs -->
<div class="setup-nav-tabs">
<a href="create_admin.php" class="setup-nav-tab">
<i class="fas fa-user-shield"></i> + Society & Admin
</a>
<a href="create_security.php" class="setup-nav-tab">
<i class="fas fa-shield-halved"></i> Security
</a>
<a href="create_member.php" class="setup-nav-tab active">
<i class="fas fa-house-user"></i> Resident
</a>
</div>

<div style="text-align:left; margin-bottom:18px;">
<span class="badge-step"><i class="fas fa-house-user"></i> Resident Portal Access</span>
<h3 style="font-size:1.22rem;font-weight:700;color:#0f172a;margin-bottom:4px;">Create Resident / Member Accoun
<p style="font-size:0.82rem;color:#64748b;line-height:1.45;margin:0;">Register flat owners and tenants to pay
</div>

<?php if ($error): ?>
<div class="alert-box">
<i class="fas fa-circle-xmark"></i>
<span><?= htmlspecialchars($error) ?></span>
</div>
<?php endif; ?>

<?php $allSocieties = function_exists('getAllSocieties') ? getAllSocieties() : []; ?>
<form method="POST" action="" autocomplete="off">
<div class="form-group">
<label><i class="fas fa-city"></i> Select Residential Society *</label>
<select name="society_id" class="form-control-custom" required>
<option value="">-- Choose Society --</option>
<?php foreach ($allSocieties as $s): ?>
<option value="<?= (int)$s['id'] ?>" <?= (!empty($_POST['society_id']) && (int)$_POST['soc
<?= htmlspecialchars($s['name']) ?><?= !empty($s['address']) ? ' (' . htmlspecialchars($s['address'
</option>
<?php endforeach; ?>
</select>
</div>
```

```
<div class="form-group">
<label><i class="fas fa-user"></i> Resident Full Name *</label>
<input type="text" name="name" class="form-control-custom" placeholder="e.g. Rajesh Sharma" required autocomple
</div>

<div class="form-row">
<div class="form-group">
<label><i class="fas fa-building"></i> Wing / Block *</label>
<input type="text" name="wing" class="form-control-custom" placeholder="e.g. A" value="<?= htmlspecialchar
</div>
<div class="form-group">
<label><i class="fas fa-door-open"></i> Flat / Apartment No. *</label>
<input type="text" name="flat_no" class="form-control-custom" placeholder="e.g. 101 or B-204" required autoco
</div>
</div>

<div class="form-row">
<div class="form-group">
<label><i class="fas fa-envelope"></i> Login Email Address *</label>
<input type="email" name="email" class="form-control-custom" placeholder="e.g. rajesh@example.com" required a
</div>
<div class="form-group">
<label><i class="fas fa-phone"></i> Phone Number</label>
<input type="tel" name="phone" class="form-control-custom" placeholder="+91 98765 43210" autocomplete="off" v
</div>
</div>

<div class="form-group">
<label><i class="fas fa-lock"></i> Password (Min. 6 characters) *</label>
<div class="input-wrapper">
<input id="mem-password" type="password" name="password" class="form-control-custom" placeholder="••••••••" r
<button type="button" class="toggle-password" onclick="togglePassword('mem-password', this)" title="Show/Hide
<i class="fas fa-eye"></i>
</button>
</div>
</div>

<div style="margin-top:22px;">
<button type="submit" class="btn-submit-custom">
<i class="fas fa-house-user"></i> Create Resident Account
</button>
</div>

<div class="auth-toggle">
Already have an account? <a href="../index.php">Return to Sign In</a>
 </div>
 </form>
 </div>

 <script>
 function togglePassword(inputId, btn) {
 const input = document.getElementById(inputId);
 const icon = btn.querySelector('i');
 if (input.type === 'password') {
 input.type = 'text';
 icon.className = 'fas fa-eye-slash';
 } else {
 input.type = 'password';
 icon.className = 'fas fa-eye';
 }
 }
 </script>
 </body>
 </html>
```

setup/create_security.php

```
<?php
if (session_status() === PHP_SESSION_NONE) session_start();
require_once __DIR__ . '/../config/db.php';

$db = getDB();
$msg = '';
$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
$socId = !empty($_POST['society_id']) ? (int)$_POST['society_id'] : null;
$name = trim($_POST['name'] ?? '');
$email = trim($_POST['email'] ?? '');
$password = $_POST['password'] ?? '';
$phone = trim($_POST['phone'] ?? '');
$gate = trim($_POST['gate'] ?? 'Main Gate');

if (!$socId) {
$error = 'Please select the residential society for this security guard.';
} elseif (!$name || !$email || !$password) {
$error = 'Guard name, email, and password are required.';
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
$error = 'Please enter a valid email address.';
} elseif (strlen($password) < 6) {
$error = 'Password must be at least 6 characters long.';
} else {
// Check if email already registered
$chk = $db->prepare("SELECT id FROM users WHERE email = ?");
$chk->bind_param('s', $email);
$chk->execute();
$chk->store_result();

if ($chk->num_rows > 0) {
$error = 'An account with this email address already exists.';
} else {
$hash = password_hash($password, PASSWORD_BCRYPT);
$stmt = $db->prepare("INSERT INTO users (name, email, password, role, flat_no, phone, wing, avatar_color,
$stmt->bind_param('sssssi', $name, $email, $hash, $gate, $phone, $socId);
if ($stmt->execute()) {
header('Location: ../index.php?msg=' . urlencode('Security Guard account created successfully! Please si
exit;
} else {
$error = 'Database error: ' . $db->error;
}
}
$chk->close();
}
}

$socSettings = function_exists('getSocietySettings') ? getSocietySettings() : [
'app_name' => 'Society MS',
'society_name' => 'Gokuldham Heights CHS Ltd.',
'society_short_name' => 'Gokuldham'
];
$appName = $socSettings['app_name'] ?? 'Society MS';
$socName = $socSettings['society_name'] ?? 'Society';
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Setup Security Guard — <?= htmlspecialchars($appName) ?> | <?= htmlspecialchars($socSettings['so
<!-- Fonts & Icons -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700&display=swap" rel="
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<style>
*, *::before, *::after {
box-sizing: border-box;
}
body {
background: linear-gradient(135deg, #f0fdf4 0%, #ecfdf5 45%, #d1fae5 100%);
background-attachment: fixed;
font-family: 'Plus Jakarta Sans', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
min-height: 100vh;
display: flex;
align-items: center;
justify-content: center;
padding: 30px 16px;
color: #1e293b;
}
.setup-box {
background: #ffffff;
max-width: 530px;
```

```
width: 100%;
border-radius: 20px;
padding: 38px 34px;
box-shadow: 0 16px 40px rgba(16, 185, 129, 0.12), 0 4px 16px rgba(0, 0, 0, 0.04);
border: 1px solid #dcfce7;
position: relative;
}
.setup-logo {
display: flex;
align-items: center;
gap: 14px;
margin-bottom: 22px;
padding-bottom: 16px;
border-bottom: 1px solid #f1f5f9;
}
.setup-logo img {
width: 48px;
height: 48px;
border-radius: 12px;
object-fit: cover;
box-shadow: 0 4px 10px rgba(0,0,0,0.06);
}
.setup-logo h2 {
font-size: 1.35rem;
font-weight: 800;
color: #0f172a;
margin: 0;
line-height: 1.2;
}
.setup-logo span {
font-size: 0.78rem;
color: #059669;
font-weight: 600;
display: flex;
align-items: center;
gap: 5px;
margin-top: 3px;
}
.setup-nav-tabs {
display: flex;
background: #f1f5f9;
padding: 4px;
border-radius: 12px;
margin-bottom: 22px;
gap: 4px;
}
.setup-nav-tab {
flex: 1;
text-align: center;
padding: 9px 8px;
font-size: 0.78rem;
font-weight: 600;
color: #64748b;
text-decoration: none;
border-radius: 9px;
transition: all .2s ease;
display: flex;
align-items: center;
justify-content: center;
gap: 6px;
white-space: nowrap;
}
.setup-nav-tab:hover {
color: #0f172a;
background: rgba(255,255,255,0.7);
}
.setup-nav-tab.active {
background: #ffffff;
color: #059669;
font-weight: 700;
box-shadow: 0 2px 8px rgba(0,0,0,0.07);
}
.badge-step {
display: inline-flex;
align-items: center;
gap: 6px;
padding: 4px 12px;
background: #ecfdf5;
color: #059669;
font-size: 0.74rem;
font-weight: 700;
border-radius: 99px;
margin-bottom: 8px;
}
.badge-security {
background: #f0fdf4;
color: #047857;
}
.form-group {
```

```
margin-bottom: 16px;
}
.form-group label {
display: flex;
align-items: center;
gap: 6px;
font-size: 0.82rem;
font-weight: 600;
color: #334155;
margin-bottom: 6px;
}
.form-group label i {
color: #059669;
font-size: 0.85rem;
}
.form-row {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 12px;
}
.form-control-custom {
width: 100%;
padding: 11px 15px;
font-size: 0.9rem;
font-family: inherit;
color: #1e293b;
background: #ffffff;
border: 1px solid #cbd5e1;
border-radius: 10px;
outline: none;
transition: all 0.2s ease;
}
.form-control-custom:focus {
border-color: #059669;
box-shadow: 0 0 0 3px rgba(5, 150, 105, 0.12);
}
select.form-control-custom {
appearance: none;
-webkit-appearance: none;
background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24
background-repeat: no-repeat;
background-position: right 14px center;
background-size: 16px;
cursor: pointer;
}
.input-wrapper {
position: relative;
display: flex;
align-items: center;
}
.input-wrapper .form-control-custom {
padding-right: 44px;
}
.toggle-password {
position: absolute;
right: 14px;
background: none;
border: none;
color: #94a3b8;
cursor: pointer;
font-size: 0.9rem;
display: flex;
align-items: center;
justify-content: center;
padding: 4px;
transition: color 0.2s;
}
.toggle-password:hover {
color: #059669;
}
.btn-submit-custom {
width: 100%;
background: #059669;
color: #ffffff;
border: none;
border-radius: 10px;
padding: 13px 20px;
font-size: 0.96rem;
font-weight: 700;
font-family: inherit;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 8px;
transition: all 0.2s ease;
box-shadow: 0 4px 12px rgba(5, 150, 105, 0.25);
}
.btn-submit-custom:hover {
```

```
background: #047857;
transform: translateY(-1px);
box-shadow: 0 6px 16px rgba(5, 150, 105, 0.3);
}
.auth-toggle {
text-align: center;
margin-top: 20px;
font-size: 0.85rem;
color: #64748b;
}
.auth-toggle a {
color: #059669;
text-decoration: none;
font-weight: 700;
transition: color 0.2s;
}
.auth-toggle a:hover {
text-decoration: underline;
}
.alert-box {
padding: 12px 16px;
border-radius: 10px;
font-size: 0.86rem;
margin-bottom: 18px;
display: flex;
align-items: center;
gap: 10px;
background: #fef2f2;
border: 1px solid #fecaca;
color: #dc2626;
}
@media (max-width: 480px) {
.setup-box {
padding: 28px 20px;
}
.form-row {
grid-template-columns: 1fr;
gap: 0;
}
}
</style>
</head>
<body>

<div class="setup-box">
<div class="setup-logo">
<img src="../assets/images/logo.png" alt="<?= htmlspecialchars($appName) ?> Logo" onerror="this.style.displ
<div>
<h2><?= htmlspecialchars($appName) ?></h2>
<span><i class="fas fa-cubes"></i> Multi-Society Onboarding Portal</span>
</div>
</div>

<!-- Switch Tabs -->
<div class="setup-nav-tabs">
<a href="create_admin.php" class="setup-nav-tab">
<i class="fas fa-user-shield"></i> + Society & Admin
</a>
<a href="create_security.php" class="setup-nav-tab active">
<i class="fas fa-shield-halved"></i> Security
</a>
<a href="create_member.php" class="setup-nav-tab">
<i class="fas fa-house-user"></i> Resident
</a>
</div>

<div style="text-align:left; margin-bottom:18px;">
<span class="badge-step badge-security"><i class="fas fa-shield-halved"></i> Gate Terminal Access&
<h3 style="font-size:1.22rem;font-weight:700;color:#0f172a;margin-bottom:4px;">Create Security Guard Account&l;
<p style="font-size:0.82rem;color:#64748b;line-height:1.45;margin:0;">Register gate officers to manage visitor
</div>

<?php if ($error): ?>
<div class="alert-box">
<i class="fas fa-circle-xmark"></i>
<span><?= htmlspecialchars($error) ?></span>
</div>
<?php endif; ?>

<?php $allSocieties = function_exists('getAllSocieties') ? getAllSocieties() : []; ?>
<form method="POST" action="" autocomplete="off">
<div class="form-group">
<label><i class="fas fa-city"></i> Assigned Residential Society *</label>
<select name="society_id" class="form-control-custom" required>
<option value="">-- Choose Society --</option>
<?php foreach ($allSocieties as $s): ?>
<option value="<?= (int)$s['id'] ?>" <?= (!empty($_POST['society_id']) && (int)$_POST['soc
<?= htmlspecialchars($s['name']) ?><?= !empty($s['address']) ? ' (' . htmlspecialchars($s['address'
</option>
```

```
<?php endforeach; ?>
</select>
</div>

<div class="form-group">
<label><i class="fas fa-user-shield"></i> Guard / Officer Name *</label>
<input type="text" name="name" class="form-control-custom" placeholder="e.g. Ramesh Kumar (Main Gate)" required
</div>
 <div class="form-row">
 <div class="form-group">
 <label><i class="fas fa-torii-gate"></i> Gate Post / Duty Terminal *</label>
 <input type="text" name="gate" class="form-control-custom" placeholder="e.g. Main Gate, Gate-2, Tower A" valu
 </div>
 <div class="form-group">
 <label><i class="fas fa-phone"></i> Phone Number</label>
 <input type="tel" name="phone" class="form-control-custom" placeholder="+91 98765 43210" autocomplete="off" v
 </div>
 </div>

 <div class="form-group">
 <label><i class="fas fa-envelope"></i> Login Email Address *</label>
 <input type="email" name="email" class="form-control-custom" placeholder="e.g. security@society.com or guard1@s
 </div>

 <div class="form-group">
 <label><i class="fas fa-lock"></i> Password (Min. 6 characters) *</label>
 <div class="input-wrapper">
 <input id="sec-password" type="password" name="password" class="form-control-custom" placeholder="••••••••" r
 <button type="button" class="toggle-password" onclick="togglePassword('sec-password', this)" title="Show/Hide
 <i class="fas fa-eye"></i>
 </button>
 </div>
 </div>

 <div style="margin-top:22px;">
 <button type="submit" class="btn-submit-custom">
 <i class="fas fa-shield-halved"></i> Create Security Account
 </button>
 </div>

 <div class="auth-toggle">
 Already have an account? <a href="../index.php">Return to Sign In</a>
 </div>
 </form>
 </div>

 <script>
 function togglePassword(inputId, btn) {
 const input = document.getElementById(inputId);
 const icon = btn.querySelector('i');
 if (input.type === 'password') {
 input.type = 'text';
 icon.className = 'fas fa-eye-slash';
 } else {
 input.type = 'password';
 icon.className = 'fas fa-eye';
 }
 }
 </script>
 </body>
 </html>
```

setup/create_admin.php

```
<?php
if (session_status() === PHP_SESSION_NONE) session_start();
require_once __DIR__ . '/../config/db.php';

$db = getDB();
$chk = $db->query("SELECT COUNT(*) as c FROM users WHERE role='admin'")->fetch_assoc();
$adminCount = intval($chk['c'] ?? 0);

$msg = '';
$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
$socName = trim($_POST['society_name'] ?? '');
$socShort = trim($_POST['society_short'] ?? '');
$socAddress = trim($_POST['society_address'] ?? '');
$name = trim($_POST['name'] ?? '');
$email = trim($_POST['email'] ?? '');
$password = $_POST['password'] ?? '';
$phone = trim($_POST['phone'] ?? '');

if (!$socName) {
$error = 'Please enter the Registered Society Name.';
} elseif (!$name || !$email || !$password) {
$error = 'Admin Name, email, and password are required.';
} elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
$error = 'Please enter a valid email address.';
} elseif (strlen($password) < 6) {
$error = 'Password must be at least 6 characters long.';
} else {
$db = getDB();
// Check if email already in use
$chkUser = $db->prepare("SELECT id FROM users WHERE email = ? LIMIT 1");
$chkUser->bind_param('s', $email);
$chkUser->execute();
$chkUser->store_result();
if ($chkUser->num_rows > 0) {
$error = 'An account with this email address already exists. Please use a different email.';
$chkUser->close();
} else {
$chkUser->close();

 // Check if society already exists by name
$chkSoc = $db->prepare("SELECT id, name FROM societies WHERE LOWER(name) = LOWER(?) LIMIT 1");
$chkSoc->bind_param('s', $socName);
$chkSoc->execute();
$socRes = $chkSoc->get_result();

if ($existingSoc = $socRes->fetch_assoc()) {
$socId = (int)$existingSoc['id'];
$chkSoc->close();

// Check if this existing society already has an admin
$chkAdm = $db->prepare("SELECT id FROM users WHERE society_id = ? AND role = 'admin' LIMIT 1");
$chkAdm->bind_param('i', $socId);
$chkAdm->execute();
$admRes = $chkAdm->get_result();

if ($admRes->num_rows > 0) {
$error = "This society ('" . htmlspecialchars($existingSoc['name']) . "') already has an administrat
$chkAdm->close();
} else {
$chkAdm->close();
// Society exists but has no admin: create the 1 admin for this society
$hash = password_hash($password, PASSWORD_BCRYPT);
$insUser = $db->prepare("INSERT INTO users (name, email, password, role, flat_no, phone, wing, so
$insUser->bind_param('ssssi', $name, $email, $hash, $phone, $socId);
if ($insUser->execute()) {
$insUser->close();
header('Location: ../index.php?msg=' . urlencode("Admin account for '{$existingSoc['name']}' reg
exit;
} else {
$error = 'Failed to create admin user: ' . $db->error;
}
}
} else {
$chkSoc->close();
// 1. Create New Society
$shortVal = $socShort ?: $socName;
$insSoc = $db->prepare("INSERT INTO societies (name, short_name, address) VALUES (?, ?, ?)");
$insSoc->bind_param('sss', $socName, $shortVal, $socAddress);
if ($insSoc->execute()) {
$socId = (int)$db->insert_id;
$insSoc->close();

// 2. Create Admin user for this Society
```

```
$hash = password_hash($password, PASSWORD_BCRYPT);
$insUser = $db->prepare("INSERT INTO users (name, email, password, role, flat_no, phone, wing, so
$insUser->bind_param('ssssi', $name, $email, $hash, $phone, $socId);
if ($insUser->execute()) {
$insUser->close();
header('Location: ../index.php?msg=' . urlencode("Society '{$shortVal}' and Admin account regist
exit;
} else {
$error = 'Failed to create admin user: ' . $db->error;
}
} else {
$error = 'Failed to register society: ' . $db->error;
}
}
}
}
}

$socSettings = function_exists('getSocietySettings') ? getSocietySettings() : [
'app_name' => 'Society MS'
];
$appName = $socSettings['app_name'] ?? 'Society MS';
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Register Society & Admin — <?= htmlspecialchars($appName) ?></title>
<!-- Fonts & Icons -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700&display=swap" rel="
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<style>
*, *::before, *::after {
box-sizing: border-box;
}
body {
background: linear-gradient(135deg, #f0fdf4 0%, #ecfdf5 45%, #d1fae5 100%);
background-attachment: fixed;
font-family: 'Plus Jakarta Sans', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
min-height: 100vh;
display: flex;
align-items: center;
justify-content: center;
padding: 30px 16px;
color: #1e293b;
}
.setup-box {
background: #ffffff;
max-width: 560px;
width: 100%;
border-radius: 20px;
padding: 38px 34px;
box-shadow: 0 16px 40px rgba(16, 185, 129, 0.12), 0 4px 16px rgba(0, 0, 0, 0.04);
border: 1px solid #dcfce7;
position: relative;
}
.setup-logo {
display: flex;
align-items: center;
gap: 14px;
margin-bottom: 22px;
padding-bottom: 16px;
border-bottom: 1px solid #f1f5f9;
}
.setup-logo img {
width: 48px;
height: 48px;
border-radius: 12px;
object-fit: cover;
box-shadow: 0 4px 10px rgba(0,0,0,0.06);
}
.setup-logo h2 {
font-size: 1.35rem;
font-weight: 800;
color: #0f172a;
margin: 0;
line-height: 1.2;
}
.setup-logo span {
font-size: 0.78rem;
color: #059669;
font-weight: 600;
display: flex;
align-items: center;
gap: 5px;
margin-top: 3px;
```

```
}
.setup-nav-tabs {
display: flex;
background: #f1f5f9;
padding: 4px;
border-radius: 12px;
margin-bottom: 22px;
gap: 4px;
}
.setup-nav-tab {
flex: 1;
text-align: center;
padding: 9px 8px;
font-size: 0.78rem;
font-weight: 600;
color: #64748b;
text-decoration: none;
border-radius: 9px;
transition: all .2s ease;
display: flex;
align-items: center;
justify-content: center;
gap: 6px;
white-space: nowrap;
}
.setup-nav-tab:hover {
color: #0f172a;
background: rgba(255,255,255,0.7);
}
.setup-nav-tab.active {
background: #ffffff;
color: #059669;
font-weight: 700;
box-shadow: 0 2px 8px rgba(0,0,0,0.07);
}
.badge-step {
display: inline-flex;
align-items: center;
gap: 6px;
padding: 4px 12px;
background: #eff6ff;
color: #1d4ed8;
font-size: 0.74rem;
font-weight: 700;
border-radius: 99px;
margin-bottom: 8px;
}
.form-section-title {
font-size: 0.84rem;
font-weight: 700;
color: #0f172a;
background: #f8fafc;
padding: 8px 12px;
border-radius: 8px;
border-left: 3px solid #059669;
margin: 18px 0 14px;
display: flex;
align-items: center;
gap: 8px;
}
.form-group {
margin-bottom: 16px;
}
.form-group label {
display: flex;
align-items: center;
gap: 6px;
font-size: 0.82rem;
font-weight: 600;
color: #334155;
margin-bottom: 6px;
}
.form-group label i {
color: #059669;
font-size: 0.85rem;
}
.form-row {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 12px;
}
.form-control-custom {
width: 100%;
padding: 11px 15px;
font-size: 0.9rem;
font-family: inherit;
color: #1e293b;
background: #ffffff;
border: 1px solid #cbd5e1;
```

```
border-radius: 10px;
outline: none;
transition: all 0.2s ease;
}
.form-control-custom:focus {
border-color: #059669;
box-shadow: 0 0 0 3px rgba(5, 150, 105, 0.12);
}
.input-wrapper {
position: relative;
display: flex;
align-items: center;
}
.input-wrapper .form-control-custom {
padding-right: 44px;
}
.toggle-password {
position: absolute;
right: 14px;
background: none;
border: none;
color: #94a3b8;
cursor: pointer;
font-size: 0.9rem;
display: flex;
align-items: center;
justify-content: center;
padding: 4px;
transition: color 0.2s;
}
.toggle-password:hover {
color: #059669;
}
.btn-submit-custom {
width: 100%;
background: #059669;
color: #ffffff;
border: none;
border-radius: 10px;
padding: 13px 20px;
font-size: 0.96rem;
font-weight: 700;
font-family: inherit;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 8px;
transition: all 0.2s ease;
box-shadow: 0 4px 12px rgba(5, 150, 105, 0.25);
}
.btn-submit-custom:hover {
background: #047857;
transform: translateY(-1px);
box-shadow: 0 6px 16px rgba(5, 150, 105, 0.3);
}
.auth-toggle {
text-align: center;
margin-top: 20px;
font-size: 0.85rem;
color: #64748b;
}
.auth-toggle a {
color: #059669;
text-decoration: none;
font-weight: 700;
transition: color 0.2s;
}
.auth-toggle a:hover {
text-decoration: underline;
}
.alert-box {
padding: 12px 16px;
border-radius: 10px;
font-size: 0.86rem;
margin-bottom: 18px;
display: flex;
align-items: center;
gap: 10px;
background: #fef2f2;
border: 1px solid #fecaca;
color: #dc2626;
}
@media (max-width: 480px) {
.setup-box {
padding: 28px 20px;
}
.form-row {
grid-template-columns: 1fr;
```

```
gap: 0;
}
}
</style>
</head>
<body>

<div class="setup-box">
<div class="setup-logo">
<img src="../assets/images/logo.png" alt="<?= htmlspecialchars($appName) ?> Logo" onerror="this.style.displ
<div>
<h2><?= htmlspecialchars($appName) ?></h2>
<span><i class="fas fa-cubes"></i> Multi-Society Onboarding Portal</span>
</div>
</div>

<!-- Switch Tabs -->
<div class="setup-nav-tabs">
<a href="create_admin.php" class="setup-nav-tab active">
<i class="fas fa-user-shield"></i> + Society & Admin
</a>
<a href="create_security.php" class="setup-nav-tab">
<i class="fas fa-shield-halved"></i> Security
</a>
<a href="create_member.php" class="setup-nav-tab">
<i class="fas fa-house-user"></i> Resident
</a>
</div>

<div style="text-align:left; margin-bottom:18px;">
<span class="badge-step"><i class="fas fa-building-circle-check"></i> Register New Society</spa
<h3 style="font-size:1.22rem;font-weight:700;color:#0f172a;margin-bottom:4px;">Register Society & Admin Ac
<p style="font-size:0.82rem;color:#64748b;line-height:1.45;margin:0;">Register your housing society and create
</div>

<?php if ($error): ?>
<div class="alert-box">
<i class="fas fa-circle-xmark"></i>
<span><?= htmlspecialchars($error) ?></span>
</div>
<?php endif; ?>

<form method="POST" action="" autocomplete="off">
<div class="form-section-title"><i class="fas fa-building"></i> Society Information</div>

<div class="form-group">
<label><i class="fas fa-building"></i> Full Registered Society Name *</label>
<input type="text" name="society_name" class="form-control-custom" placeholder="e.g. Silver Oak Heights CHS Ltd
</div>

<div class="form-row">
<div class="form-group">
<label><i class="fas fa-tag"></i> Short Name / Alias</label>
<input type="text" name="society_short" class="form-control-custom" placeholder="e.g. Silver Oak" autocomplet
</div>
<div class="form-group">
<label><i class="fas fa-location-dot"></i> City / Location</label>
<input type="text" name="society_address" class="form-control-custom" placeholder="e.g. Navi Mumbai" autocomp
</div>
</div>

<div class="form-section-title"><i class="fas fa-user-shield"></i> Create Admin/Secretary Account&

<div class="form-group">
<label><i class="fas fa-user-tie"></i> Admin Full Name / Role *</label>
<input type="text" name="name" class="form-control-custom" placeholder="e.g. Rajesh Sharma / Secretary" require
</div>

<div class="form-group">
<label><i class="fas fa-envelope"></i> Official Email Address *</label>
<input type="email" name="email" class="form-control-custom" placeholder="admin@example.com" required autocompl
</div>

<div class="form-row">
<div class="form-group">
<label><i class="fas fa-lock"></i> Password (Min. 6 chars) *</label>
 <div class="input-wrapper">
 <input id="adm-password" type="password" name="password" class="form-control-custom" placeholder="••••••••"
 <button type="button" class="toggle-password" onclick="togglePassword('adm-password', this)" title="Show/Hi
 <i class="fas fa-eye"></i>
 </button>
 </div>
 </div>
 <div class="form-group">
 <label><i class="fas fa-phone"></i> Mobile / Phone</label>
 <input type="tel" name="phone" class="form-control-custom" placeholder="+91 98765 43210" autocomplete="off" v
 </div>
 </div>
 <div style="margin-top:22px;">
```

```
<button type="submit" class="btn-submit-custom">
<i class="fas fa-building-circle-check"></i> Register Society & Admin Account
</button>
</div>

<div class="auth-toggle">
Already have an account? <a href="../index.php">Return to Sign In</a>
</div>
</form>
</div>

<script>
function togglePassword(inputId, btn) {
const input = document.getElementById(inputId);
const icon = btn.querySelector('i');
if (input.type === 'password') {
input.type = 'text';
icon.className = 'fas fa-eye-slash';
} else {
input.type = 'password';
icon.className = 'fas fa-eye';
}
}
</script>
</body>
</html>
```

admin/dashboard.php

```
 <?php
 if (session_status() === PHP_SESSION_NONE) session_start();
 require_once __DIR__ . '/../includes/auth.php';
 require_once __DIR__ . '/../config/db.php';
 requireRole('admin');
$user = currentUser();
$db = getDB();

$societyId = !empty($_SESSION['society_id']) ? (int)$_SESSION['society_id'] : 0;

// KPIs scoped to current society
$stmt = $db->prepare("SELECT COUNT(*) c FROM users WHERE role='member' AND society_id = ?");
$stmt->bind_param('i', $societyId);
$stmt->execute();
$totalMembers = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COUNT(*) c FROM maintenance_bills b JOIN users u ON u.id=b.member_id WHERE
b.status='pen
$stmt->bind_param('i', $societyId);
$stmt->execute();
$pendingBills = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COUNT(*) c FROM complaints c JOIN users u ON u.id=c.member_id WHERE c.status='open'
AND
$stmt->bind_param('i', $societyId);
$stmt->execute();
$openComplaints = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COUNT(*) c FROM events e JOIN users u ON u.id=e.created_by WHERE e.event_date >= CURD
$stmt->bind_param('i', $societyId);
$stmt->execute();
$upcomingEvents = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COALESCE(SUM(p.amount),0) t FROM payments p JOIN users u ON u.id=p.member_id WHERE
u.soc
$stmt->bind_param('i', $societyId);
$stmt->execute();
$totalRevenue = $stmt->get_result()->fetch_assoc()['t'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COALESCE(SUM(b.amount),0) t FROM maintenance_bills b JOIN users u ON u.id=b.member_id
WH
$stmt->bind_param('i', $societyId);
$stmt->execute();
$pendingAmount = $stmt->get_result()->fetch_assoc()['t'] ?? 0;
$stmt->close();

// New KPIs for visitors & vehicles
$stmt = $db->prepare("SELECT COUNT(*) c FROM visitors v JOIN users u ON u.id=v.member_id WHERE
v.status='checked_in'
$stmt->bind_param('i', $societyId);
$stmt->execute();
$activeVisitors = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

$stmt = $db->prepare("SELECT COUNT(*) c FROM vehicles v JOIN users u ON u.id=v.member_id WHERE u.society_id = ?");
$stmt->bind_param('i', $societyId);
$stmt->execute();
$totalVehicles = $stmt->get_result()->fetch_assoc()['c'] ?? 0;
$stmt->close();

// Complaints distribution
$stmt = $db->prepare("SELECT c.status, COUNT(*) as c FROM complaints c JOIN users u ON u.id=c.member_id WHERE
u.socie
$stmt->bind_param('i', $societyId);
$stmt->execute();
$complaintStats = $stmt->get_result()->fetch_all(MYSQLI_ASSOC);
$stmt->close();
$cMap = ['open'=>0, 'in_progress'=>0, 'resolved'=>0];
foreach ($complaintStats as $row) {
if (isset($cMap[$row['status']])) $cMap[$row['status']] = intval($row['c']);
}

// 6 Months Monthly Revenue Data for Chart
$monthsData = [];
for ($i = 5; $i >= 0; $i--) {
$m = date('n', strtotime("-$i months"));
$y = date('Y', strtotime("-$i months"));
$label = date('M Y', strtotime("-$i months"));

// Collected
```

```
$colStmt = $db->prepare("SELECT COALESCE(SUM(p.amount),0) t
FROM payments p
JOIN maintenance_bills b ON b.id=p.bill_id
JOIN users u ON u.id=p.member_id
WHERE b.month=? AND b.year=? AND u.society_id=?");
$colStmt->bind_param('iii', $m, $y, $societyId);
$colStmt->execute();
$collected = floatval($colStmt->get_result()->fetch_assoc()['t']);
$colStmt->close();

// Pending
$penStmt = $db->prepare("SELECT COALESCE(SUM(b.amount),0) t
FROM maintenance_bills b
JOIN users u ON u.id=b.member_id
WHERE b.month=? AND b.year=? AND b.status='pending' AND u.society_id=?");
$penStmt->bind_param('iii', $m, $y, $societyId);
$penStmt->execute();
$pending = floatval($penStmt->get_result()->fetch_assoc()['t']);
$penStmt->close();

$monthsData[] = [
'label' => $label,
'collected' => $collected,
'pending' => $pending
];
}

// Recent activity
$stmt = $db->prepare("SELECT name, flat_no, joined_at FROM users WHERE role='member' AND society_id = ? ORDER BY
join
$stmt->bind_param('i', $societyId);
$stmt->execute();
$recentMembers = $stmt->get_result()->fetch_all(MYSQLI_ASSOC);
$stmt->close();

$stmt = $db->prepare("SELECT c.title, c.status, c.created_at, u.name FROM complaints c JOIN users u ON
u.id=c.member_
$stmt->bind_param('i', $societyId);
$stmt->execute();
$recentComplaints = $stmt->get_result()->fetch_all(MYSQLI_ASSOC);
$stmt->close();
$active = 'dashboard';
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>Admin Dashboard — SocietyMS</title>
<link rel="stylesheet" href="/society-management/assets/css/style.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
</head>
<body>
<div class="app-layout">
<?php include __DIR__ . '/../includes/admin_sidebar.php'; ?>
<div class="main-content">
<header class="topbar">
<div class="topbar-left">
<button class="menu-toggle"><i class="fas fa-bars"></i></button>
<div class="page-title">
<h1>Admin Command Dashboard</h1>
<p>Welcome back, <?= htmlspecialchars($user['name']) ?> · Society Overview</p>
</div>
</div>
<div class="topbar-right">
<div class="topbar-badge">
<span class="dot"></span>
<?= date('D, d M Y') ?>
</div>
</div>
</header>

<div class="page-content fade-in">
<!-- KPI Cards -->
<div class="stats-grid">
<div class="stat-card" style="--stat-color:#10b981;--stat-bg:#ecfdf5">
<div class="stat-icon"><i class="fas fa-users"></i></div>
<div class="stat-info">
<h3 data-count="<?= $totalMembers ?>"><?= $totalMembers ?></h3>
<p>Total Members</p>
<span class="stat-change up">Residents</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#059669;--stat-bg:#dcfce7">
<div class="stat-icon"><i class="fas fa-door-open"></i></div>
<div class="stat-info">
<h3 data-count="<?= $activeVisitors ?>"><?= $activeVisitors ?></h3>
<p>Inside Society</p>
```

```
<span class="stat-change up">Active Visitors</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#f59e0b;--stat-bg:#fef3c7">
<div class="stat-icon"><i class="fas fa-file-invoice-dollar"></i></div>
<div class="stat-info">
<h3 data-count="<?= $pendingBills ?>"><?= $pendingBills ?></h3>
<p>Pending Bills</p>
<span class="stat-change down">■<?= number_format($pendingAmount,0,'.',',') ?> due</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#ef4444;--stat-bg:#fee2e2">
<div class="stat-icon"><i class="fas fa-triangle-exclamation"></i></div>
<div class="stat-info">
<h3 data-count="<?= $openComplaints ?>"><?= $openComplaints ?></h3>
<p>Open Complaints</p>
<span class="stat-change down">Action Required</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#0284c7;--stat-bg:#e0f2fe">
<div class="stat-icon"><i class="fas fa-car"></i></div>
<div class="stat-info">
<h3 data-count="<?= $totalVehicles ?>"><?= $totalVehicles ?></h3>
<p>Vehicles</p>
<span class="stat-change up">Registered</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#0d9488;--stat-bg:#ccfbf1">
<div class="stat-icon"><i class="fas fa-indian-rupee-sign"></i></div>
<div class="stat-info">
<h3>■<?= number_format($totalRevenue/1000,1) ?>K</h3>
<p>Total Revenue</p>
<span class="stat-change up">Collected</span>
</div>
</div>
</div>

<!-- Chart.js Interactive Analytics -->
<div style="display:grid;grid-template-columns:2fr 1fr;gap:20px;margin-bottom:24px" class="grid-charts">
<!-- Monthly Collections Bar Chart -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-chart-column" style="color:var(--primary);margin-right:8px"></i>Maint
<span style="font-size:0.8rem;color:var(--text-3)">Last 6 Months</span>
</div>
<div class="card-body" style="padding:16px 20px;height:290px;position:relative">
<canvas id="chartRevenue"></canvas>
</div>
</div>

<!-- Complaint Status Doughnut Chart -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-chart-pie" style="color:#059669;margin-right:8px"></i>Complaints Stat
</div>
<div class="card-body" style="padding:16px 20px;height:290px;display:flex;align-items:center;justify-conten
<canvas id="chartComplaints"></canvas>
</div>
</div>
</div>

<!-- Tables Grid -->
<div style="display:grid;grid-template-columns:1fr 1fr;gap:20px;flex-wrap:wrap;" class="grid-2">
<!-- Recent Members -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-user-plus" style="color:var(--primary);margin-right:8px"></i>Recent M
<a href="/society-management/admin/members.php" class="btn btn-secondary btn-sm">View All</a>
</div>
<div class="table-wrap">
<table>
<thead><tr><th>Name</th><th>Flat</th><th>Joined</th></t
<tbody>
<?php if (empty($recentMembers)): ?>
<tr><td colspan="3" class="empty-state" style="padding:30px;text-align:center;color:var(--text-
<?php else: foreach ($recentMembers as $m): ?>
<tr>
<td><div style="display:flex;align-items:center;gap:10px">
<div class="avatar avatar-sm"><?= initials($m['name']) ?></div>
<strong><?= htmlspecialchars($m['name']) ?></strong>
</div></td>
<td><span class="flat-badge"><?= htmlspecialchars($m['flat_no'] ?: '—') ?></span&
<td><?= date('d M', strtotime($m['joined_at'])) ?></td>
</tr>
<?php endforeach; endif; ?>
</tbody>
</table>
</div>
</div>
```

```
<!-- Recent Complaints -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-triangle-exclamation" style="color:#ef4444;margin-right:8px"></i>Rece
<a href="/society-management/admin/complaints.php" class="btn btn-secondary btn-sm">View All</a>
</div>
<div class="table-wrap">
<table>
<thead><tr><th>Member</th><th>Title</th><th>Status</th><
<tbody>
<?php if (empty($recentComplaints)): ?>
<tr><td colspan="3" style="padding:30px;text-align:center;color:var(--text-3)"><i class="
<?php else: foreach ($recentComplaints as $c): ?>
<tr>
<td><strong><?= htmlspecialchars($c['name']) ?></strong></td>
<td><?= htmlspecialchars(mb_strimwidth($c['title'],0,28,'…')) ?></td>
<td>
<?php
$sc = ['open'=>'badge-danger','in_progress'=>'badge-warning','resolved'=>'badge-success'];
$si = ['open'=>'fa-circle-dot','in_progress'=>'fa-spinner','resolved'=>'fa-circle-check'];
?>
<span class="badge <?= $sc[$c['status']] ?? 'badge-neutral' ?>">
<i class="fas <?= $si[$c['status']] ?? 'fa-circle' ?>"></i>
<?= ucwords(str_replace('_',' ',$c['status'])) ?>
</span>
</td>
</tr>
<?php endforeach; endif; ?>
</tbody>
</table>
</div>
</div>
</div>

<!-- Quick actions -->
<div class="card" style="margin-top:20px">
<div class="card-header"><h2><i class="fas fa-bolt" style="color:#059669;margin-right:8px"><
<div class="card-body" style="display:flex;gap:12px;flex-wrap:wrap;">
<a href="/society-management/admin/parking.php" class="btn btn-primary"><i class="fas fa-square-parki
<a href="/society-management/admin/polls.php" class="btn btn-success"><i class="fas fa-square-poll-ve
<a href="/society-management/admin/maintenance.php?action=generate" class="btn btn-warning"><i class=
<a href="/society-management/admin/notices.php?action=add" class="btn btn-primary"><i class="fas fa-b
<a href="/society-management/admin/emergency.php" class="btn btn-danger"><i class="fas fa-phone-volum
</div>
</div>
</div>
</div>
</div>

<script src="/society-management/assets/js/app.js"></script>
<script>
// Chart 1: Revenue & Collections Bar Chart
const chartLabels = <?= json_encode(array_column($monthsData, 'label')) ?>;
const chartCollected = <?= json_encode(array_column($monthsData, 'collected')) ?>;
const chartPending = <?= json_encode(array_column($monthsData, 'pending')) ?>;

const ctxRev = document.getElementById('chartRevenue').getContext('2d');
new Chart(ctxRev, {
type: 'bar',
data: {
labels: chartLabels,
datasets: [
{
label: 'Collected (■)',
data: chartCollected,
backgroundColor: '#10b981',
borderRadius: 6,
borderWidth: 0
},
{
label: 'Pending (■)',
data: chartPending,
backgroundColor: '#f59e0b',
borderRadius: 6,
borderWidth: 0
}
]
},
options: {
responsive: true,
maintainAspectRatio: false,
plugins: {
legend: {
labels: { color: '#2d4a3e', font: { family: 'Inter', weight: 600 } }
}
},
scales: {
x: {
grid: { color: 'rgba(0,0,0,0.04)' },
```

```
ticks: { color: '#64748b' }
},
y: {
grid: { color: 'rgba(0,0,0,0.04)' },
ticks: {
color: '#64748b',
callback: v => '■' + (v >= 1000 ? (v/1000) + 'K' : v)
}
}
}
}
});

// Chart 2: Complaints Status Doughnut
const ctxComp = document.getElementById('chartComplaints').getContext('2d');
new Chart(ctxComp, {
type: 'doughnut',
data: {
labels: ['Open', 'In Progress', 'Resolved'],
datasets: [{
data: [<?= $cMap['open'] ?>, <?= $cMap['in_progress'] ?>, <?= $cMap['resolved'] ?>],
backgroundColor: [
'#ef4444',
'#f59e0b',
'#10b981'
],
borderWidth: 0
}]
},
options: {
responsive: true,
maintainAspectRatio: false,
cutout: '70%',
plugins: {
legend: {
position: 'bottom',
labels: { color: '#2d4a3e', boxWidth: 12, padding: 14, font: { family: 'Inter', weight: 500 } }
}
}
}
});
</script>
<style>
@media(max-width:900px){
.grid-charts { grid-template-columns: 1fr !important; }
 .grid-2 { grid-template-columns: 1fr !important; }
 }
 </style>
 </body>
 </html>
```

member/dashboard.php

```
<?php
if (session_status() === PHP_SESSION_NONE) session_start();
require_once __DIR__ . '/../includes/auth.php';
require_once __DIR__ . '/../config/db.php';
requireRole('member');
$user = currentUser();
$active = 'dashboard';
$db = getDB();
$uid = $user['id'];

if (empty($user['wing']) && !empty($uid)) {
$wStmt = $db->prepare("SELECT wing, flat_no FROM users WHERE id = ?");
$wStmt->bind_param('i', $uid);
$wStmt->execute();
$wRes = $wStmt->get_result()->fetch_assoc();
if ($wRes) {
$user['wing'] = $wRes['wing'] ?? '';
if (empty($user['flat_no'])) $user['flat_no'] = $wRes['flat_no'] ?? '';
$_SESSION['wing'] = $user['wing'];
}
}

$pendingBills = $db->prepare("SELECT COUNT(*) c FROM maintenance_bills WHERE member_id=? AND status='pending'");
$pendingBills->bind_param('i', $uid); $pendingBills->execute();
$pendingCount = $pendingBills->get_result()->fetch_assoc()['c'];

$pendingAmt = $db->prepare("SELECT COALESCE(SUM(amount),0) t FROM maintenance_bills WHERE member_id=? AND
status='pen
$pendingAmt->bind_param('i', $uid); $pendingAmt->execute();
$pendingTotal = $pendingAmt->get_result()->fetch_assoc()['t'];

$myComplaints = $db->prepare("SELECT COUNT(*) c FROM complaints WHERE member_id=? AND status != 'resolved'");
$myComplaints->bind_param('i', $uid); $myComplaints->execute();
$openComplaints = $myComplaints->get_result()->fetch_assoc()['c'];

$myVehicles = $db->prepare("SELECT COUNT(*) c FROM vehicles WHERE member_id=?");
$myVehicles->bind_param('i', $uid); $myVehicles->execute();
$vehicleCount = $myVehicles->get_result()->fetch_assoc()['c'];

// Active polls count
$activePolls = $db->query("SELECT COUNT(*) c FROM polls WHERE status='active'")->fetch_assoc()['c'];

$recentBills = $db->prepare("SELECT * FROM maintenance_bills WHERE member_id=? ORDER BY year DESC, month DESC LIMIT
5
$recentBills->bind_param('i', $uid); $recentBills->execute();
$bills = $recentBills->get_result()->fetch_all(MYSQLI_ASSOC);

$recentNotices = $db->query("SELECT n.*, u.name author FROM notices n JOIN users u ON u.id=n.created_by ORDER BY
FIEL

// Personal payment history for last 6 months for chart
$userPaymentsData = [];
for ($i = 5; $i >= 0; $i--) {
$m = date('n', strtotime("-$i months"));
$y = date('Y', strtotime("-$i months"));
$label = date('M Y', strtotime("-$i months"));

$pStmt = $db->prepare("SELECT COALESCE(SUM(p.amount),0) t
FROM payments p
JOIN maintenance_bills b ON b.id=p.bill_id
WHERE p.member_id=? AND b.month=? AND b.year=?");
$pStmt->bind_param('iii', $uid, $m, $y);
$pStmt->execute();
$amt = floatval($pStmt->get_result()->fetch_assoc()['t']);

$userPaymentsData[] = [
'label' => $label,
'amount' => $amt
];
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8"><meta name="viewport" content="width=device-width,initial-scale=1">
<title>Dashboard — SocietyMS</title>
<link rel="stylesheet" href="/society-management/assets/css/style.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
</head>
<body>
<div class="app-layout">
<?php include __DIR__ . '/../includes/member_sidebar.php'; ?>
<div class="main-content">
<header class="topbar">
```

```
<div class="topbar-left">
<button class="menu-toggle"><i class="fas fa-bars"></i></button>
<div class="page-title">
<h1>Resident Portal</h1>
<p>Welcome, <?= htmlspecialchars($user['name'] ?? '') ?> · Flat <?= htmlspecialchars($user['fla
</div>
</div>
<div class="topbar-right" style="display:flex;gap:10px">
<a href="/society-management/member/emergency.php" class="btn btn-danger btn-sm">
<i class="fas fa-tower-broadcast"></i> SOS Emergency
</a>
</div>
</header>
<div class="page-content fade-in">

<!-- Stats Grid -->
<div class="stats-grid">
<div class="stat-card" style="--stat-color:#f59e0b;--stat-bg:#fef3c7">
<div class="stat-icon"><i class="fas fa-file-invoice-dollar"></i></div>
<div class="stat-info">
<h3 data-count="<?= $pendingCount ?>"><?= $pendingCount ?></h3>
<p>Pending Bills</p>
<span class="stat-change down">■<?= number_format($pendingTotal,0,'.',',') ?> due</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#0284c7;--stat-bg:#e0f2fe">
<div class="stat-icon"><i class="fas fa-car"></i></div>
<div class="stat-info">
<h3 data-count="<?= $vehicleCount ?>"><?= $vehicleCount ?></h3>
<p>My Vehicles</p>
<span class="stat-change up">Registered</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#059669;--stat-bg:#dcfce7">
<div class="stat-icon"><i class="fas fa-square-poll-vertical"></i></div>
<div class="stat-info">
<h3 data-count="<?= $activePolls ?>"><?= $activePolls ?></h3>
<p>Active Polls</p>
<span class="stat-change up">Cast Your Vote</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#ef4444;--stat-bg:#fee2e2">
<div class="stat-icon"><i class="fas fa-triangle-exclamation"></i></div>
<div class="stat-info">
<h3 data-count="<?= $openComplaints ?>"><?= $openComplaints ?></h3>
<p>My Complaints</p>
<span class="stat-change <?= $openComplaints>0?'down':'up' ?>"><?= $openComplaints>0?'I
</div>
</div>
</div>

<!-- Chart: Maintenance Expenditure Trend -->
<div class="card" style="margin-bottom:20px">
<div class="card-header">
<h2><i class="fas fa-chart-line" style="color:var(--primary);margin-right:8px"></i>My Mainte
<span style="font-size:0.8rem;color:var(--text-3)">Last 6 Months</span>
</div>
<div class="card-body" style="padding:16px 20px;height:240px;position:relative">
<canvas id="chartUserSpending"></canvas>
</div>
</div>

<!-- Tables Grid: Recent Bills & Notices -->
<div style="display:grid;grid-template-columns:1fr 1fr;gap:20px;" class="grid-2">
<!-- Recent Bills -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-file-invoice" style="color:var(--primary);margin-right:8px"></i>My Bi
<a href="/society-management/member/maintenance.php" class="btn btn-secondary btn-sm">All Bills</a&
</div>
<div class="table-wrap">
<table>
<thead><tr><th>Month</th><th>Amount</th><th>Status</th><
<tbody>
<?php if (empty($bills)): ?>
<tr><td colspan="4" style="padding:30px;text-align:center;color:var(--text-3)"><i class="
<?php else: foreach ($bills as $b): ?>
<tr>
<td><strong><?= date('F Y', mktime(0,0,0,$b['month'],1,$b['year'])) ?></strong>
<td class="amount">■<?= number_format($b['amount'], 2) ?></td>
<td>
<?php if ($b['status'] === 'paid'): ?>
<span class="badge badge-success"><i class="fas fa-circle-check"></i> Paid</s
<?php else: ?>
<span class="badge badge-warning"><i class="fas fa-clock"></i> Pending</span&
<?php endif; ?>
</td>
<td>
<?php if ($b['status'] === 'pending'): ?>
```

```
<a href="/society-management/member/maintenance.php?pay=<?= $b['id'] ?>" class="btn btn-p
<?php else: ?>
<a href="/society-management/receipt.php?id=<?= $b['id'] ?>" target="_blank" class="btn b
<i class="fas fa-receipt"></i>
</a>
<?php endif; ?>
</td>
</tr>
<?php endforeach; endif; ?>
</tbody>
</table>
</div>
</div>

<!-- Latest Notices -->
<div class="card">
<div class="card-header">
<h2><i class="fas fa-bullhorn" style="color:#059669;margin-right:8px"></i>Notice Board<
<a href="/society-management/member/notices.php" class="btn btn-secondary btn-sm">All Notices</a>
</div>
<div class="card-body">
<?php if (empty($recentNotices)): ?>
<div class="empty-state" style="padding:20px 0">
<i class="fas fa-bell-slash"></i>
<p>No active notices right now.</p>
</div>
<?php else: foreach ($recentNotices as $n): ?>
<div class="notice-card <?= $n['priority'] ?>">
<h4><?= htmlspecialchars($n['title']) ?></h4>
<p><?= htmlspecialchars(mb_strimwidth($n['content'],0,110,'…')) ?></p>
<div class="notice-meta">
<span><i class="fas fa-user"></i> <?= htmlspecialchars($n['author']) ?></span
<span><i class="fas fa-calendar"></i> <?= date('d M Y', strtotime($n['created_at'])
<span class="badge badge-<?= $n['priority']==='high'?'danger':($n['priority']==='medium'?'warning'
<?= ucfirst($n['priority']) ?>
</span>
</div>
</div>
<?php endforeach; endif; ?>
</div>
</div>
</div>

<!-- Quick Actions -->
<div class="card" style="margin-top:20px">
<div class="card-header"><h2><i class="fas fa-bolt" style="color:#059669;margin-right:8px"><
<div class="card-body" style="display:flex;gap:12px;flex-wrap:wrap;">
<a href="/society-management/member/vehicles.php" class="btn btn-primary"><i class="fas fa-car">&l;
<a href="/society-management/member/polls.php" class="btn btn-success"><i class="fas fa-square-poll-v
<a href="/society-management/member/maintenance.php" class="btn btn-warning"><i class="fas fa-file-in
<a href="/society-management/member/complaints.php" class="btn btn-danger"><i class="fas fa-triangle-
<a href="/society-management/member/emergency.php" class="btn btn-secondary"><i class="fas fa-phone-v
</div>
</div>

</div>
</div>
</div>

<script src="/society-management/assets/js/app.js"></script>
<script>
const spendingLabels = <?= json_encode(array_column($userPaymentsData, 'label')) ?>;
const spendingAmounts = <?= json_encode(array_column($userPaymentsData, 'amount')) ?>;

const ctxSpend = document.getElementById('chartUserSpending').getContext('2d');
new Chart(ctxSpend, {
type: 'line',
data: {
labels: spendingLabels,
datasets: [{
label: 'Paid Amount (■)',
data: spendingAmounts,
borderColor: '#10b981',
backgroundColor: 'rgba(16, 185, 129, 0.12)',
fill: true,
tension: 0.35,
pointRadius: 4,
pointHoverRadius: 6,
borderWidth: 2
}]
},
options: {
responsive: true,
maintainAspectRatio: false,
plugins: {
legend: { display: false }
},
scales: {
x: {
```

```
grid: { color: 'rgba(0,0,0,0.04)' },
ticks: { color: '#64748b' }
},
y: {
grid: { color: 'rgba(0,0,0,0.04)' },
ticks: {
color: '#64748b',
callback: v => '■' + v
}
}
}
}
});
</script>
<style>
@media(max-width:700px){ .grid-2{grid-template-columns:1fr !important;} }
 </style>
 </body>
 </html>
```

security/dashboard.php

```
<?php
if (session_status() === PHP_SESSION_NONE) session_start();
require_once __DIR__ . '/../includes/auth.php';
require_once __DIR__ . '/../config/db.php';
requireRole('security');

$user = currentUser();
$db = getDB();

$societyId = !empty($_SESSION['society_id']) ? (int)$_SESSION['society_id'] : 0;

// 1. Registered vehicles breakdown scoped to this society
$totalVehicles = $db->query("SELECT COUNT(*) c FROM vehicles v JOIN users u ON u.id = v.member_id WHERE
u.society_id
$totalCars = $db->query("SELECT COUNT(*) c FROM vehicles v JOIN users u ON u.id = v.member_id WHERE v.vehicle_typ
$totalBikes = $db->query("SELECT COUNT(*) c FROM vehicles v JOIN users u ON u.id = v.member_id WHERE v.vehicle_typ
$totalSlots = $db->query("SELECT COUNT(*) c FROM parking_slots")->fetch_assoc()['c'] ?? 0;

// 2. Open security incidents scoped to this society
$openIncidents = $db->query("SELECT COUNT(*) c FROM security_incidents i JOIN users u ON u.id = i.reported_by WHERE
i

// Fetch Recent Registered Vehicles for this society
$recentVehicles = $db->query("SELECT v.*, u.name as member_name, u.flat_no, u.wing, u.phone as member_phone,
s.slot_n
FROM vehicles v
JOIN users u ON u.id = v.member_id
LEFT JOIN parking_slots s ON s.id = v.parking_slot_id
WHERE u.society_id = {$societyId}
ORDER BY v.created_at DESC LIMIT 6")->fetch_all(MYSQLI_ASSOC);

// Fetch All Residents of this society for the Plate search & directory
$residents = $db->query("SELECT id, name, flat_no, wing, phone FROM users WHERE role='member' AND society_id =
{$soci

// Fetch Recent Security Incidents for this society
$recentIncidents = $db->query("SELECT i.*, u.name as reporter_name
FROM security_incidents i
JOIN users u ON u.id = i.reported_by
WHERE u.society_id = {$societyId}
ORDER BY i.created_at DESC LIMIT 6")->fetch_all(MYSQLI_ASSOC);

// Fetch Emergency SOS contacts
$sosContacts = $db->query("SELECT * FROM emergency_contacts WHERE is_sos = 1 ORDER BY id ASC LIMIT 6")->fetch_all(
$active = 'dashboard';
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Security Console — SocietyMS</title>
<link rel="stylesheet" href="/society-management/assets/css/style.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
<style>
/* Security Command Terminal Styling */
.gate-header-card {
background: linear-gradient(135deg, #ecfdf5 0%, #ffffff 50%, #f0fdf4 100%);
border: 1px solid #bbf7d0;
border-radius: 16px;
padding: 22px 28px;
margin-bottom: 24px;
display: flex;
justify-content: space-between;
align-items: center;
flex-wrap: wrap;
gap: 16px;
position: relative;
overflow: hidden;
box-shadow: 0 4px 20px rgba(16,185,129,0.08);
}
.gate-header-card::before {
content: '';
position: absolute;
top: -50%;
right: -10%;
width: 250px;
height: 250px;
background: radial-gradient(circle, rgba(16,185,129,0.15), transparent 70%);
pointer-events: none;
}
.gate-badge-pulse {
display: inline-flex;
align-items: center;
gap: 8px;
```

```
padding: 6px 14px;
background: #dcfce7;
border: 1px solid #86efac;
border-radius: 99px;
font-size: 0.8rem;
font-weight: 700;
color: #15803d;
letter-spacing: 0.5px;
text-transform: uppercase;
}
.radar-dot {
width: 10px;
height: 10px;
background: #10b981;
border-radius: 50%;
position: relative;
}
.radar-dot::after {
content: '';
position: absolute;
inset: -4px;
border-radius: 50%;
border: 2px solid #10b981;
animation: radarPulse 1.8s infinite cubic-bezier(0.25, 1, 0.5, 1);
}
@keyframes radarPulse {
0% { transform: scale(0.6); opacity: 1; }
100% { transform: scale(2.2); opacity: 0; }
}
.clock-display {
font-family: 'Courier New', Courier, monospace;
font-size: 1.7rem;
font-weight: 700;
color: #065f46;
letter-spacing: 1.5px;
background: #ecfdf5;
padding: 8px 18px;
border-radius: 10px;
border: 1px solid #a7f3d0;
display: flex;
align-items: center;
gap: 10px;
}
.action-bar-grid {
display: grid;
grid-template-columns: 2fr 1.2fr 1fr;
gap: 16px;
margin-bottom: 24px;
}
@media (max-width: 992px) {
.action-bar-grid { grid-template-columns: 1fr; }
}
.fast-lookup-card {
background: #ffffff;
border: 1px solid var(--border);
border-radius: 14px;
padding: 18px 20px;
box-shadow: var(--shadow-sm);
}
.fast-input-group {
display: flex;
gap: 8px;
margin-top: 10px;
}
.fast-input-group input {
flex: 1;
background: #ffffff;
border: 1px solid #cce3d4;
border-radius: 10px;
padding: 12px 16px;
color: var(--text-1);
font-size: 0.95rem;
text-transform: uppercase;
letter-spacing: 1px;
}
.fast-input-group input:focus {
outline: none;
border-color: #10b981;
box-shadow: 0 0 0 3px rgba(16,185,129,0.2);
}
.timer-badge {
display: inline-flex;
align-items: center;
gap: 5px;
padding: 3px 9px;
border-radius: 6px;
font-size: 0.76rem;
font-family: monospace;
font-weight: 600;
```

```
background: #e0f2fe;
color: #0369a1;
border: 1px solid #bae6fd;
}
.visitor-row-highlight {
transition: all 0.2s ease;
}
.visitor-row-highlight:hover {
background: #f0fbf4 !important;
}
.sound-toggle-btn {
background: #ffffff;
border: 1px solid var(--border);
color: var(--text-2);
padding: 6px 12px;
border-radius: 8px;
cursor: pointer;
font-size: 0.8rem;
display: inline-flex;
align-items: center;
gap: 6px;
}
.sound-toggle-btn.active {
color: #059669;
border-color: #86efac;
background: #ecfdf5;
}
.btn-gate-checkout {
background: linear-gradient(135deg, #f97316, #ea580c);
color: #fff;
border: none;
padding: 6px 14px;
border-radius: 8px;
font-size: 0.8rem;
font-weight: 600;
cursor: pointer;
display: inline-flex;
align-items: center;
gap: 6px;
transition: opacity 0.2s, transform 0.1s;
}
.btn-gate-checkout:hover { opacity: 0.9; transform: translateY(-1px); }
.btn-gate-checkin {
background: linear-gradient(135deg, #10b981, #059669);
color: #fff;
border: none;
padding: 6px 14px;
border-radius: 8px;
font-size: 0.8rem;
font-weight: 600;
cursor: pointer;
display: inline-flex;
align-items: center;
gap: 6px;
transition: opacity 0.2s, transform 0.1s;
}
.btn-gate-checkin:hover { opacity: 0.9; transform: translateY(-1px); }
.pass-details-box {
background: #f8fcf9;
border: 1px solid #dceee2;
border-radius: 12px;
padding: 18px;
margin-top: 14px;
}
</style>
</head>
<body>
<div class="app-layout">
<?php include __DIR__ . '/../includes/security_sidebar.php'; ?>

<div class="main-content">
<!-- Topbar -->
<header class="topbar">
<div class="topbar-left">
<button class="menu-toggle"><i class="fas fa-bars"></i></button>
<div class="page-title">
<h1 style="display:flex;align-items:center;gap:10px;">
<i class="fas fa-shield-halved" style="color:#10b981;font-size:1.3rem;"></i>
Gate Security Console
</h1>
<p>Main Entrance Terminal · Officer on Duty: <?= htmlspecialchars($user['name']) ?></p>
</div>
</div>
<div class="topbar-right">
<button id="soundToggleBtn" class="sound-toggle-btn active" onclick="toggleAudioFeedback()" title="Audio feed
<i class="fas fa-volume-high"></i> <span>Chimes ON</span>
</button>
<button class="btn btn-danger btn-sm" onclick="openSOSModal()">
<i class="fas fa-phone-volume"></i> SOS Speed-Dial
```

```
</button>
</div>
</header>

<div class="page-content fade-in">

<!-- Header Card with Gate Live Status & Digital Clock -->
<div class="gate-header-card">
<div>
<div class="gate-badge-pulse">
<span class="radar-dot"></span>
Main Gate 1 — ACTIVE & MONITORING
</div>
<h2 style="font-size:1.4rem;margin:10px 0 4px 0;color:var(--text-1);">Gate Security & Access Termina
<p style="color:var(--text-3);font-size:0.88rem;margin:0;">
Inspect resident vehicles, monitor parking bays, log safety incidents and emergency contacts.
</p>
</div>

<div style="text-align:right;">
<div class="clock-display" id="terminalClock">
<i class="fas fa-clock" style="color:#10b981;font-size:1.1rem;"></i>
<span id="clockTime">--:--:--</span>
</div>
<div style="color:var(--text-3);font-size:0.82rem;margin-top:6px;font-weight:500;" id="clockDate">
<?= date('l, d F Y') ?>
</div>
</div>
</div>

<!-- Quick Action Utilities Bar -->
<div class="action-bar-grid">
<!-- 1. License Plate Search -->
<div class="fast-lookup-card">
<div style="display:flex;align-items:center;justify-content:space-between;">
<strong style="font-size:0.92rem;color:var(--text-1);display:flex;align-items:center;gap:8px;">
<i class="fas fa-car" style="color:#10b981;"></i> License Plate Inspector
</strong>
<span style="font-size:0.75rem;color:var(--text-3);">Vehicle Verification</span>
</div>
<div class="fast-input-group" style="margin-top:8px;">
<input type="text" id="quickPlateInput" placeholder="Enter license plate or flat no..." style="text-trans
<button type="button" class="btn btn-primary" style="padding:0 20px;" onclick="openPlateSearchModal(docum
<i class="fas fa-search"></i> Inspect
</button>
</div>
</div>

<!-- 2. Incident Quick Log -->
<div class="fast-lookup-card" style="display:flex;flex-direction:column;justify-content:center;gap:10px;">
<button class="btn btn-warning" style="width:100%;justify-content:center;padding:12px;background:linear-gra
<i class="fas fa-triangle-exclamation"></i> Log Incident Report
</button>
<a href="/society-management/security/incidents.php" class="btn btn-secondary" style="width:100%;justify-co
<i class="fas fa-book-open"></i> Full Incident History
</a>
</div>

<!-- 3. Quick SOS & Vehicles -->
<div class="fast-lookup-card" style="display:flex;flex-direction:column;justify-content:center;gap:10px;">
<button class="btn btn-danger" style="width:100%;justify-content:center;padding:12px;" onclick="openSOSModa
<i class="fas fa-phone-volume"></i> Emergency SOS Dial
</button>
<a href="/society-management/security/vehicles.php" class="btn btn-secondary" style="width:100%;justify-con
<i class="fas fa-car-side"></i> Vehicle Directory
</a>
</div>
</div>

<!-- Live KPI Metrics -->
<div class="stats-grid" style="margin-bottom:24px;">
<div class="stat-card" style="--stat-color:#10b981;--stat-bg:rgba(16,185,129,0.12)">
<div class="stat-icon"><i class="fas fa-car-rear"></i></div>
<div class="stat-info">
<h3><?= $totalVehicles ?></h3>
<p>Registered Vehicles</p>
<span class="stat-change up">Resident Fleet</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#38bdf8;--stat-bg:rgba(56,189,248,0.12)">
<div class="stat-icon"><i class="fas fa-car"></i></div>
<div class="stat-info">
<h3><?= $totalCars ?></h3>
<p>Four Wheelers (Cars)</p>
<span class="stat-change up">Permit Issued</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#059669;--stat-bg:rgba(5,150,105,0.12)">
<div class="stat-icon"><i class="fas fa-motorcycle"></i></div>
```

```
<div class="stat-info">
<h3><?= $totalBikes ?></h3>
<p>Two Wheelers (Bikes)</p>
<span class="stat-change up">Permit Issued</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#f59e0b;--stat-bg:rgba(245,158,11,0.12)">
<div class="stat-icon"><i class="fas fa-square-parking"></i></div>
<div class="stat-info">
<h3><?= $totalSlots ?></h3>
<p>Total Parking Bays</p>
<span class="stat-change up">Allocated</span>
</div>
</div>
<div class="stat-card" style="--stat-color:#ef4444;--stat-bg:rgba(239,68,68,0.12)">
<div class="stat-icon"><i class="fas fa-shield-halved"></i></div>
<div class="stat-info">
<h3><?= $openIncidents ?></h3>
<p>Active Alerts</p>
<span class="stat-change <?= $openIncidents > 0 ? 'down' : 'up' ?>"><?= $openIncidents >
</div>
</div>
</div>

<!-- Main Section: Registered Vehicles & Parking Assignments -->
<div class="card" style="margin-bottom:24px;">
<div class="card-header">
<div class="card-title">
<i class="fas fa-car-side" style="color:#10b981;"></i>
Resident Vehicles & Parking Records
</div>
<a href="/society-management/security/vehicles.php" class="btn btn-sm btn-secondary">View All Vehicles&l;
</div>

<div class="table-responsive">
<table class="table">
<thead>
<tr>
<th>Vehicle Plate</th>
<th>Type</th>
<th>Resident Owner</th>
<th>Flat & Wing</th>
<th>Parking Slot</th>
<th>Contact</th>
</tr>
</thead>
<tbody>
<?php if (empty($recentVehicles)): ?>
<tr>
<td colspan="6" style="text-align:center;padding:36px;color:var(--text-3);">
<i class="fas fa-car" style="font-size:2rem;margin-bottom:12px;display:block;opacity:0.4;"><
No vehicles registered yet.
</td>
</tr>
<?php else: ?>
<?php foreach ($recentVehicles as $v): ?>
<tr>
<td>
<span class="badge" style="background:var(--primary-subtle);color:var(--primary);border:1px sol
<?= htmlspecialchars($v['vehicle_number']) ?>
</span>
</td>
<td>
<span class="chip">
<i class="fas <?= $v['vehicle_type']==='car'?'fa-car':'fa-motorcycle' ?>"></i>
<?= ucfirst($v['vehicle_type']) ?>
</span>
</td>
<td>
<strong><?= htmlspecialchars($v['member_name']) ?></strong>
</td>
<td>
Flat <?= htmlspecialchars($v['flat_no']) ?> (Wing <?= htmlspecialchars($v['wing'] ?: '—')
</td>
<td>
<?= $v['slot_number'] ? '<span class="badge badge-success">Slot ' . htmlspecialchars($v['
</td>
<td>
<a href="tel:<?= htmlspecialchars($v['member_phone']) ?>" style="color:var(--primary);fon
<i class="fas fa-phone"></i> <?= htmlspecialchars($v['member_phone'] ?: '—') ?>
</a>
</td>
</tr>
<?php endforeach; ?>
<?php endif; ?>
</tbody>
</table>
</div>
</div>
```

```
<!-- Bottom Dual Grid: Security Incidents & Emergency SOS Contacts -->
<div style="display:grid;grid-template-columns:1.4fr 1fr;gap:24px;">

<!-- SECURITY INCIDENTS / ALERTS FEED -->
<div class="card">
<div class="card-header">
<div class="card-title">
<i class="fas fa-shield-virus" style="color:#f59e0b;"></i>
Recent Security Log & Alerts
</div>
<button class="btn btn-sm btn-secondary" onclick="openIncidentModal()">
<i class="fas fa-plus"></i> New Incident
</button>
</div>

<div style="padding:16px;">
<?php if (empty($recentIncidents)): ?>
<div style="text-align:center;padding:24px;color:var(--text-3);">
No security incidents reported. Society is peaceful.
</div>
<?php else: ?>
<div style="display:flex;flex-direction:column;gap:10px;">
<?php foreach ($recentIncidents as $inc):
$sevColor = [
'low' => '#38bdf8',
'medium' => '#f59e0b',
'high' => '#f97316',
'critical' => '#ef4444'
][$inc['severity']] ?? '#94a3b8';
?>
<div style="background:rgba(255,255,255,0.02);border-left:4px solid <?= $sevColor ?>;border-r
<div>
<div style="display:flex;align-items:center;gap:8px;">
<strong style="color:#fff;font-size:0.88rem;"><?= htmlspecialchars($inc['title']) ?>
<span class="badge" style="background:<?= $sevColor ?>22;color:<?= $sevColor ?>;f
<?= $inc['severity'] ?>
</span>
<span class="badge <?= $inc['status'] === 'resolved' ? 'badge-success' : 'badge-warning' ?
<?= $inc['status'] ?>
</span>
</div>
<p style="font-size:0.8rem;color:var(--text-2);margin:4px 0 0 0;">
<?= htmlspecialchars($inc['description']) ?>
</p>
<div style="font-size:0.73rem;color:var(--text-3);margin-top:4px;">
<i class="fas fa-location-dot"></i> <?= htmlspecialchars($inc['location']) ?>
</div>
</div>
</div>
<?php endforeach; ?>
</div>
<?php endif; ?>
</div>
</div>

<!-- EMERGENCY SPEED-DIAL DIRECTORY -->
<div class="card">
<div class="card-header">
<div class="card-title">
<i class="fas fa-truck-medical" style="color:#ef4444;"></i>
SOS Emergency Speed-Dial
</div>
<a href="/society-management/security/emergency.php" class="btn btn-sm btn-secondary">Full Directory&l;
</div>

<div style="padding:16px;display:flex;flex-direction:column;gap:10px;">
<?php foreach ($sosContacts as $c): ?>
<div style="background:rgba(239,68,68,0.06);border:1px solid rgba(239,68,68,0.2);border-radius:10px;pad
<div>
<strong style="color:#fff;font-size:0.88rem;"><?= htmlspecialchars($c['name']) ?></stro
<div style="font-size:0.75rem;color:var(--text-3);"><?= htmlspecialchars($c['role_title']) ?&
</div>
<a href="tel:<?= htmlspecialchars($c['phone']) ?>" class="btn btn-danger btn-sm" style="padding
<i class="fas fa-phone"></i> <?= htmlspecialchars($c['phone']) ?>
</a>
</div>
<?php endforeach; ?>
</div>
</div>

</div>

</div>
</div>
</div>

<!-- ==================== MODALS ==================== -->

<!-- 1. WALK-IN VISITOR REGISTRATION MODAL -->
```

```
<div class="modal-overlay" id="walkInModal" style="display:none;">
<div class="modal slide-up" style="max-width:520px;">
<div class="modal-header">
<div class="modal-title"><i class="fas fa-user-plus" style="color:#10b981;"></i> Gate Walk-In Re
<button class="modal-close" onclick="closeWalkInModal()">&times;</button>
</div>
<form id="walkInForm" onsubmit="handleWalkInSubmit(event)">
<div class="modal-body">
<div class="form-group">
<label>Visitor Full Name *</label>
<input type="text" name="visitor_name" id="wi_name" class="form-control" placeholder="e.g. Rahul Sharma" re
</div>
<div class="form-row">
<div class="form-group">
<label>Visitor Phone *</label>
<input type="tel" name="visitor_phone" id="wi_phone" class="form-control" placeholder="10-digit mobile" r
</div>
<div class="form-group">
<label>Vehicle Number</label>
<input type="text" name="vehicle_no" id="wi_vehicle" class="form-control" placeholder="e.g. MH 02 AB 1234
</div>
</div>
<div class="form-group">
<label>Visiting Resident (Flat & Host) *</label>
<select name="member_id" id="wi_member" class="form-control" required>
<option value="">-- Select Resident Host Flat --</option>
<?php foreach ($residents as $r): ?>
<option value="<?= $r['id'] ?>">Flat <?= htmlspecialchars($r['flat_no']) ?> (Wing <?=
<?php endforeach; ?>
</select>
</div>
<div class="form-group">
<label>Visit Purpose *</label>
<select name="purpose" id="wi_purpose" class="form-control" required>
<option value="Personal Guest">Personal Guest / Family</option>
<option value="Delivery (Swiggy/Zomato/Amazon)">Delivery (Food / Courier / Parcel)</option>
<option value="Cab / Taxi (Uber/Ola)">Cab / Taxi Service</option>
<option value="Maintenance Worker / Service">Maintenance / Plumber / Electrician</option>
<option value="House Help / Maid">House Help / Daily Maid</option>
<option value="Business / Meeting">Official / Business</option>
<option value="Other">Other Purpose</option>
</select>
</div>
<div style="background:rgba(16,185,129,0.1);border:1px solid rgba(16,185,129,0.3);padding:10px 14px;border-ra
<i class="fas fa-check-circle"></i> This visitor will be instantly marked <strong>CHECKED-IN
</div>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" onclick="closeWalkInModal()">Cancel</button>
<button type="submit" class="btn btn-success" id="btnSubmitWalkIn">
<i class="fas fa-arrow-right-to-bracket"></i> Register & Check-In Now
</button>
</div>
</form>
</div>
</div>

<!-- 2. VERIFY PASS DETAILS MODAL -->
<div class="modal-overlay" id="passModal" style="display:none;">
<div class="modal slide-up" style="max-width:540px;">
<div class="modal-header">
<div class="modal-title"><i class="fas fa-id-card" style="color:#10b981;"></i> Visitor Pass Veri
<button class="modal-close" onclick="closePassModal()">&times;</button>
</div>
<div class="modal-body" id="passModalBody">
<div style="text-align:center;padding:24px;">
<i class="fas fa-spinner fa-spin" style="font-size:2rem;color:#10b981;"></i>
<p style="margin-top:10px;color:var(--text-3);">Fetching visitor pass details...</p>
</div>
</div>
</div>
</div>

<!-- 3. REPORT INCIDENT MODAL -->
<div class="modal-overlay" id="incidentModal" style="display:none;">
<div class="modal slide-up" style="max-width:500px;">
<div class="modal-header">
<div class="modal-title"><i class="fas fa-triangle-exclamation" style="color:#f59e0b;"></i> Log
<button class="modal-close" onclick="closeIncidentModal()">&times;</button>
</div>
<form id="incidentForm" onsubmit="handleIncidentSubmit(event)">
<div class="modal-body">
<div class="form-group">
<label>Incident Title *</label>
<input type="text" name="title" id="inc_title" class="form-control" placeholder="e.g. Unauthorized entry at
</div>
<div class="form-row">
<div class="form-group">
<label>Severity *</label>
```

```
<select name="severity" id="inc_severity" class="form-control" required>
<option value="low">Low (Notice / Minor)</option>
<option value="medium" selected>Medium (Standard Incident)</option>
<option value="high">High (Immediate Action Required)</option>
<option value="critical">Critical (Police / Medical SOS)</option>
</select>
</div>
<div class="form-group">
<label>Location *</label>
<input type="text" name="location" id="inc_location" class="form-control" placeholder="e.g. Main Gate, To
</div>
</div>
<div class="form-group">
<label>Detailed Observations *</label>
<textarea name="description" id="inc_description" class="form-control" rows="3" placeholder="Describe the i
</div>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" onclick="closeIncidentModal()">Cancel</button>
<button type="submit" class="btn btn-warning" style="background:#f59e0b;color:#000;">
<i class="fas fa-floppy-disk"></i> Save Incident Report
</button>
</div>
</form>
</div>
</div>

<!-- 4. PLATE SEARCH MODAL -->
<div class="modal-overlay" id="plateModal" style="display:none;">
<div class="modal slide-up" style="max-width:560px;">
<div class="modal-header">
<div class="modal-title"><i class="fas fa-car" style="color:#38bdf8;"></i> Resident Vehicle Plat
<button class="modal-close" onclick="closePlateModal()">&times;</button>
</div>
<div class="modal-body">
<div class="fast-input-group" style="margin-top:0;">
<input type="text" id="plateSearchInput" placeholder="Enter license plate or flat no..." style="text-transfor
<button type="button" class="btn btn-primary" onclick="searchPlates()"><i class="fas fa-search"><
</div>
<div id="plateSearchResults" style="margin-top:16px;max-height:300px;overflow-y:auto;">
<p style="color:var(--text-3);text-align:center;padding:20px;font-size:0.85rem;">Type a vehicle registrati
</div>
</div>
</div>
</div>

<!-- 5. SOS SPEED DIAL MODAL -->
<div class="modal-overlay" id="sosModal" style="display:none;">
<div class="modal slide-up" style="max-width:520px;">
<div class="modal-header" style="background:rgba(239,68,68,0.15);border-bottom-color:rgba(239,68,68,0.3);">
<div class="modal-title" style="color:#ef4444;"><i class="fas fa-triangle-exclamation"></i> Emer
<button class="modal-close" onclick="closeSOSModal()">&times;</button>
</div>
<div class="modal-body">
<p style="font-size:0.88rem;color:var(--text-2);margin-bottom:16px;">
1-Click direct connection to critical emergency response teams and society management authorities.
</p>
<div style="display:flex;flex-direction:column;gap:10px;">
<?php foreach ($sosContacts as $c): ?>
<div style="display:flex;justify-content:space-between;align-items:center;background:rgba(255,255,255,0.03)
<div>
<strong style="color:#fff;font-size:0.95rem;"><?= htmlspecialchars($c['name']) ?></strong&g;
<div style="font-size:0.78rem;color:var(--text-3);"><?= htmlspecialchars($c['role_title']) ?>
</div>
<a href="tel:<?= htmlspecialchars($c['phone']) ?>" class="btn btn-danger" style="font-weight:700;"&
<i class="fas fa-phone-volume"></i> <?= htmlspecialchars($c['phone']) ?>
</a>
</div>
<?php endforeach; ?>
</div>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-secondary" onclick="closeSOSModal()">Close</button>
</div>
</div>
</div>

<script src="/society-management/assets/js/app.js"></script>
<script>
// Web Audio API Synthesizer for Gate Audio Feedback
let audioEnabled = true;
const audioCtx = (window.AudioContext || window.webkitAudioContext) ? new (window.AudioContext ||
window.webkitAudioCont

function playGateTone(type) {
if (!audioEnabled || !audioCtx) return;
if (audioCtx.state === 'suspended') audioCtx.resume();

try {
```

```
const osc = audioCtx.createOscillator();
const gain = audioCtx.createGain();
osc.connect(gain);
gain.connect(audioCtx.destination);

const now = audioCtx.currentTime;
if (type === 'check_in') {
// Harmonic ascending double-beep
osc.type = 'sine';
osc.frequency.setValueAtTime(523.25, now); // C5
osc.frequency.setValueAtTime(659.25, now + 0.1); // E5
osc.frequency.setValueAtTime(783.99, now + 0.2); // G5
gain.gain.setValueAtTime(0.15, now);
gain.gain.exponentialRampToValueAtTime(0.01, now + 0.45);
osc.start(now);
osc.stop(now + 0.45);
} else if (type === 'check_out') {
// Pleasant low confirmation
osc.type = 'sine';
osc.frequency.setValueAtTime(587.33, now); // D5
osc.frequency.setValueAtTime(440.00, now + 0.12); // A4
gain.gain.setValueAtTime(0.15, now);
gain.gain.exponentialRampToValueAtTime(0.01, now + 0.4);
osc.start(now);
osc.stop(now + 0.4);
} else if (type === 'alert') {
// Warning beep
osc.type = 'sawtooth';
osc.frequency.setValueAtTime(440, now);
osc.frequency.setValueAtTime(330, now + 0.15);
gain.gain.setValueAtTime(0.2, now);
gain.gain.exponentialRampToValueAtTime(0.01, now + 0.4);
osc.start(now);
osc.stop(now + 0.4);
}
} catch (err) {
console.warn('Audio tone error:', err);
}
}

function toggleAudioFeedback() {
audioEnabled = !audioEnabled;
const btn = document.getElementById('soundToggleBtn');
if (audioEnabled) {
btn.classList.add('active');
btn.innerHTML = '<i class="fas fa-volume-high"></i> <span>Chimes ON</span>';
playGateTone('check_in');
} else {
btn.classList.remove('active');
btn.innerHTML = '<i class="fas fa-volume-xmark"></i> <span>Chimes OFF</span>';
}
}
// Live Digital Clock
function updateClock() {
const now = new Date();
const timeStr = now.toLocaleTimeString('en-US', { hour12: false });
const el = document.getElementById('clockTime');
if (el) el.textContent = timeStr;
}
setInterval(updateClock, 1000);
updateClock();

// Pass Code Lookup Handlers
async function handlePassLookup(e) {
if (e) e.preventDefault();
const input = document.getElementById('passLookupInput');
const code = input.value.trim().toUpperCase();
if (!code) return;

const modal = document.getElementById('passModal');
const body = document.getElementById('passModalBody');
modal.style.display = 'flex';
body.innerHTML = `
<div style="text-align:center;padding:24px;">
<i class="fas fa-spinner fa-spin" style="font-size:2rem;color:#10b981;"></i>
<p style="margin-top:10px;color:var(--text-3);">Searching pass code: <strong>${code}</strong>...
</div>
`;

try {
const res = await fetch(`/society-management/api/visitors.php?code=${encodeURIComponent(code)}`);
const data = await res.json();

if (!data.success || !data.visitor) {
playGateTone('alert');
body.innerHTML = `
<div style="text-align:center;padding:24px;">
<div style="font-size:3rem;color:#ef4444;margin-bottom:12px;"><i class="fas fa-circle-xmark"></
<h3 style="color:#fff;">Invalid or Unknown Pass Code</h3>
```

```
<p style="color:var(--text-3);margin-top:6px;">No visitor registration was found for pass code <stron
<div style="margin-top:20px;display:flex;gap:10px;justify-content:center;">
<button class="btn btn-secondary" onclick="closePassModal()">Close</button>
<button class="btn btn-success" onclick="closePassModal();openWalkInModal();">Register as Walk-In</
</div>
</div>
`;
return;
}

const v = data.visitor;
renderPassDetails(v);
} catch (err) {
body.innerHTML = `<div class="alert alert-danger">Error querying pass: ${err.message}</div>`;
}
}

function renderPassDetails(v) {
const body = document.getElementById('passModalBody');
const isExpected = v.status === 'expected';
const isCheckedIn = v.status === 'checked_in';
const isCheckedOut = v.status === 'checked_out';

let statusBadge = '';
if (isExpected) statusBadge = '<span class="badge badge-warning"><i class="fas fa-clock"></i> Expect
else if (isCheckedIn) statusBadge = '<span class="badge badge-success"><i class="fas fa-circle-check"><
else if (isCheckedOut) statusBadge = '<span class="badge badge-secondary"><i class="fas fa-check-double">&
else statusBadge = '<span class="badge badge-danger">Cancelled</span>';

body.innerHTML = `
<div style="text-align:center;margin-bottom:18px;">
<div style="font-size:1.4rem;font-weight:700;letter-spacing:1.5px;color:#10b981;font-family:monospace;">
${v.pass_code}
</div>
<div style="margin-top:6px;">${statusBadge}</div>
</div>

<div class="pass-details-box">
<div style="display:grid;grid-template-columns:1fr 1fr;gap:12px;">
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Visitor Name</span>
<strong style="color:#fff;font-size:1rem;">${escapeHtml(v.visitor_name)}</strong>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Visitor Mobile</span>
<strong style="color:#fff;">${escapeHtml(v.visitor_phone)}</strong>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Host Resident</span>
<strong style="color:#fff;">${escapeHtml(v.host_name)}</strong>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Destination Flat</span>
<strong style="color:#38bdf8;">Flat ${escapeHtml(v.flat_no || '—')} (Wing ${escapeHtml(v.wing || '—')})&
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Visit Purpose</span>
<span style="color:#fff;">${escapeHtml(v.purpose)}</span>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Vehicle Reg No.</span>
<span style="color:#fff;font-family:monospace;">${escapeHtml(v.vehicle_no || 'Walking')}</span>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Valid Date</span>
<span style="color:#fff;">${v.expected_date}</span>
</div>
<div>
<span style="font-size:0.75rem;color:var(--text-3);display:block;">Check-In Time</span>
<span style="color:#10b981;">${v.check_in_time ? v.check_in_time : 'Not checked in yet'}</span>
</div>
</div>
</div>

<div style="margin-top:20px;display:flex;gap:10px;justify-content:flex-end;">
<button class="btn btn-secondary" onclick="closePassModal()">Close</button>
${isExpected ? `
<button class="btn btn-success" onclick="executePassAction(${v.id}, 'check_in', '${escapeHtml(v.visitor_name)
<i class="fas fa-arrow-right-to-bracket"></i> Record Check-In Now
</button>
` : ''}
${isCheckedIn ? `
<button class="btn btn-warning" style="background:#f97316;color:#fff;" onclick="executePassAction(${v.id}, 'c
<i class="fas fa-arrow-right-from-bracket"></i> Record Check-Out Now
</button>
` : ''}
</div>
`;
}
```

```
async function executePassAction(id, action, name) {
try {
const res = await fetch('/society-management/api/visitors.php', {
method: 'PUT',
headers: { 'Content-Type': 'application/json' },
body: JSON.stringify({ id, action })
});
const data = await res.json();
if (data.success) {
playGateTone(action === 'check_in' ? 'check_in' : 'check_out');
showToast(`${name} has been ${action === 'check_in' ? 'checked in' : 'checked out'} successfully!`, 'success');
closePassModal();
setTimeout(() => location.reload(), 800);
} else {
showToast(data.error || 'Action failed', 'danger');
}
} catch (err) {
showToast('Network error: ' + err.message, 'danger');
}
}

// 1-Click Fast Check-In
async function performCheckIn(id, name) {
if (!confirm(`Confirm Gate Check-In for ${name}?`)) return;
await executePassAction(id, 'check_in', name);
}

// 1-Click Fast Check-Out
async function performCheckOut(id, name) {
if (!confirm(`Confirm Gate Check-Out for ${name}?`)) return;
await executePassAction(id, 'check_out', name);
}

// Walk-In Visitor Modal
function openWalkInModal() {
document.getElementById('walkInModal').style.display = 'flex';
document.getElementById('wi_name').focus();
}
function closeWalkInModal() {
document.getElementById('walkInModal').style.display = 'none';
document.getElementById('walkInForm').reset();
}
async function handleWalkInSubmit(e) {
e.preventDefault();
const btn = document.getElementById('btnSubmitWalkIn');
btn.disabled = true;
btn.innerHTML = '<i class="fas fa-spinner fa-spin"></i> Registering...';

const payload = {
visitor_name: document.getElementById('wi_name').value.trim(),
visitor_phone: document.getElementById('wi_phone').value.trim(),
vehicle_no: document.getElementById('wi_vehicle').value.trim(),
member_id: parseInt(document.getElementById('wi_member').value),
purpose: document.getElementById('wi_purpose').value,
expected_date: new Date().toISOString().split('T')[0],
check_in_now: true
};

try {
const res = await fetch('/society-management/api/visitors.php', {
method: 'POST',
headers: { 'Content-Type': 'application/json' },
body: JSON.stringify(payload)
});
const data = await res.json();
if (data.success) {
playGateTone('check_in');
showToast(`Walk-in entry recorded! Pass Code: ${data.pass_code}`, 'success');
closeWalkInModal();
setTimeout(() => location.reload(), 900);
} else {
showToast(data.error || 'Registration failed', 'danger');
btn.disabled = false;
btn.innerHTML = '<i class="fas fa-arrow-right-to-bracket"></i> Register & Check-In Now';
}
} catch (err) {
showToast('Error: ' + err.message, 'danger');
btn.disabled = false;
btn.innerHTML = '<i class="fas fa-arrow-right-to-bracket"></i> Register & Check-In Now';
}
}

// Pass Modal
function closePassModal() {
document.getElementById('passModal').style.display = 'none';
}

// Incident Modal
function openIncidentModal() {
```

```
document.getElementById('incidentModal').style.display = 'flex';
}
function closeIncidentModal() {
document.getElementById('incidentModal').style.display = 'none';
document.getElementById('incidentForm').reset();
}

async function handleIncidentSubmit(e) {
e.preventDefault();
const payload = {
title: document.getElementById('inc_title').value.trim(),
severity: document.getElementById('inc_severity').value,
location: document.getElementById('inc_location').value.trim(),
description: document.getElementById('inc_description').value.trim()
};

try {
const res = await fetch('/society-management/api/incidents.php', {
method: 'POST',
headers: { 'Content-Type': 'application/json' },
body: JSON.stringify(payload)
});
const data = await res.json();
if (data.success) {
playGateTone('alert');
showToast('Incident reported and saved in security log.', 'warning');
closeIncidentModal();
setTimeout(() => location.reload(), 900);
} else {
showToast(data.error || 'Failed to save incident', 'danger');
}
} catch (err) {
showToast('Network error: ' + err.message, 'danger');
}
}

// Plate Search Modal
function openPlateSearchModal() {
document.getElementById('plateModal').style.display = 'flex';
document.getElementById('plateSearchInput').focus();
}
function closePlateModal() {
document.getElementById('plateModal').style.display = 'none';
}

let searchTimer = null;
function debouncePlateSearch() {
clearTimeout(searchTimer);
searchTimer = setTimeout(searchPlates, 350);
}

async function searchPlates() {
const q = document.getElementById('plateSearchInput').value.trim();
const resultsDiv = document.getElementById('plateSearchResults');
if (!q) {
resultsDiv.innerHTML = '<p style="color:var(--text-3);text-align:center;padding:20px;">Type a vehicle registra
return;
}

resultsDiv.innerHTML = '<div style="text-align:center;padding:20px;"><i class="fas fa-spinner fa-spin"><

try {
const res = await fetch(`/society-management/api/vehicles.php?search=${encodeURIComponent(q)}`);
const data = await res.json();
const list = data.data || [];

if (list.length === 0) {
resultsDiv.innerHTML = `
<div style="text-align:center;padding:20px;background:rgba(239,68,68,0.1);border:1px solid rgba(239,68,68,0.2
<i class="fas fa-triangle-exclamation" style="color:#ef4444;font-size:1.5rem;"></i>
<p style="color:#fff;margin-top:6px;font-weight:600;">No Registered Vehicle Found</p>
<p style="font-size:0.8rem;color:var(--text-3);margin:0;">No vehicle matching "${escapeHtml(q)}" is regi
</div>
`;
return;
}

let html = '<div style="display:flex;flex-direction:column;gap:10px;">';
list.forEach(v => {
html += `
<div style="background:rgba(255,255,255,0.04);border:1px solid rgba(255,255,255,0.1);border-radius:10px;paddi
<div>
<div style="display:flex;align-items:center;gap:8px;">
<strong style="color:#fff;font-size:1.1rem;letter-spacing:1px;font-family:monospace;">${escapeHtml(v
<span class="badge ${v.vehicle_type === 'car' ? 'badge-primary' : 'badge-secondary'}" style="font-size:
</div>
<div style="font-size:0.82rem;color:var(--text-2);margin-top:3px;">
${escapeHtml(v.brand_model)} ${v.sticker_no ? '• Sticker: <span style="color:#38bdf8">' + escapeHtml
</div>
```

```
<div style="font-size:0.78rem;color:var(--text-3);margin-top:2px;">
Owner: <strong>${escapeHtml(v.member_name)}</strong> (Flat ${escapeHtml(v.flat_no)} - Wing ${e
</div>
</div>
<div style="text-align:right;">
<span class="badge badge-success" style="font-size:0.75rem;">Verified Resident</span>
<div style="font-size:0.75rem;color:var(--text-3);margin-top:4px;">
Slot: <strong style="color:#fff;">${escapeHtml(v.slot_number || 'Unassigned')}</strong>
</div>
</div>
</div>
`;
});
html += '</div>';
resultsDiv.innerHTML = html;
} catch (err) {
resultsDiv.innerHTML = `<div class="alert alert-danger">Search error: ${err.message}</div>`;
}
}

// SOS Modal
function openSOSModal() {
document.getElementById('sosModal').style.display = 'flex';
}
function closeSOSModal() {
document.getElementById('sosModal').style.display = 'none';
}

function escapeHtml(str) {
if (!str) return '';
return String(str).replace(/&/g, '&amp;').replace(/</g, '&lt;').replace(/>/g, '&gt;').replace(/"
}
</script>
</body>
</html>
```

9.Error & Solution

Error 1:-

- The getDB() function automatically retries with a blank password if the configured password fails, instead of showing a clear connection error. This can hide real configuration mistakes

Solution:-

- $conn = new mysqli(DB_HOST, DB_USER, DB_PASS, DB_NAME, DB_PORT);

Error 2:-

- If no society exists in the database, the code defaults to $society_id = 1, which may not exist and can cause a foreign key /insert failure during registration

Solution:-

- If (!$society_id) {
  $error = 'Please select a valid society.';
  }

Error 3:-

- $_SESSIO N['role'] is compared directly without checking whether it is set, which triggers a PHP "Undefined array key" warning when the key is missing.

Solution:-

- if (($_SESSION['role'] ?? '') !== $role)
  { // redirect logic
  }

Error 4:-

- If the data-count attribute is empty or non-numeric, the target value becomes NaN, so the counter animation never reaches its target and never stops.

Solution:-

- Const target = parseInt(el.dataset.count) || 0;

Error 5:-

- Uploaded images are validated only by their file extension (.jpg, .png, etc.), not by their actual file content, so a disguised file could bypass this check.

Solution:-

- If (!getimagesize($tmpName)) {
  Echo json_encode([‘error’ => ‘Invalid image file’]);
  exit:
  }

10.Testing

➢ Testing is defined as an activity to examine whether the Society Management System correctly performs according to the project requirements. This helps detect and correct errors before the website is used by users.

Two Types of Testing

1.White Box Testing

2.Black Box Testing

1.White Box Testing

➢ White Box Testing is a form of testing that involves checking the internal code and logic developed by the developer.

- Check login validation logic.
- Verify registration form validation.
- Test database insertion and update functions.
- Check complaint submission logic.

- Verify maintenance payment calculation.
- Test notice creation and display code.
- Check all conditions, loops, and program flow.
- Ensure each module works correctly internally.

2.Black Box Testing

➢ Black Box Testing refers to testing the system without looking at the source code. Only inputs and outputs are considered during the testing process.

- Login with valid credentials.
- Login with invalid credentials.
- Register a new resident with valid details.
- Submit the form with missing fields.
- Add a complaint and verify it is saved.
- Make a maintenance payment and verify the record.
- View notices on the resident dashboard.
- Verify correct output and error messages for user actions.

11.implementation

- Implementation is the phase where the development of the Society Management System is completed. This phase transforms the design into a web application that can be utilized by users. HTML, CSS, Bootstrap, JavaScript, PHP, and MySQL are used to develop the website.

- The backend is developed using PHP, which manages user authentication, member registration, complaints, maintenance, notices, and visitor entries. It also processes user requests and connects the website with the database.

- The database is created using MySQL to store member details, complaints, notices, maintenance payments, visitor records, and login information. PHP MySQLi is used to insert, update, delete, and retrieve data.

- The system provides role-based access for Admin, Resident/Member, and Security Guard. Admin manages society records, Members can use society services, and Security Guards manage visitor entries through their dashboard.

- Before deployment, all modules are tested to ensure that the website works correctly without errors. After successful testing, the Society Management System is implemented and made available for regular use, providing a secure, reliable, and efficient solution for society management.

12.Limitation

- The Society Management System has some limitations that can be improved in future versions.

- The system works only with an internet connection. If the internet is unavailable, users cannot access the website or use its features.

- Only authorized users such as Admin, Resident, and Security Guard can log in and access the system. Unauthorized users are not allowed to use the application.

- The current version does not include an online payment gateway. Residents can view maintenance details, but online payment is not supported.

- The system does not provide SMS or email notifications for notices, complaints, or maintenance reminders.

13.Conclusion

- The Society Management System is an effective web application that aids in managing the activities of a housing society in an efficient manner.

- This system offers login facility to Secretary, Member, and Security Guard. It enables efficient management of members' information, complaints, maintenance payment, and notice.

- It eliminates paperwork, saves time, and ensures secure storage of information in the database.

- Thus, the Society Management System efficiently fulfills the project requirements.