




Filename: T087 S326-SAM8201 to 8256.cRNA




Default image (Contrast 50%), Image is Scaled to Highest Sample Peak



Default image (Contrast 50%), Image is Scaled to Highest Sample Peak



Default image (Contrast 50%), Image is Scaled to Highest Sample Peak




Default image (Contrast 50%), Image is Scaled to Highest Sample Peak

Sample Info

Well	RiNe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A1	-	-	70.4	Electronic Ladder		Ladder
B1	7.6	1.6	133	PXMi25-C001-26152-SAM8201		
C1	7.5	1.2	94.0	PXMi25-C001-33514-SAM8202		
D1	3.8	0.2	204	PXMi25-C002-203-SAM8203		The upper ribosomal fragment has degraded
E1	2.9	-	187	PXMi25-C002-4195-SAM8204		The upper ribosomal fragment has degraded
F1	1.1	-	53.5	PXMi25-C002-3438-SAM8205	⚠	The lower ribosomal fragment is missing
G1	4.6	0.5	81.9	PXMi25-C002-13456-SAM8206		
H1	5.0	0.5	69.4	PXMi25-C002-16257-SAM8207		
A2	6.5	1.2	147	PXMi25-C002-25070-SAM8208		
B2	6.6	1.1	87.0	PXMi25-C002-16935-SAM8209		
C2	6.1	1.3	208	PXMi25-C002-30353-SAM8210		
D2	5.4	0.9	187	PXMi25-C002-19031-SAM8211		
E2	6.6	1.3	306	PXMi25-C002-27499-SAM8212		
F2	6.2	0.8	142	PXMi25-C002-23154-SAM8213		
G2	5.6	0.8	194	PXMi25-C002-34340-SAM8214		
H2	6.6	1.2	188	PXMi25-C002-17256-SAM8215		
A3	4.8	0.8	325	PXMi25-C002-36161-SAM8216		
B3	6.5	1.1	114	PXMi25-C002-17896-SAM8217		
C3	5.3	0.8	110	PXMi25-C002-36742-SAM8218		
D3	6.8	1.2	398	PXMi25-C002-22702-SAM8219		
E3	6.6	1.5	248	PXMi25-C002-37805-SAM8220		
F3	5.8	1.1	583	PXMi25-C002-24949-SAM8221	⚠	Sample concentration outside functional range for RiNe and the assay
G3	6.5	1.1	458	PXMi25-C002-39677-SAM8222		
H3	6.6	1.3	94.4	PXMi25-C002-25134-SAM8223		
A4	5.8	0.8	559	PXMi25-C002-38730-SAM8224	⚠	Sample concentration outside functional range for RiNe and the assay
B4	2.5	-	16.5	PXMi25-C002-26766-SAM8225	⚠	The lower ribosomal fragment is missing; Sample concentration outside functional range for RiNe and the assay
C4	7.1	1.3	193	PXMi25-C002-40887-SAM8226		
D4	7.3	2.1	148	PXMi25-R001-3548-SAM8227		
E4	7.4	2.4	153	PXMi25-R001-4596-SAM8228		
F4	7.0	2.5	197	PXMi25-R001-4921-SAM8229		
G4	7.6	1.9	338	PXMi25-R001-5192-SAM8230		
H4	7.3	1.9	393	PXMi25-R001-10842-SAM8231		
A5	6.8	1.7	652	PXMi25-R001-13436-SAM8232	⚠	Sample concentration outside functional range for RiNe and the assay
B5	6.9	1.4	146	PXMi25-R001-15615-SAM8233		

C5	7.5	2.3	177	PXMi25-R001-17411-SAM8234		
D5	7.0	1.3	107	PXMi25-R001-18621-SAM8235		
E5	7.4	1.4	67.2	PXMi25-R001-18624-SAM8236		
F5	6.9	1.3	76.9	PXMi25-R001-27014-SAM8237		
G5	7.1	1.6	41.9	PXMi25-R001-27016-SAM8238		
H5	6.7	2.4	61.8	PXMi25-R001-27018-SAM8239		
A6	6.4	1.4	128	PXMi25-R001-27876-SAM8240		
B6	7.3	1.5	82.0	PXMi25-R001-1031-SAM8241		
C6	7.3	1.6	126	PXMi25-R001-4764-SAM8242		
D6	6.3	1.9	169	PXMi25-R001-9199-SAM8243		
E6	6.5	1.4	105	PXMi25-R001-9307-SAM8244		
F6	7.4	1.6	108	PXMi25-R001-14159-SAM8245		
G6	6.3	1.4	42.9	PXMi25-R001-19941-SAM8246		
H6	7.4	1.7	70.3	PXMi25-R001-22104-SAM8247		
A7	6.9	1.5	140	PXMi25-R001-26159-SAM8248		
B7	3.5	-	83.9	PXMi25-R001-787-SAM8249	⚠	The lower ribosomal fragment is missing
C7	4.7	1.2	73.2	PXMi25-R001-5488-SAM8250		
D7	3.4	0.4	86.0	PXMi25-R001-7014-SAM8251		
E7	3.6	0.3	62.4	PXMi25-R001-6759-SAM8252		The upper ribosomal fragment has degraded
F7	3.3	0.5	69.8	PXMi25-R001-9685-SAM8253		The upper ribosomal fragment has degraded
G7	6.8	2.4	50.9	PXMi25-R001-14549-SAM8254		
H7	5.0	1.9	176	PXMi25-R001-13259-SAM8255		
A8	6.9	1.9	949	PXMi25-R001-22963-SAM8256	⚠	Sample concentration outside functional range for RINe and the assay; RINe edited

A1: Electronic Ladder




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A1	-	-	70.4	Electronic Ladder		Ladder

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
200	4.92	-	72.4	7.80		
500	13.2	-	77.6	20.88		
1000	11.8	-	34.6	18.62		
2000	11.4	-	16.8	18.11		
4000	12.9	-	9.47	20.38		
6000	8.98	-	4.40	14.22		

B1: PXMi25-C001-26152-SAM8201




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B1	7.6	1.6	133	PXMi25-C001-26152-SAM8201		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1617	26.2	-	47.6	38.67		18S
4612	41.5	-	26.4	61.33		28S

C1: PXMi25-C001-33514-SAM8202




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C1	7.5	1.2	94.0	PXMi25-C001-33514-SAM8202		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1618	19.9	-	36.2	44.85		18S
4895	24.5	-	14.7	55.15		28S

D1: PXMi25-C002-203-SAM8203




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D1	3.8	0.2	204	PXMi25-C002-203-SAM8203		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1557	70.3	-	133	84.90		18S
4490	12.5	-	8.19	15.10		28S

E1: PXMi25-C002-4195-SAM8204




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E1	2.9	-	187	PXMi25-C002-4195-SAM8204		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1552	58.3	-	110	100.00		18S

F1: PXMi25-C002-3438-SAM8205




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F1	1.1	-	53.5	PXMi25-C002-3438-SAM8205		The lower ribosomal fragment is missing

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker

G1: PXMi25-C002-13456-SAM8206




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G1	4.6	0.5	81.9	PXMi25-C002-13456-SAM8206		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1530	19.4	-	37.3	68.65		18S
4293	8.86	-	6.07	31.35		28S

H1: PXMi25-C002-16257-SAM8207




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H1	5.0	0.5	69.4	PXMi25-C002-16257-SAM8207		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1513	16.0	-	31.1	65.27		18S
4245	8.51	-	5.90	34.73		28S

A2: PXMi25-C002-25070-SAM8208




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A2	6.5	1.2	147	PXMi25-C002-25070-SAM8208		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1449	28.9	-	58.7	44.93		18S
3695	35.5	-	28.2	55.07		28S

B2: PXMi25-C002-16935-SAM8209




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B2	6.6	1.1	87.0	PXMi25-C002-16935-SAM8209		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1446	17.9	-	36.5	48.17		18S
3868	19.3	-	14.7	51.83		28S


C2: PXMi25-C002-30353-SAM8210**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C2	6.1	1.3	208	PXMi25-C002-30353-SAM8210		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1440	39.8	-	81.3	43.93		18S
3623	50.8	-	41.2	56.07		28S

D2: PXMi25-C002-19031-SAM8211




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
D2	5.4	0.9	187	PXMi25-C002-19031-SAM8211		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1467	37.8	-	75.8	53.89		18S
3851	32.4	-	24.7	46.11		28S


E2: PXMi25-C002-27499-SAM8212**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E2	6.6	1.3	306	PXMi25-C002-27499-SAM8212		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1566	64.3	-	121	44.39		18S
3874	80.5	-	61.1	55.61		28S

F2: PXMi25-C002-23154-SAM8213




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
F2	6.2	0.8	142	PXMi25-C002-23154-SAM8213		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1556	43.2	-	81.6	56.37		18S
3978	33.4	-	24.7	43.63		28S

G2: PXMi25-C002-34340-SAM8214




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G2	5.6	0.8	194	PXMi25-C002-34340-SAM8214		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1538	47.1	-	90.0	54.53		18S
3889	39.2	-	29.7	45.47		28S

H2: PXMi25-C002-17256-SAM8215




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H2	6.6	1.2	188	PXMi25-C002-17256-SAM8215		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1506	37.8	-	73.8	45.22		18S
3881	45.8	-	34.7	54.78		28S

A3: PXMi25-C002-36161-SAM8216




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A3	4.8	0.8	325	PXMi25-C002-36161-SAM8216		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1474	62.4	-	125	56.03		18S
3667	49.0	-	39.3	43.97		28S

B3: PXMi25-C002-17896-SAM8217




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B3	6.5	1.1	114	PXMi25-C002-17896-SAM8217		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1474	23.7	-	47.2	48.65		18S
3839	25.0	-	19.1	51.35		28S

C3: PXMi25-C002-36742-SAM8218




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/µl]	Sample Description	Alert	Observations
C3	5.3	0.8	110	PXMi25-C002-36742-SAM8218		

Peak Table

Size [nt]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1514	21.4	-	41.6	56.54		18S
3829	16.4	-	12.6	43.46		28S

D3: PXMi25-C002-22702-SAM8219




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
D3	6.8	1.2	398	PXMi25-C002-22702-SAM8219		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1585	102	-	190	45.79		18S
4124	121	-	86.5	54.21		28S

E3: PXMi25-C002-37805-SAM8220




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E3	6.6	1.5	248	PXMi25-C002-37805-SAM8220		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1578	47.0	-	87.5	40.45		18S
4492	69.1	-	45.3	59.55		28S

F3: PXMi25-C002-24949-SAM8221




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F3	5.8	1.1	583	PXMi25-C002-24949-SAM8221		Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1537	113	-	217	47.24		18S
3853	127	-	96.8	52.76		28S

G3: PXMi25-C002-39677-SAM8222




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G3	6.5	1.1	458	PXMi25-C002-39677-SAM8222		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1476	111	-	221	47.82		18S
3654	121	-	97.6	52.18		28S

H3: PXMi25-C002-25134-SAM8223




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H3	6.6	1.3	94.4	PXMi25-C002-25134-SAM8223		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1487	17.4	-	34.4	44.15		18S
4122	22.0	-	15.7	55.85		28S

A4: PXMi25-C002-38730-SAM8224




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A4	5.8	0.8	559	PXMi25-C002-38730-SAM8224		Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1465	136	-	273	54.55		18S
3596	113	-	92.7	45.45		28S

B4: PXMi25-C002-26766-SAM8225




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/µl]	Sample Description	Alert	Observations
B4	2.5	-	16.5	PXMi25-C002-26766-SAM8225		The lower ribosomal fragment is missing: Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker

C4: PXMi25-C002-40887-SAM8226




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C4	7.1	1.3	193	PXMi25-C002-40887-SAM8226		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1478	40.2	-	80.1	42.81		18S
3830	53.7	-	41.3	57.19		28S

D4: PXMi25-R001-3548-SAM8227




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D4	7.3	2.1	148	PXMi25-R001-3548-SAM8227		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1687	24.1	-	42.0	32.46		18S
5303	50.1	-	27.8	67.54		28S

E4: PXMi25-R001-4596-SAM8228




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E4	7.4	2.4	153	PXMi25-R001-4596-SAM8228		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1667	23.0	-	40.6	29.22		18S
5082	55.7	-	32.3	70.78		28S

F4: PXMi25-R001-4921-SAM8229




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
F4	7.0	2.5	197	PXMi25-R001-4921-SAM8229		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1609	33.2	-	60.7	28.25		18S
4660	84.4	-	53.3	71.75		28S

G4: PXMi25-R001-5192-SAM8230




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G4	7.6	1.9	338	PXMi25-R001-5192-SAM8230		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1573	60.8	-	114	33.91		18S
4382	118	-	79.5	66.09		28S

H4: PXMi25-R001-10842-SAM8231




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H4	7.3	1.9	393	PXMi25-R001-10842-SAM8231		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1519	69.7	-	135	34.47		18S
4271	133	-	91.3	65.53		28S

A5: PXMi25-R001-13436-SAM8232




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A5	6.8	1.7	652	PXMi25-R001-13436-SAM8232		Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1606	114	-	208	36.80		18S
4450	195	-	129	63.20		28S


B5: PXMi25-R001-15615-SAM8233**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B5	6.9	1.4	146	PXMi25-R001-15615-SAM8233		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1590	21.6	-	40.0	41.56		18S
4684	30.4	-	19.1	58.44		28S

C5: PXMi25-R001-17411-SAM8234




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
C5	7.5	2.3	177	PXMi25-R001-17411-SAM8234		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1508	26.6	-	51.9	30.72		18S
4493	60.0	-	39.3	69.28		28S

D5: PXMi25-R001-18621-SAM8235




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D5	7.0	1.3	107	PXMi25-R001-18621-SAM8235		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1493	20.4	-	40.3	43.05		18S
4343	27.0	-	18.3	56.95		28S


E5: PXMi25-R001-18624-SAM8236**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E5	7.4	1.4	67.2	PXMi25-R001-18624-SAM8236		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1501	12.2	-	23.9	40.85		18S
4663	17.7	-	11.1	59.15		28S

F5: PXMi25-R001-27014-SAM8237




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F5	6.9	1.3	76.9	PXMi25-R001-27014-SAM8237		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1462	14.8	-	29.8	43.85		18S
4394	19.0	-	12.7	56.15		28S


G5: PXMi25-R001-27016-SAM8238**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G5	7.1	1.6	41.9	PXMi25-R001-27016-SAM8238		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1492	7.01	-	13.8	38.14		18S
4818	11.4	-	6.94	61.86		28S

H5: PXMi25-R001-27018-SAM8239




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H5	6.7	2.4	61.8	PXMi25-R001-27018-SAM8239		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1694	10.2	-	17.6	29.68		18S
5449	24.1	-	13.0	70.32		28S

A6: PXMi25-R001-27876-SAM8240




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A6	6.4	1.4	128	PXMi25-R001-27876-SAM8240		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1669	24.4	-	43.0	41.19		18S
5069	34.8	-	20.2	58.81		28S

B6: PXMi25-R001-1031-SAM8241




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B6	7.3	1.5	82.0	PXMi25-R001-1031-SAM8241		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1673	14.9	-	26.2	39.75		18S
5291	22.6	-	12.6	60.25		28S

C6: PXMi25-R001-4764-SAM8242




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C6	7.3	1.6	126	PXMi25-R001-4764-SAM8242		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1668	24.4	-	43.1	38.71		18S
4888	38.7	-	23.3	61.29		28S

D6: PXMi25-R001-9199-SAM8243




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/µl]	Sample Description	Alert	Observations
D6	6.3	1.9	169	PXMi25-R001-9199-SAM8243		

Peak Table

Size [nt]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1657	32.1	-	56.9	34.46		18S
4711	61.0	-	38.1	65.54		28S

E6: PXMi25-R001-9307-SAM8244




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
E6	6.5	1.4	105	PXMi25-R001-9307-SAM8244		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1620	19.0	-	34.6	41.27		18S
4864	27.1	-	16.4	58.73		28S

F6: PXMi25-R001-14159-SAM8245




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F6	7.4	1.6	108	PXMi25-R001-14159-SAM8245		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1584	19.2	-	35.7	37.97		18S
4712	31.4	-	19.6	62.03		28S


G6: PXMi25-R001-19941-SAM8246**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G6	6.3	1.4	42.9	PXMi25-R001-19941-SAM8246		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1674	7.30	-	12.8	42.36		18S
5478	9.93	-	5.33	57.64		28S

H6: PXMi25-R001-22104-SAM8247




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
H6	7.4	1.7	70.3	PXMi25-R001-22104-SAM8247		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1651	13.0	-	23.2	36.98		18S
5209	22.2	-	12.5	63.02		28S

A7: PXMi25-R001-26159-SAM8248




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A7	6.9	1.5	140	PXMi25-R001-26159-SAM8248		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1650	30.1	-	53.7	40.07		18S
5043	45.1	-	26.3	59.93		28S

B7: PXMi25-R001-787-SAM8249




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B7	3.5	-	83.9	PXMi25-R001-787-SAM8249		The lower ribosomal fragment is missing

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
3504	41.1	-	34.5	100.00		28S

C7: PXMi25-R001-5488-SAM8250




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C7	4.7	1.2	73.2	PXMi25-R001-5488-SAM8250		

Peak Table


Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1635	13.9	-	25.1	46.35		18S
5092	16.1	-	9.32	53.65		28S

D7: PXMi25-R001-7014-SAM8251**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D7	3.4	0.4	86.0	PXMi25-R001-7014-SAM8251		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1597	16.7	-	30.7	71.76		18S
3276	6.56	-	5.89	28.24		28S


E7: PXMi25-R001-6759-SAM8252**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E7	3.6	0.3	62.4	PXMi25-R001-6759-SAM8252		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1574	10.4	-	19.5	77.18		18S
4971	3.09	-	1.83	22.82		28S

F7: PXMi25-R001-9685-SAM8253




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/µl]	Sample Description	Alert	Observations
F7	3.3	0.5	69.8	PXMi25-R001-9685-SAM8253		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1583	9.30	-	17.3	68.00		18S
2765	4.38	-	4.66	32.00		28S

G7: PXMi25-R001-14549-SAM8254




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G7	6.8	2.4	50.9	PXMi25-R001-14549-SAM8254		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1563	7.85	-	14.8	29.56		18S
5031	18.7	-	10.9	70.44		28S

H7: PXMi25-R001-13259-SAM8255




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H7	5.0	1.9	176	PXMi25-R001-13259-SAM8255		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1633	27.0	-	48.6	34.23		18S
4998	51.8	-	30.5	65.77		28S

A8: PXMi25-R001-22963-SAM8256




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A8	6.9	1.9	949	PXMi25-R001-22963-SAM8256		Sample concentration outside functional range for RINe and the assay; RINe edited


Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		edited Lower Marker
1646	191	-	341	34.59		18S edited
4661	361	-	228	65.41		28S edited


Filename: T087 S326-SAM8167 to SAM8200.cRNA



Default image (Contrast 50%), Image is Scaled to Highest Sample Peak



Default image (Contrast 50%), Image is Scaled to Highest Sample Peak




Default image (Contrast 50%), Image is Scaled to Highest Sample Peak

Sample Info

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A1	-	-	70.4	Electronic Ladder		Ladder
B1	7.0	2.1	297	PXMi25-C001-9025-SAM8167		
C1	6.3	2.2	408	PXMi25-C001-19976-SAM8168		
D1	7.1	1.9	308	PXMi25-C001-1078-SAM8169		
E1	6.7	2.4	260	PXMi25-C001-18706-SAM8170		
F1	7.3	2.4	178	PXMi25-C001-1443-SAM8171		
G1	7.2	1.8	290	PXMi25-C001-23467-SAM8172		
H1	6.3	1.6	364	PXMi25-C001-3579-SAM8173		
A2	7.1	2.0	276	PXMi25-C001-22677-SAM8174		
B2	6.4	1.1	910	PXMi25-C001-4061-SAM8175	⚠	Sample concentration outside functional range for RINe and the assay; RINe edited
C2	5.5	1.2	559	PXMi25-C001-13107-SAM8176	⚠	Sample concentration outside functional range for RINe and the assay
D2	6.2	0.9	963	PXMi25-C001-4770-SAM8177	⚠	Sample concentration outside functional range for RINe and the assay; RINe edited
E2	8.0	1.8	234	PXMi25-C001-24716-SAM8178		
F2	7.3	1.5	292	PXMi25-C001-5034-SAM8179		
G2	7.5	1.6	159	PXMi25-C001-26855-SAM8180		
H2	7.4	1.5	176	PXMi25-C001-5430-SAM8181		
A3	7.3	1.4	120	PXMi25-C001-26953-SAM8182		
B3	7.9	1.3	83.3	PXMi25-C001-6665-SAM8183		
C3	6.8	1.2	184	PXMi25-C001-13003-SAM8184		
D3	8.1	1.6	64.1	PXMi25-C001-28392-SAM8185		
E3	8.1	1.7	39.3	PXMi25-C001-40497-SAM8186		
F3	7.3	1.9	123	PXMi25-C001-28925-SAM8187		
G3	6.9	1.4	113	PXMi25-C001-41069-SAM8188		
H3	7.2	1.5	108	PXMi25-C001-7313-SAM8189		
A4	7.5	1.9	171	PXMi25-C001-30369-SAM8190		
B4	8.2	1.8	46.5	PXMi25-C001-12367-SAM8191		
C4	8.3	1.8	69.4	PXMi25-C001-19711-SAM8192		
D4	7.9	1.9	112	PXMi25-C001-11884-SAM8193		
E4	8.0	1.6	65.4	PXMi25-C001-23211-SAM8194		
F4	8.0	1.8	66.2	PXMi25-C001-12608-SAM8195		
G4	7.8	1.6	75.0	PXMi25-C001-21440-SAM8196		
H4	8.1	1.8	111	PXMi25-C001-19520-SAM8197		
A5	8.1	1.7	95.9	PXMi25-C001-30218-SAM8198		
B5	7.4	1.6	136	PXMi25-C001-25836-SAM8199		
C5	7.4	1.6	69.9	PXMi25-C001-33248-SAM8200		

A1: Electronic Ladder




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A1	-	-	70.4	Electronic Ladder		Ladder

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
200	4.92	-	72.4	7.80		
500	13.2	-	77.6	20.88		
1000	11.8	-	34.6	18.62		
2000	11.4	-	16.8	18.11		
4000	12.9	-	9.47	20.38		
6000	8.98	-	4.40	14.22		

B1: PXMi25-C001-9025-SAM8167




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B1	7.0	2.1	297	PXMi25-C001-9025-SAM8167		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1548	54.0	-	103	32.07		18S
4237	114	-	79.4	67.93		28S

C1: PXMi25-C001-19976-SAM8168




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C1	6.3	2.2	408	PXMi25-C001-19976-SAM8168		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1551	70.0	-	133	31.72		18S
4090	151	-	108	68.28		28S

D1: PXMi25-C001-1078-SAM8169




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D1	7.1	1.9	308	PXMi25-C001-1078-SAM8169		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1527	54.3	-	105	34.55		18S
4029	103	-	75.0	65.45		28S

E1: PXMi25-C001-18706-SAM8170




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E1	6.7	2.4	260	PXMi25-C001-18706-SAM8170		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1524	43.2	-	83.4	29.66		18S
4113	103	-	73.3	70.34		28S

F1: PXMi25-C001-1443-SAM8171




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F1	7.3	2.4	178	PXMi25-C001-1443-SAM8171		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1552	30.1	-	57.0	29.05		18S
4353	73.5	-	49.7	70.95		28S

G1: PXMi25-C001-23467-SAM8172




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G1	7.2	1.8	290	PXMi25-C001-23467-SAM8172		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1562	51.4	-	96.8	36.26		18S
4307	90.3	-	61.7	63.74		28S

H1: PXMi25-C001-3579-SAM8173




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H1	6.3	1.6	364	PXMi25-C001-3579-SAM8173		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1615	62.1	-	113	38.35		18S
4418	99.8	-	66.5	61.65		28S

A2: PXMi25-C001-22677-SAM8174




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A2	7.1	2.0	276	PXMi25-C001-22677-SAM8174		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1560	46.0	-	86.7	33.73		18S
4302	90.3	-	61.7	66.27		28S


B2: PXMi25-C001-4061-SAM8175**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B2	6.4	1.1	910	PXMi25-C001-4061-SAM8175		Sample concentration outside functional range for RINe and the assay; RINe edited

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		edited Lower Marker
1400	247	-	519	47.54		18S edited
3562	273	-	225	52.46		28S edited

C2: PXMi25-C001-13107-SAM8176




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C2	5.5	1.2	559	PXMi25-C001-13107-SAM8176		Sample concentration outside functional range for RINe and the assay

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1316	104	-	231	45.32		18S
3418	125	-	108	54.68		28S


D2: PXMi25-C001-4770-SAM8177**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D2	6.2	0.9	963	PXMi25-C001-4770-SAM8177	⚠	Sample concentration outside functional range for RINe and the assay; RINe edited

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		edited Lower Marker
1294	305	-	693	52.57		18S edited
3243	275	-	249	47.43		28S edited

E2: PXMi25-C001-24716-SAM8178




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
E2	8.0	1.8	234	PXMi25-C001-24716-SAM8178		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1687	41.9	-	73.0	35.91		18S
5088	74.7	-	43.2	64.09		28S

F2: PXMi25-C001-5034-SAM8179




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
F2	7.3	1.5	292	PXMi25-C001-5034-SAM8179		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1632	64.0	-	115	40.66		18S
4371	93.5	-	62.9	59.34		28S

G2: PXMi25-C001-26855-SAM8180




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G2	7.5	1.6	159	PXMi25-C001-26855-SAM8180		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1618	32.6	-	59.3	39.18		18S
4662	50.6	-	31.9	60.82		28S

H2: PXMi25-C001-5430-SAM8181




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H2	7.4	1.5	176	PXMi25-C001-5430-SAM8181		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1629	35.6	-	64.3	39.72		18S
4612	54.1	-	34.5	60.28		28S

A3: PXMi25-C001-26953-SAM8182




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A3	7.3	1.4	120	PXMi25-C001-26953-SAM8182		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1641	24.9	-	44.6	41.26		18S
4893	35.4	-	21.3	58.74		28S

B3: PXMi25-C001-6665-SAM8183




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B3	7.9	1.3	83.3	PXMi25-C001-6665-SAM8183		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1592	18.6	-	34.3	44.18		18S
4713	23.5	-	14.6	55.82		28S

C3: PXMi25-C001-13003-SAM8184




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C3	6.8	1.2	184	PXMi25-C001-13003-SAM8184		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1577	38.9	-	72.4	45.35		18S
4235	46.8	-	32.5	54.65		28S

D3: PXMi25-C001-28392-SAM8185




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
D3	8.1	1.6	64.1	PXMi25-C001-28392-SAM8185		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1561	12.7	-	23.8	38.25		18S
4971	20.4	-	12.1	61.75		28S

E3: PXMi25-C001-40497-SAM8186




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
E3	8.1	1.7	39.3	PXMi25-C001-40497-SAM8186		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1627	6.85	-	12.4	36.59		18S
5489	11.9	-	6.36	63.41		28S

F3: PXMi25-C001-28925-SAM8187




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/µl]	Sample Description	Alert	Observations
F3	7.3	1.9	123	PXMi25-C001-28925-SAM8187		

Peak Table

Size [nt]	Calibrated Conc. [ng/µl]	Assigned Conc. [ng/µl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1724	23.0	-	39.3	35.00		18S
5375	42.8	-	23.4	65.00		28S

G3: PXMi25-C001-41069-SAM8188




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G3	6.9	1.4	113	PXMi25-C001-41069-SAM8188		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1683	22.5	-	39.3	41.34		18S
5188	31.9	-	18.1	58.66		28S

H3: PXMi25-C001-7313-SAM8189




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H3	7.2	1.5	108	PXMi25-C001-7313-SAM8189		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1637	21.2	-	38.1	40.78		18S
4968	30.8	-	18.2	59.22		28S

A4: PXMi25-C001-30369-SAM8190




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
A4	7.5	1.9	171	PXMi25-C001-30369-SAM8190		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1632	29.6	-	53.3	35.07		18S
4761	54.7	-	33.8	64.93		28S


B4: PXMi25-C001-12367-SAM8191**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B4	8.2	1.8	46.5	PXMi25-C001-12367-SAM8191		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1645	8.13	-	14.5	36.00		18S
5512	14.5	-	7.71	64.00		28S

C4: PXMi25-C001-19711-SAM8192




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C4	8.3	1.8	69.4	PXMi25-C001-19711-SAM8192		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1655	12.9	-	23.0	35.67		18S
5371	23.3	-	12.8	64.33		28S

D4: PXMi25-C001-11884-SAM8193




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D4	7.9	1.9	112	PXMi25-C001-11884-SAM8193		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1657	21.2	-	37.6	35.08		18S
4998	39.2	-	23.0	64.92		28S

E4: PXMi25-C001-23211-SAM8194




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E4	8.0	1.6	65.4	PXMi25-C001-23211-SAM8194		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1591	12.8	-	23.6	38.66		18S
5124	20.3	-	11.6	61.34		28S

F4: PXMi25-C001-12608-SAM8195




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
F4	8.0	1.8	66.2	PXMi25-C001-12608-SAM8195		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1672	12.2	-	21.5	36.22		18S
5355	21.5	-	11.8	63.78		28S

G4: PXMi25-C001-21440-SAM8196




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G4	7.8	1.6	75.0	PXMi25-C001-21440-SAM8196		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1662	14.7	-	26.0	39.11		18S
5278	22.8	-	12.7	60.89		28S

H4: PXMi25-C001-19520-SAM8197




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
H4	8.1	1.8	111	PXMi25-C001-19520-SAM8197		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1670	21.5	-	37.9	35.52		18S
5049	39.0	-	22.7	64.48		28S

A5: PXMi25-C001-30218-SAM8198




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A5	8.1	1.7	95.9	PXMi25-C001-30218-SAM8198		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1678	19.4	-	34.0	37.20		18S
5129	32.8	-	18.8	62.80		28S

B5: PXMi25-C001-25836-SAM8199




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B5	7.4	1.6	136	PXMi25-C001-25836-SAM8199		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1598	26.1	-	48.1	38.70		18S
4563	41.4	-	26.7	61.30		28S

C5: PXMi25-C001-33248-SAM8200



Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C5	7.4	1.6	69.9	PXMi25-C001-33248-SAM8200		

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment	Observations
25	36.0	36.0	4240	-		Lower Marker
1586	12.1	-	22.4	38.87		18S
5042	19.0	-	11.1	61.13		28S