


[nt]	EL1 (L)	A1	B1	C1	D1	E1	F1	G1	H1	A2	B2	C2	D2	E2	F2	G2	H2
6000																	
4000																	
2000																	
1000																	
500																	
200																	
25																	
RIN ^e	6.9	2.3	8.0	1.7	8.5	8.3	3.4	6.8	5.7	2.3	5.5	4.8	4.4	8.2	3.3	6.5	

Default image (Contrast 19%), Image is Scaled to Highest Sample Peak

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
EL1	-	-	70.4	Electronic Ladder		Ladder
A1	6.9	1.7	455	SAM8909 HNC-6		
B1	2.3	-	28.0	SAM8910 HNC-7	⚠	The lower ribosomal fragment is missing
C1	8.0	1.5	395	SAM8911 HNC-14		
D1	1.7	-	95.9	SAM8912 HNC-16		The upper ribosomal fragment has degraded
E1	8.5	1.5	176	SAM8913 HNC-17		
F1	8.3	1.5	96.4	SAM8914 HNC-19		
G1	3.4	-	28.8	SAM8915 HNC-21		The upper ribosomal fragment has degraded
H1	6.8	0.9	43.3	SAM8916 HNC-22		
A2	5.7	1.3	353	SAM8919 HNC-25		
B2	2.3	-	211	SAM8920 HNC-27		The upper ribosomal fragment has degraded
C2	5.5	0.7	49.6	SAM8921 HNC-30		The upper ribosomal fragment has degraded
D2	4.8	0.9	51.4	SAM8922 HNC-31		
E2	4.4	0.5	87.3	SAM8923 HNC-32		The upper ribosomal fragment has degraded
F2	8.2	0.9	51.1	SAM8924 HNC-33		
G2	3.3	0.4	81.1	SAM8925 HNC-34		The upper ribosomal fragment has degraded
H2	6.5	1.3	216	SAM8926 HNC-35		

EL1: Electronic Ladder




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
EL1	-	-	70.4	Electronic Ladder		Ladder

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
200	4.92	-	72.4	7.80	
500	13.2	-	77.6	20.88	
1000	11.8	-	34.6	18.62	
2000	11.4	-	16.8	18.11	
4000	12.9	-	9.47	20.38	
6000	8.98	-	4.40	14.22	

A1: SAM8909 HNC-6




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A1	6.9	1.7	455	SAM8909 HNC-6		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1669	56.9	-	100	37.47	
4331	94.9	-	64.5	62.53	

B1: SAM8910 HNC-7




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B1	2.3	-	28.0	SAM8910 HNC-7		The lower ribosomal fragment is missing

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	

C1: SAM8911 HNC-14




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
C1	8.0	1.5	395	SAM8911 HNC-14		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1621	71.9	-	130	40.28	
4260	107	-	73.6	59.72	

D1: SAM8912 HNC-16




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
D1	1.7	-	95.9	SAM8912 HNC-16		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
798	6.84	-	25.2	100.00	

E1: SAM8913 HNC-17




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
E1	8.5	1.5	176	SAM8913 HNC-17		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1596	30.2	-	55.6	39.77	
4350	45.7	-	30.9	60.23	

F1: SAM8914 HNC-19




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
F1	8.3	1.5	96.4	SAM8914 HNC-19		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1522	16.1	-	31.0	40.73	
4250	23.4	-	16.2	59.27	

G1: SAM8915 HNC-21




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G1	3.4	-	28.8	SAM8915 HNC-21		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1504	1.04	-	2.03	100.00	

H1: SAM8916 HNC-22




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
H1	6.8	0.9	43.3	SAM8916 HNC-22		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1572	5.74	-	10.7	53.97	
5006	4.89	-	2.87	46.03	

A2: SAM8919 HNC-25




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
A2	5.7	1.3	353	SAM8919 HNC-25		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1665	36.3	-	64.1	44.35	
4494	45.5	-	29.8	55.65	

B2: SAM8920 HNC-27




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
B2	2.3	-	211	SAM8920 HNC-27		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1637	9.35	-	16.8	100.00	


C2: SAM8921 HNC-30**Sample Table**

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
C2	5.5	0.7	49.6	SAM8921 HNC-30		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1670	3.28	-	5.77	59.00	
5699	2.28	-	1.18	41.00	

D2: SAM8922 HNC-31




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
D2	4.8	0.9	51.4	SAM8922 HNC-31		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1605	3.65	-	6.69	51.57	
4994	3.43	-	2.02	48.43	

E2: SAM8923 HNC-32




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
E2	4.4	0.5	87.3	SAM8923 HNC-32		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1525	6.56	-	12.7	67.68	
4118	3.13	-	2.24	32.32	

F2: SAM8924 HNC-33




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
F2	8.2	0.9	51.1	SAM8924 HNC-33		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1538	8.72	-	16.7	52.76	
4612	7.81	-	4.98	47.24	

G2: SAM8925 HNC-34




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/μl]	Sample Description	Alert	Observations
G2	3.3	0.4	81.1	SAM8925 HNC-34		The upper ribosomal fragment has degraded

Peak Table

Size [nt]	Calibrated Conc. [ng/μl]	Assigned Conc. [ng/μl]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1614	8.91	-	16.2	71.87	
4637	3.49	-	2.21	28.13	

H2: SAM8926 HNC-35




Sample Table

Well	RINe	28S/18S (Area)	Conc. [ng/ul]	Sample Description	Alert	Observations
H2	6.5	1.3	216	SAM8926 HNC-35		

Peak Table

Size [nt]	Calibrated Conc. [ng/ul]	Assigned Conc. [ng/ul]	Peak Molarity [nmol/l]	% Integrated Area	Peak Comment
25	36.0	36.0	4240	-	
1613	28.3	-	51.6	43.86	
4283	36.2	-	24.9	56.14	

Filename: TapeStation Lib Report TCP_2627_027_2.cHSRNA




Default image (Contrast 100%)

Sample Info

Well	RIN ^e	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	-	-	3750	Electronic Ladder		Ladder
B1	2.8	0.7	782	SAM8817 HNC-23		Caution! Expired ScreenTape device; RNA concentration outside recommended range for RIN ^e ; The upper ribosomal fragment has degraded; RIN ^e edited
C1	2.0	-	552	SAM8818 HNC-24		Caution! Expired ScreenTape device; Markers outside standard running position; RNA concentration outside recommended range for RIN ^e ; The upper ribosomal fragment has degraded; RIN ^e edited

A1: Electronic Ladder




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
A1	-	-	3750	Electronic Ladder		Ladder

Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
200	189	-	2770	5.98		
500	638	-	3760	20.25		
1000	557	-	1640	17.66		
2000	580	-	854	18.42		
4000	634	-	466	20.11		
6000	554	-	272	17.58		

B1: SAM8817 HNC-23




Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
B1	2.8	0.7	782	SAM8817 HNC-23		Caution! Expired ScreenTape device; RNA concentration outside recommended range for RINe; The upper ribosomal fragment has degraded; RINe edited

Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		Lower Marker
1147	22.8	-	58.3	60.39		18S edited
4618	14.9	-	9.50	39.61		28S edited

C1: SAM8818 HNC-24



Sample Table

Well	RINe	28S/18S (Area)	Conc. [pg/ul]	Sample Description	Alert	Observations
C1	2.0	-	552	SAM8818 HNC-24		Caution! Expired ScreenTape device; Markers outside standard running position; RNA concentration outside recommended range for RINe; The upper ribosomal fragment has degraded; RINe edited

Peak Table

Size [nt]	Calibrated Conc. [pg/ul]	Assigned Conc. [pg/ul]	Peak Molarity [pmol/l]	% Integrated Area	Peak Comment	Observations
25	700	700	82400	-		edited Lower Marker
1036	533	-	1510	100.00		18S edited